







The Catalog

Furnishing with steel furniture





We are here for you:

with specialist advice and service - locally.

Our hand-picked and qualified authorized C+P partners will be glad to help you at local level with any practical advice on all your furnishing inquiries.

Please, simply get in touch with us. We will be glad to give you the details of an authorized C+P partner close to you.

www.cp-furniture.com













C+P. The right choice.

C+P. At home in all industries	
Solutions with quality and service	
Innovative strength and new ideas	
Made of steel – naturally!	
Furniture that gets there safely.	
Your advantage: logistics service made to order	18
Locker and cloakroom furniture	
Lockers	
School and box lockers	13
Benches with coat rack	16
Wall-mounted and free-standing wardrobes	17
Open wardrobes and box lockers	17
Industry and specialist solutions	18
Workshop cabinets, workbenches and shelving	
System cabinets, pedestals and occasional furniture	
Workbenches, workshop trolleys	26
	120
Perforated panel systems	20
Perforated panel systems	
Shelving systems	28
Shelving systems	28
Cabinets and filing systems Cabinet systems C 2000 Acurado	
Cabinets and filing systems Cabinet systems C 2000 Acurado Cabinet systems C 3000 Asisto	30 33
Cabinets and filing systems Cabinet systems C 2000 Acurado Cabinet systems C 3000 Asisto Flame-resistant hinged-door cabinets Certos.	30 33 37 38
Cabinets and filing systems Cabinet systems C 2000 Acurado Cabinet systems C 3000 Asisto Flame-resistant hinged-door cabinets Certos. Tambour cabinets Omnispace	30 33 37 38
Cabinets and filing systems Cabinet systems C 2000 Acurado Cabinet systems C 3000 Asisto Flame-resistant hinged-door cabinets Certos. Tambour cabinets Omnispace	
Cabinets and filing systems Cabinet systems C 2000 Acurado Cabinet systems C 3000 Asisto Flame-resistant hinged-door cabinets Certos. Tambour cabinets Omnispace Multi-drawer cabinets 7000 series	
Cabinets and filing systems Cabinet systems C 2000 Acurado	
Cabinets and filing systems Cabinet systems C 2000 Acurado Cabinet systems C 3000 Asisto Flame-resistant hinged-door cabinets Certos. Tambour cabinets Omnispace Multi-drawer cabinets 7000 series Desks, pedestals and chairs Desks T 3300 Asisto and T 4400 Cegano	
Cabinets and filing systems Cabinet systems C 2000 Acurado	
Cabinets and filing systems Cabinet systems C 2000 Acurado Cabinet systems C 3000 Asisto Flame-resistant hinged-door cabinets Certos. Tambour cabinets Omnispace Multi-drawer cabinets 7000 series Desks, pedestals and chairs Desks T 3300 Asisto and T 4400 Cegano T 8000 Premio Business desks and conference solutions. W 5000 SonicWall acoustic solutions. Conference and folding tables.	
Cabinets and filing systems Cabinet systems C 2000 Acurado	
Cabinets and filing systems Cabinet systems C 2000 Acurado	
Cabinets and filing systems Cabinet systems C 2000 Acurado	
Cabinets and filing systems Cabinet systems C 2000 Acurado	
Cabinets and filing systems Cabinet systems C 2000 Acurado	

Locker and cloakroom furniture

Lockers	20
Overview of all locker series	22
C+P corrosion protection guarantee	24
Overview of locking systems	26
S 2000 Classic	28
S 3000 Evolo	52
S 6000 Cambio	86
S 7000 Prefino	108
Labeling and orientation	132
Locking systems/coin-operated locks	134
Cahaal and hay ladvage	126
School and box lockers	136
Which series is right for which location?	
S 4000 Intro box lockers	
Box lockers for schools and child care facilities	
S 5000 Resisto box lockers	152
Locking systems/coin-operated locks	161
Benches with coat rack	166
Basic benches and benches with coat rack	168
HPL benches	172
Vitas benches	173
Wall-mounted and free-standing wardrobes	174
wall-mounted and free-standing wardrobes	
Open wardrobes and box lockers	175
	_
Industry and specialist solutions	184
S 2000 Classic Z lockers	186
S 3000 Evolo fire service lockers	188
S 3000 Evolo fire service wardrobes	194
S 3000 Evolo laundry-collecting and dispensing lockers	196
Laptop lockers S 3000 Evolo	197
Space-saving and safe deposit box lockers	198













Cabinets, workbenches and shelving









System cabinets, pedestals and occasional furniture	_ 200
The new Ergo-Lock 4.0	204
Tool and equipment cabinets with hinged doors	
- for normal loads	206
- for heavier loads	226
- with viewing window in doors	230
- hazardous substance cabinets	234
- with open-front containers	236
Tool cabinets with sliding doors	
- for normal loads	250
- for heavier loads	256
- with viewing windows in sliding doors	278
87 series cabinet system	
- Drawer cabinets	272
- Computer cabinets and workshop trolleys	276
Workbenches, workshop trolleys and perforated panel systems	262
45 series modular workbenches	264
87 series compact workbenches	268
Basic workshop trolley	280
Perforated panels, hooks and holders, hook packs	282
Shelving systems	284
Boltless shelving (parcel shipment-ready)	286
Bolted file shelving systems	288
Boltless file shelving systems	290
Boltless shelving systems	292
Long boltless shelving systems	296



Cabinets and filing systems

C 2000 Acurado	300
The new Ergo-Lock 4.0	302
Hinged-door cabinets	
Office bookcases	308
Top cabinets and bookcases	314
Counter cabinets	316
Sliding-door cabinets	320
Sliding-door cabinets with glass doors	326
Drawer and filing cabinets	330
C 3000 Asisto	334
Hinged-door cabinets	336
Office bookcases	340
Top cabinets with hinged doors	344
Occasional and top bookcases	346
Sliding-door cabinets	348
Tambour cabinets	356
Drawer and filing cabinets	364
Flame-resistant hinged-door cabinets Certos	378
•	
Tambour cabinets Omnispace	382
Multi-drawer cabinets 7000 series	388
INITIALITY CITY CONTINUES AND SELICES	











Desks, pedestals and chairs

The state of the s	Desks	394
	Overview of all series	396
	Overview of tabletops	398
	T 3300 Asisto sit / stand	400
	T 4400 Cegano	404
	T 4400 Cegano sit / stand	410
	T 8000 Premio	414
	W 5000 SonicWall acoustic solutions	416
-	Conference and folding tables	420
	Folding tables	422
_	Occasional table	423
-	T 4400 Cegano conference tables	424
	T 4400 Cegano mobile conference tables	
	T 4400 Cegano conference media cart	
	Pedestals and occasional furniture	436
170	Mobile high pedestals	
19.0	Fridge caddy	
The same	Small mobile pedestal	
	Mobile pedestal	
n n	Pull-out cabinets in standing and table height	
	Swivel and task chairs	452
	Comfort Line	
	Avantgarde Plus	
TOTAL STREET	Net Line	
	www.cp-furniture.com	7



C+P. At home in all fields.

Our wide product range, which is constantly being updated, offers customer-oriented solutions for almost every application area and every budget.

- From the staff workstation through to the management level.
- From the office or archive to the storage room and workshop and even through to
- Locker rooms, changing rooms, and fitness and wellness areas.





C+P furniture is perfectly at home in

- Industry, trade, and commerce,
- Retailers, service providers and freelancers,
- Public administration and authorities,
- Childcare facilities, schools, and universities,
- Water parks, sports centers, and clubs,
- Clinics, doctor's offices, and hospitals,
- Fitness, rehabilitation and prevention,
- Pharmaceutical, chemical and medical, and in many other areas, where it is crucial to make people's work easier.





Would you like to find out more about contract furniture from C+P?

Then our project reports will be perfect for you. These interesting documents show you the full versatility of the C+P furniture in practice: from the leisure pool to the sports facility, from the hospital to the office, from the rehabilitation center to the industrial changing room.

Simply send us your request at

www.cp-furniture.com



Solutions with quality and service.

C+P is one of Europe's leading furniture manufacturers.

Thanks to continuous innovative development, consistent investments and market-oriented products, C+P stands for quality and expertise. Our customers know that they are in good hands and can always rely on the very best solutions!





"German Quality" from the market leader

C+P specializes in steel furniture. Our excellence in this field has been virtually unmatched for decades. It comes as no surprise that we are the market leader in many product segments.

With the aim of making people's work easier, we are constantly on the lookout for new practical ideas for developing new products from steel.









You are welcome to come and visit our factory! Please arrange an appointment with your C+P furniture consultant.

Many of our products have been tested by the Thuringia TÜV office (Technical Inspection Agency). We will be glad to send you copies of the relevant certificates if required.





C+P in figures:

Founded in 1925

Employees

at C+P Furniture approx. 700

Production sites Breidenbach (Hesse)

Gotha (Thuringia) Legnica (Poland)

Sales Worldwide

Production capacity Over 100 truck loads

leave the C+P plants every week

Material volume The C+P plants process

approx. 1,500 tons of steel every month

Orders C+P handles over 90,000 orders every

year – from individual items through to complete furnishings for major projects

Special feature Specialist and market leader

in steel furniture

One example from many:

The new Ergo-Lock 4.0 Making a good solution even better!



Outstanding operating safety, wear resistance, and an attractive appearance have always characterized the patent-pending "Ergo-Lock" grip lock from C+P. The "simply push shut to close" feature in particular has already made the work of hundreds of thousands of users easier. But that wasn't enough for us.

We're going one better with the new Ergo-Lock 4.0!

The new Ergo-Lock 4.0 offers:

- An even higher-quality appearance
 current and contemporary
 Fits in with any room and gives your cabin
 - Fits in with any room and gives your cabinet a distinctive look.
- "Simply push shut to close" mechanism (patent-pending)
 Only with a C + B colution can you still close the
 - Only with a C+P solution can you still close the cabinet when your hands are full.
- Removable core cylinder, subsequent replacement, simultaneous locking – everything is possible! Remain open to future change and safeguard the security of your investment.
- Matching locking systems with PIN codes or matching-look transponders

Depending on your security requirements, you can opt for PIN codes or transponders with the same design instead of keys. As a complete, electronic offline lock, the Ergo-Lock 4.0 offers full state-of-the-art features.



Whether you use it as a key lock or with PIN codes or transponders – the Ergo-Lock 4.0 product range offers the right system to suit every requirement.









Opt for security and access control to suit your particular needs:



Mechanical locking system

- 2 keys per lock
- Standard design for all Acurado hinged-door cabinets and almost all hinged-door tool cabinets
- Frame in black as standard
- Silver frame available for an additional charge







PIN code lock

- Motor locking bolt
- 4 digits
- 4 to 8-digit codes possible
- Visual functional feedback (green / red)
- Main key code

- Range of application from +5 to +40°C
- Battery suitable for 30,000 openings or approx. 3 years
- Available from the middle of 2019
- Silver frame as standard



Transponder lock

- Motor locking bolt
- Can be integrated in existing access control systems
- USB programming interface
- Visual functional feedback (green / red)
- Master code transponder card

- Management software optionally available
- MIFARE® DESFire® transponder model Range of application from +5 to +40°C
 - Battery suitable for 30,000 openings or approx. 3 years
 - Available from the middle of 2019
 - Silver frame as standard

No other material has as many positive properties as steel. At C+P, we exploit every one of those properties and use steel whenever design, stability and long-term value are required. We also like to combine it with other materials, because a "steel backbone" provides the ideal basis for such blends.

We have several decades' experience in furnishing with steel. Make the most of that competitive edge!







Steel – a green material

Steel recycling plays an important part in relieving the burden on resources, because it can always be melted down again without any loss of quality. In Germany, almost half of all steel is produced from this "secondary raw material". That cuts down the energy needs in production – also considerably reducing ${\rm CO}_2$ emissions.

And, to stay on this topic a moment longer: energy consumption and emissions are lower during transportation because steel furniture is lighter than furniture made of wood. Steel represents an ideal combination of ecology, stability and design.







Arguments for steel


- Steel permits top-class design solutions
- Steel is robust and durable
- Steel is versatile
- Steel offers unlimited color possibilities
- Steel is easy to care for and hygienic
- Steel can be combined excellently with other materials
- Steel furniture provides practical fire protection
- Steel furniture has a long service life and can withstand an unlimited number of relocations

Play safe: choose steel furniture from the market leader, C+P!






The advantages of this incomparable material are also scientifically proven:



The "elasticity module" defines the ratio of the force required to cause a distortion and the distortion it causes. In other words: how much force must I apply to stretch a material? The diagram shows that steel is unbeatable as a material in terms of stability and elasticity.



The stress-strain curve describes how easily a material can be distorted and when the material will fail, i.e. break. You can see that, in comparison to wood, steel is very difficult to distort, can withstand extremely strong forces and also provides a certain safety scope even in the critical range thanks to its plastic behavior.



Furniture that gets there safely. Quickly and reliably.



C+P offers a wide range of products made on commission.

The C+P logistics concept with computer-aided tour management guarantees that your valuable furniture will reach you in perfect condition. Because we want you to be absolutely delighted not only with our furniture, but also with our service.









The C+P Tracking-System

Thanks to GPRS, our trucks are constantly connected to the C+P computer center. Their tour progress and deliveries are communicated online in real time. The specialist dealers can access the current order status at any time on the C+P website. On request, we can also provide automatic notifications by e-mail as soon as an order has been delivered. And if, against all expectations, an order is not delivered successfully (e.g. because a customer was not present), all the necessary information is forwarded that very minute so that we can quickly react accordingly.

As you can see, C+P is the perfect partner for you in every area.



A good investment

C+P constantly invests in customer-friendly services in order to extend its market leadership in terms of logistics even further in the future.





What is different about C+P?

- With our own lorry fleet, we deliver directly to the required unloading point without trans-shipping almost anywhere in Germany and in many European countries. So our goods don't need any packaging.
- Trained loaders, drivers and fitters know "their" products and treat them carefully.
- You can rely on a punctual and professional delivery – so you can save time, money and your nerves.

Notifications about the order status in real time



Your advantage: logistics service made to order.

Using this overview, you can choose the right service for you.

For you, that means: planning reliability and service transparency from placing the order through to delivery!

If you do not specify any special wishes with the order, the **standard conditions of delivery** will apply.





Notification (for HGV delivery only)

Schedule types (for HGV delivery only)



For urgent supplies, our **stock program** is available

We keep the most popular C+P products in stock for you in standard color (generally RAL 7035 Light grey). Selected cabinets are kept in stock in standard color combinations.

Products from the standard range are thus **also** available for particularly fast delivery.

For all available items and delivery times, see **www.cp.de/express**



Returns

Postponements, modifications



Definition of service	Service scope	Price (net plus VAT)	Prerequisites/examples
DELIVERY TO GROUND FLOOR; behind 1st lockable building door	HGV delivery		For HGV delivery: Unloading point accessible with large HGV (e.g. semi-trailer, 18 m). Parking possibility in the immediate
	Parcel delivery Items that are suitable for parcel delivery include shelves and hanging frames		vicinity.
Transport to the application area, excluding assembly	Transport in the building from the 1st lockable building door to the application area, excluding set-up, excluding assembly		As standard package (see above); the furniture must be able to be transported to the application area by normal means (not via spiral staircases, through windows, etc.). A completed description of the transport route is generally required.
Transport to application area and assembly ready to use	As package A, plus ready-to-use assembly incl. set-up if necessary (e.g. for bookcases) and alignment		As package A
Separate trip without furniture delivery	Travel to implement service tasks, assemblies, etc.	For an up-to-date overview of all prices and delivery terms, see	As standard conditions of delivery
Notification of delivery by e-mail or fax	Notification of the delivery approx. 1-3 days before the planned delivery date by fax*	www.cp.de/fracht	Specification of e-mail/fax no. address of authorized dealer or end customer
Approx. delivery week (standard)	Expected delivery date within one calendar week*		"Delivery approx. cal. week 41"
Fixed delivery week	Binding delivery date within one calendar week*		"Delivery cal. week 41, fixed" – additional arrangement required!
From-to appointment	Binding delivery date within a desired period of at least three days*		"Delivery from 12/1 to 12/3" Period of at least 3 days – additional arrangement required!
"Not earlier" appointment	Binding delivery date from a desired delivery date onwards*		"Delivery as from 12/1, not before", additional arrangement required!
"Not later" appointment	Binding delivery date up to a desired delivery date*		"Delivery up to 12/1, not later", additional arrangement required!
Fixed-date appointment	Binding delivery on a desired delivery date*		"Delivery FIXED on 12/1" – additional arrangement required!
Return of goods (costs generally incurred)	Return of already delivered/produced goods due to an incorrect order, customer error, etc.		Flawless and brand-new condition ex works. Special productions, colors, etc. may not be returned.

Due to our individual, commissioned production, changes to the order or the schedule can only be taken into account after the order is successfully placed if this is technically possible in terms of the production. In any case, a cost participation must be charged with the amount depending on the actually incurred costs.



^{*} For all schedule types, the minimum delivery time applicable on the day of placement of the order must be taken into account.

Locker and cloakroom furniture

In Europe, C+P is the market leader for changing room systems and lockers on steel basis. Let us know what your furnishing needs are – C+P has the right solution for any application!

With innovative ideas, such as the modern ventilation concepts and trendsetting locking systems, C+P repeatedly sets new standards.








Lockers S 3000 Evolo 52



Lockers S 6000 Cambio.......86















Assembled box lockers S 4000 Intro / S 5000 Resisto 136

 Industry-specific and custom solutions 184



S 2000 series CLASSIC S 3000 series EVOLO



The timeless basic range complete and competent 28

- Sturdy steel construction with high-quality enamel coating, many locker variants
- 2 compartment widths, 5 different box heights
- Sub-frame alternatively with feet, base, or bench
- Fronts made of steel
- Ventilation via CVL (Classic Ventilation Concept)
- Practical interior fittings
- Box lockers also available with doors made of acrylic glass



The evolution of a classic with great advantages 52

- Sturdy steel construction with high-quality enamel coating, many locker variants
- 2 compartment widths, 5 different box heights
- Sub-frame alternatively with feet, base, spacious storage box,
- Fronts made of steel or MDF/phenolic HPL with wood decor for an even more attractive appearance
- Improved ventilation thanks to EVL (Evolo Ventilation Concept)
- Practical interior fittings + luxury fittings on the door
- Great advantages such as warp resistant doors for improved anti-burglary protection, optional numbering, exchangeable fronts, and much more! (see from page 54)

	Compatinent Compatines	Oiteent reights	Can be configured	spaints heigh	Suptrante	Subtrame	Subtrant	sidiage	Column frame	Santed Santoot	
			19. J.	1850							
S 2000 Classic	300/400	•			•	•	•		_		
S 3000 Evolo	300/400	•			•	•	•	•			
S 6000 Cambio	300/400	•	-	•	•	•	•	•	•	-	
S 7000 Prefino	300/400	•	•	•	•	•	•	•	•	•	

S 6000 series CAMBIO

S 7000 series PREFINO



Excellence in technology and design for high demands




A highlight for maximum requirements.......108

For Cambio and Prefino

- Sturdy steel construction with high-quality enamel coating, many locker variants
- 2 compartment widths, 6 different box heights
- Sub-frame alternatively with feet, base, spacious storage box, or bench
- Optimum ventilation, alternatively through SVL (self ventilation), FVL (forced ventilation), or FVLD concept (forced ventilation with dryer)
- Fronts made of steel or phenolic HPL with wood decor for an even more attractive appearance
- Practical interior fittings, luxury fittings on the door + additional fittings
- Further great advantages such as doublewalled doors with body sound absorption for optimum stability, design, and sound behavior and much more! (see from page 88)

Also for Prefino

- Spacious body height of 1850 mm (1950 mm incl. feet or base), for example for storing longer pieces of clothing more comfortably
- Compartment heights can also be changed later
- Fronts made of steel, phenolic HPL with wood decor, or enameled glass for an even more attractive appearance
- Other significant benefits, such as smooth internal walls or appealing panels and many more! (see from page 110)



Leading in corrosion protection and quality assurance.

C+P products have been known for their high quality standard for many years. This excellent reputation is based on our commitment to do everything in our power to combine professional workmanship and quality. To us, attention to detail is just as important as a well coordinated product range.

Continual tests and test series are required in order to maintain and improve our quality standard. In our own laboratory and the attached testing chamber, for example, we test not only product details, (common practice even in the automotive industry because of the costly procedure), but also the complete product. The latest scientific testing methods are applied in these processes.

An important criterion requiring constant monitoring is surface and corrosion protection, particularly in the case of our steel lockers.

At C+P, you can select the suitable corrosion protection class for your field of application: As one of the first suppliers worldwide, C+P presents its own company standard with corrosion protection classes. This is based on decades of experience and practical, scientific tests. Take advantage of the technological lead and the competence of a leading manufacturer of changing room and cloakroom solutions! The following tables provide you with an overview.



Physical testing laboratory at C+P



Testing FE phosphating of our pretreatment plant



Adhesion test: assessing the adhesion of coatings to any underground

Corrosion protection classes according to C+P company standard

Corrosion protection classes	Class I Dry walls	Class II Damp areas	Class III Wet areas	Class IV Extreme areas
	Furniture to be set up in dry rooms with average ventilation*	Furniture for rooms with increased humidity	Furniture for wet areas with very high humidity, e.g. swimming pools	Furniture for extreme climatic conditions, such as salt water spas, slaughterhouses, etc.
Design	Sheet steel	Sheet steel electrolytically galvanized and coated	Special aluminum sheet, depending on specific object and quantities	Stainless steel 1.4301 brushed
Coating	High quality enamel coating	High quality enamel coating	High quality enamel coating	-
Approved cleaning agents	see "Recommended cleaning agents" on right	see "Recommended cleaning agents" on right	see "Recommended cleaning agents" on right	see "Recommended cleaning agents" on right
Guarantee	5 years CORROSION PROTECTION GUARANTEE	5 years CORROSION PROTECTION GUARANTEE	10 years CORROSION PROTECTION GUARANTEE	15 years CORROSION PROTECTION GUARANTEE
Additional charges	no additional charge, C+P standard	see page 48 and 81	depending on the project	stainless steel lockers on request

^{*} When using the lockers in public areas, in which the increased use of road salt is to be expected during the winter months, we recommend using the electrolytically zinc-plated sheet steel and shoe trays.

The classifications apply to all corrosion protection classes only when the surface is undamaged.

Note: You can find corrosion-protected locks for wet areas on page 50/51 (Order no. 0008-72, with brass key).



The following test methods are used regularly at the C+P testing laboratory

DIN 50021 Salt spray test with subsequent testing according to DIN 53167 DIN 50017 Condensation test with subsequent testing according to DIN 53209 DIN 53151 Cross-cut adhesion test DIN 67530 Evaluation of gloss DIN 53153 Buchholz indentation resistance test DIN 5033 Colorimetry



Salt spraying chamber with two lockers which are being tested as a complete product according to DIN 50021 at C+P.

Recommended cleaning agents for coated surfaces

Listed below are several recommendations from our suppliers for coating material:

- If possible, please use clean water, possibly adding low amounts of neutral or very slightly alkaline cleaning agents. A mechanical cleaning effect can be achieved with the aid of soft, non-abrasive cloths or rags.
- Do not use any steam jet cleaners.
- Do not use any scratching or grinding agents (abrasive cleaning).
- Do not use any organic solvents containing esters, ketones, alcohols, aromatic compounds, glycol ethers, halogenated hydrocarbons or the like.
- Do not use any cleaning agents of unknown composition.

Important:

Rinse off all cleaning agents with clean cold water immediately.



Which locking system for which application?

All-purpose locking systems? Those are a thing of the past. C+P locking system solutions are as versatile as today's applications. For orientation purposes, this double page includes an overview over the most important options. We will gladly provide consultations regarding your specific needs.

Mechanical locking systems



Turning bolt latch for padlock



Safety turning bolt latch for padlock



Cylinder lock up to 1000 different key numbers



Cylinder lock up to 6,000 different key numbers

Safety	*
Comfort	*
S 2000 Classic	✓
S 3000 Evolo	-
S 4000 Intro	-
S 5000 Resisto	-
S 6000 Cambio	-
S 7000 Prefino	-

**
•
✓
•
•
•
•

**

•
•
√
✓
√
✓

<u> </u>
•
•
•
•
•

Electronic locking systems



Offline PIN code lock



Oflline PIN or RFID lock

Safety	***	***
Comfort	***	***
S 2000 Classic		<u> </u>
S 3000 Evolo	•	•
S 4000 Intro	•	•
S 5000 Resisto	•	•
S 6000 Cambio	•	•
S 7000 Prefino	•	•

Locking systems for steel lockers

√ standard

- not available

optimally suited



Cylinder lock up to 10,000 key numbers as dimple locks



Cylinder lock with master key system (with/without security certificate)



Coin-operated lock as a deposit or token-operated lock



Ticket-operated lock

Safe	ety	***	
Cor	mfort	***	
S 20	000 Classic	0	
S 30	000 Evolo		
S 40	000 Intro	•	
S 50	000 Resisto	•	
S 60	000 Cambio	•	
S 70	000 Prefino	•	

security certificates	
****/**	

•	
•	
•	
•	
•	
•	




_
•
•
•
•
•
•



Online locking system with central info terminal, with PIN or transponder/data carrier







Safety	***	***	***	***
Comfort	***	***	***	****
S 2000 Classic	\circ	0	0	\circ
S 3000 Evolo	•	•	•	•
S 4000 Intro	•	•	•	•
S 5000 Resisto	•	•	•	•
S 6000 Cambio	•	•	•	•
S 7000 Prefino	•	•	•	•

The classic locker: S 2000 CLASSIC

The Classic ventilation concept:

works perfectly even in this locker variant due to the recessed base – and provides much better ventilation than required by the DIN 4547 standard!





The ventilation openings in the back of the locker base ensure optimum air circulation and drying in the compartment (see diagram). In lockers with bases, ventilation is ensured via openings above the recessed base.



For additional furnishing examples from a market leader, please see the Classic product series brochures or our website at www.cp.de/classic





Turning bolt latch: for padlocks with a bolt size of 4.5 to 6.5 mm



Cylinder lock: with two keys, also available as a master key system.



SAFE-O-MAT lock: as a deposit or token-operated lock with twin coin function.



Cennic

Sturdy steel construction:Doors hinged on the right, mounted on fulcrum pins with center reinforcement for high stability, vent slots, and stamped-in label holder.

Lockers





Lockers 30



Multipurpose lockers...... 38



Double-tier lockers 40



Assembled box lockers...... 42



Attachable storage shelf and sturdy wardrobe rail made of oval profile: with 3 twist-proof sliding hooks for each compartment.



Bottom of compartment can be swept out smoothly: (models 8030 and 8040 with cleaning openings).



Locker feet made of plastic: increased protection against corrosion of the locker!



Height adjustment of the locker feet: optional, see page 49.

S 2000 CLASSIC

The S 2000 Classic series offers:

- Sturdy steel construction with high-quality enamel coating
- 2 compartment widths, 5 different box heights
- Sub-frame alternatively with feet, base, or bench
- Ventilation via CVL (Classic Ventilation Concept)
- Doors hinged on the right, mounted on fulcrum pins with center reinforcement for high stability, vent slots, and stamped-in label holder
- Standard doorstop silencer
- Interior is easy to clean because compartment bottom can be swept out smoothly (Models 8030 and 8040 with cleaning openings)

- Attachable storage shelf and sturdy wardrobe rail made of oval profile with 3 twist-proof sliding hooks for each compartment
- Turning bolt latch for padlock as practical basic fitting
- Locker feet (e.g. in model 8010) made of plastic = improved protection of the locker against corrosion!
- Feet in light gray with body color RAL 7035, black finish with all other body colors
- Benches with adjustable floor gliders for easy level adjustment (10 mm)







Sub-frame with base



Sub-frame with bench



Steel fronts



CVL selfventilation

Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 230/330 x 465 (H x W x D)





810



(
(
(
F

VVIGUI
Height
Compartments
CSC Order no.
Price

\\/idth

320
1850
1 x 300
2
8010-10

420	
1850	
1 x 400	
3	
8010-12	

610	
1850	
2 x 300	
4	
8010-20	

Lockers with base

on base 100 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 230/330 x 465 (H x W x D)





Dimensions and design



Width	
Height	
Compartments	
CSC	
Order no.	
Price	

	320
	1800
	1 x 300
	2
	8020-10
_	

420	
1800	
1 x 400	
3	
8020-12	

610	810
1800	1800
2 x 300	2 x 400
4	5
8020-20	8020-22

Body and door color

Lockers





Order no. 8020-40 (with base)



C+P double coat hooks: Oval special changing room rail with twist-proof double sliding hooks. Can support a large load and is very easy to use.

Order no. 8010-20 (with feet)







900	1200	1190	1590	1480
1850	1850	1850	1850	1850
3 x 300	3 x 400	4 x 300	4 x 400	5 x 300
5	6	6	8	8
8010-30	8010-32	8010-40	8010-42	8010-50







900	1200	1190	1590	1480
1800	1800	1800	1800	1800
3 x 300	3 x 400	4 x 300	4 x 400	5 x 300
5	6	6	8	8
8020-30	8020-32	8020-40	8020-42	8020-50

Accessories

Lockers with bench

Bench slats for models 8030, 8040 and 8050 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Plastic Bench slats are available at no additional charge. Standard color of the bench bases: Black gray RAL 7021. Locker and bench are delivered separately for easy DIY assembly.

Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm

Lockers with bench in front

on feet 150 mm high with doors reduced in size, depth 500 mm. Clear opening dimensions per door: 1315 x 230/330 x 465 (H x W x D)










			1000	
	_	_	-	
	112		-	
	Y		_	
100				

Width	320	420	610	810	900	1200
Height	1850	1850	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400
CSC	2	3	4	5	5	6
Order no.	8030-10	8030-12	8030-20	8030-22	8030-30	8030-32
Price						



with doors reduced in size, depth 500 mm. Clear opening dimensions per door: 1315 x 230/330 x 465 (H x W x D)







Dimensions and design



Width	320	420	610	810	900	1200
Height	1850	1850	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400
CSC	2	3	4	5	5	6
Order no.	8040-10	8040-12	8040-20	8040-22	8040-30	8040-32

Lockers with bench underneath

depth 500 mm. Clear opening dimensions per door: 1600 x 230/330 x 465 (H x W x D)







Dimensions and design



Width	320	420	610	810	900	1200
Height	2090	2090	2090	2090	2090	2090
Compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400
CSC	2	3	4	5	5	6
Order no.	8050-10	8050-12	8050-20	8050-22	8050-30	8050-32
Price						



Shoe rack for models 8030, 8050....... 49

Options

Bench slats made of plastic

Light gray

Blue gray

Black gray

+ Order no. + Addtl. charge + 8000-7035

+ 8000-7031

+ 8000-7021





1190	1590
1850	1850
4 x 300	4 x 400
6	8

8030-42

8030-40

1480 1850 5 x 300 8 8030-50





1190	1590
1850	1850
4 x 300	4 x 400

6 8040-40 8040-42

1480
1850
5 x 300

8 8040-50





1190	1590
2090	2090
4 x 300	4 x 400
6	8

8050-42

	1480	
	2090	
	5 x 300	
	8	
8050-50		



8050-40





Order no. 8040-40



Order no. 8050-40

- + 8000-7035 (plastic bench slats light gray) + 4 x 8050-7010 (shoe rack, addtl. charge)

S 2000 CLASSIC

Lockers with pairs of doors closing in the middle

for joint lock of two compartments to be used by one person, for example for storing street clothes and work clothing. Bench slats for models 8032, 8042 and 8052 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Plastic bench slats are available at no additional charge. Standard color of the bench underframes: Black gray RAL 7021.

Locker and bench are delivered separately for easy DIY assembly. For general description of the lockers see page 30.

Lockers with benches Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm



+ 8001-303 (doors smooth)

Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 230/330 x 465 mm (H x W x D)





Dimensions and design

Width	610	810	1190	1590
Height	1850	1850	1850	1850
Compartments	2 x 300	2 x 400	4 x 300	4 x 400
for no. of persons	1	1	2	2
CSC	4	5	6	8
Order no.	8012-20	8012-22	8012-40	8012-42



Lockers with base on base 100 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 230/330 x 465 mm (H x W x D)





Dimensions and design

Width	610	810	1190	1590
Height	1800	1800	1800	1800
Compartments	2 x 300	2 x 400	4 x 300	4 x 400
for no. of persons	1	1	2	2
CSC	4	5	6	8
Order no.	8022-20	8022-22	8022-40	8022-42
Price				



Body and door color



Bench slats made of plastic

Light gray

Blue gray

Black gray

+ Order no.

+ Addtl. charge

+ 8000-7035

+ 8000-7031

+ 8000-7021

Lockers with bench in front

on feet 150 mm high, with doors reduced in size, depth 500 mm. Clear opening dimensions per door: 1315 x 230/330 x 465 (H x W x D)





Dimensions and design

Width	610	810	1190	1590
Height	1850	1850	1850	1850
Compartments	2 x 300	2 x 400	4 x 300	4 x 400
for no. of persons	1	1	2	2
CSC	4	5	6	8
Order no.	8032-20	8032-22	8032-40	8032-42



Lockers with lowered bench underframe

with doors reduced in size, depth 500 mm. Clear opening dimensions per door: 1315 x 230/330 x 465 (H x W x D)





Dimensions and design

Width	610	810	1190	1590
Height	1850	1850	1850	1850
Compartments	2 x 300	2 x 400	4 x 300	4 x 400
for no. of persons	1	1	2	2
CSC	4	5	6	8
Order no.	8042-20	8042-22	8042-40	8042-42
Price				



Lockers with bench underneath

depth 500 mm. Clear opening dimensions per door: 1600 x 230/330 x 465 (H x W x D)





Dimensions and design

Width	610	810	1190	1590
Height	2090	2090	2090	2090
Compartments	2 x 300	2 x 400	4 x 300	4 x 400
for no. of persons	1	1	2	2
CSC	4	5	6	8
Order no.	8052-20	8052-22	8052-40	8052-42
Daine				



Accessories



Lockers

with one door over two compartments

to be used by one person, for example for storing street clothes and work clothing. Bench slats for models 8250 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Plastic bench slats are available at no additional charge. Standard color of the bench underframes: Black gray RAL 7021.

Locker and bench are delivered separately for easy DIY assembly. For general description of the lockers see page 30.

Lockers with benches Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm





Price



Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 230 x 465 mm (H x W x D)





Dimensions and design

Width	610
Height	1850
Compartments	2 x 300
for no. of persons	1
CSC	4
Order no.	8210-20

1190	
1850	
4 x 300	
2	
6	
8210-40	



2. Body and door color









Lockers with base


on base 100 mm high, depth 500 mm. Clear opening dimensions per door: $1600 \times 230 \times 465$ mm (H x W x D)





1. Dimensions and design

Width	610	
Height	1800	
Compartments	2 x 300	
for no. of persons	1	
CSC	4	
Order no	8220-20	





Lockers with bench underneath

depth 500 mm. Clear opening dimensions per door: 1600 x 230 x 465 (H x W x D)



8250-20



1. Dimensions and design

Width	610
Height	2090
Compartments	2 x 300
for no. of persons	1
CSC	4

1190 2090 4 x 300 2 6

8250-40



Order	10.			
Price				

Barrala alaka			
Bench slats made of plastic	Light gray	Blue gray	Black gray
+ Order no. + Addtl.charge	+ 8000-7035	+ 8000-7031	+ 8000-7021





Order no. 8250-40



S 2000 CLASSIC

Laundry lockers and cleaning cabinets

Doors closing in the middle with a joint turning bolt latch for padlock, shelves not height adjustable. For general description of the lockers see page 30.



Doors smooth

for all S 2000 Classic locker models without louvers, without label holder, very easy to clean



Design

smooth

+ Order no. + Addtl. charge + 8001-303

Order no. 8160-20, 8120-00, 8222-20B

Lockers with feet

on feet 150 mm high, depth 500 mm





Width	
Height	
Compartments	
Description	

810 610 1850 1850 2 x 300 2 x 400

610 810 1850 1850 2 x 300 2 x 400

Laundry lockers

4 shelves on the left, storage shelf on the right with sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks

Cleaning equipment cabinet 4 compartments to the left of the shortened partition, sturdy rod made of oval profile on the right with 6 twist-proof sliding hooks



CSC Order no. Price

4 8060-20

5 8060-22

4 8110-00

5 8110-02

Lockers with base

on base 100 mm high, depth 1850 mm





Dimensions and design

Width	610	810	610	810
Height	1800	1800	1800	1800
Compartments	2 x 300	2 x 400	2 x 300	2 x 400
Description	see above		see a	bove



	_			
CSC	4	5	4	5
Order no.	8160-20	8160-22	8120-00	8120-02
Price				



Multi-purpose lockers

Laundry and storage lockers

Doors with turning bolt latch, shelves not height adjustable. For general description of the lockers see page 30.









Order no. 8022-20B

Lockers with feet

on feet 150 mm high, depth 500 mm





Height 1850 1850 Compartments 2 x 300 2 x 400 Description with individually lockable doors (both hinged right)





610	810
1850	1850
2 x 300	2 x 400

with doors closing in the middle (joint lock)



1 x 600
with doors closing in the middle, without
the middle, without
partition, 4 full-
width shelves

610

1850



CSC Order no. Price

Order no.

Price

4 8010-20B

5 8010-22B

810

4 8012-20B

5 8012-22B (2-bolt latch) 4 8212-20B



on base 100 mm high, depth 1850 mm





		_			4
и	a	ш		3	
ш		8	-		
			Γ.		
					-

Width	610	810
Height	1800	1800

Width	610	810
Height	1800	1800
Compartments	2 x 300	2 x 400
Description	see a	bove
CSC	4	5





610	810	
1800	1800	
2 x 300	2 x 400	
see above		

		-
4	5	
8022-20B	8022-22B	



610
1800
1 x 600
see above

4 8222-20B

Double-tier lockers with turning bolt latch

Lockers, double-tier, 2 compartments on top of one another, 1 door per compartment, sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks, doors at the top and bottom with easy-to-clean ventilation hole pattern, stamped-in label holder, and turning bolt latch for padlock bolt latch for padlock.

For general description of the lockers see page 30.





Order no. 8320-30

Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 786 x 230/330 x 465 mm (H x W x D)







Dimensions and design

M			_
1	7	V	

Width	610	810	900	1200	1190	1590
Height	1850	1850	1850	1850	1850	1850
Compartments	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300	4 x 400
CSC	4	5	5	6	6	8
Order no.	8310-20	8310-22	8310-30	8310-32	8310-40	8310-42
Price						

Lockers with base

on base 100 mm high, depth 500 mm. Clear opening dimensions per door: 786 x 230/330 x 465 mm (H x W x D)







Dimensions and design



Width	610	810	900	1200	1190	1590
Height	1800	1800	1800	1800	1800	1800
Compartments	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300	4 x 400
CSC	4	5	5	6	6	8
Order no.	8320-20	8320-22	8320-30	8320-32	8320-40	8320-42
Price						

Body and door color



Double tier lockers



Lockers with bench underneath

bench height 420 mm, bench depth 315 mm, locker depth 500/815 mm. Clear opening dimensions per door: 786 x 230/330 x 465 mm (H x W x D)









	C
	C
	0
- 1	_



Width


		Ψ
	610	810
	2090	2090
ments	2 x 300	2 x 400
	4	5
).	8350-20	8350-22

900	
2090	
3 x 300	
5	
8350-30	

1200
2090
3 x 400
6

8350-32

1190	1590
2090	2090
4 x 300	4 x 400
6	8
8350-40	8350-42



Light gray

Blue gray

Black gray

+ Order no. + Addtl. charge + 8000-7035 + 8000-7031

+ 8000-7021

Accessories

Additional fittings, locks 48 - 51

Shoe rack



Order no. 8350-30 + 0008-70 (cylinder lock)

Box lockers with steel doors

Doors single-walled smooth, without ventilation hole pattern and without label holders (if required please order additional plastic label holders, order no. 8500-15, page 49).

Compartment width of 400 mm also suitable for motorcycle helmets. Every door with cylinder lock and 2 keys. The bottoms of the compartments are generally finished in the color of the body.

For general description of the lockers see page 30.

Attention: 3-bolt latch

(from page 50) not possible in all models. For publicly accessible lockers, we recommend door opening limiters, see page 47.

Lockers with

3 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 510 x 230/330 x 465 mm (H x W x D)







70 L	_	
		V

Width	320	420	610	810
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	3	4	5	6
Order no.	8010-103	8010-123	8010-203	8010-223
Price				

Lockers with

4 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 375 x 230/330 x 465 mm (H x W x D)





Dimensions and design



Width	320	420	610	810
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	3	4	5	6
Order no.	8010-104	8010-124	8010-204	8010-224
Price				

Lockers with

5 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 295 x 230/330 x 465 mm (H x W x D)





Dimensions and design



Width	320	420	610	810
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	4	5	6	7
Order no.	8010-105	8010-125	8010-205	8010-225
Price				

Body and door color

Base

instead of feet, design in body color, 100 mm base height, locker height 1800 mm



Width	320	420	610	810	900	1200	1190
+ Order no.	8020	8020	8020	8020	8020	8020	8020
+ Addtl charge							







Order no. 8010-103


900	1200	1190
1850	1850	1850
3 x 300	3 x 400	4 x 300
6	7	7
8010-303	8010-323	8010-403






ı			

900	1200	1190
1850	1850	1850
3 x 300	3 x 400	4 x 300
6	7	7
8010-304	8010-324	8010-404







1	

900	1200	1190
1850	1850	1850
3 x 300	3 x 400	4 x 300
7	8	8
8010-305	8010-325	8010-405



Order no. 8010-404



Order no. 8020-305



Box lockers with steel doors and viewing windows made of acrylic glass

Doors single-walled smooth, without ventilation hole pattern and without label holders (if required please order additional plastic label holders, order no. 8500-15, page 49). Acrylic glass 3 mm thick, permanently

Compartment width of 400 mm also suitable for motorcycle helmets. Every door with cylinder lock and 2 keys. The bottoms of the compartments are generally finished in the color of the body.

For general description of the lockers see page 30.

Attention: 3-bolt latch

(from page 50) not possible in all models. For publicly accessible lockers, we recommend door opening limiters, see page 47.

Lockers with

3 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 510 x 230/330 x 465 mm (H x W x D)





Dimensions and design

Y			
	17	W	

Width	320	420	610	810
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	3	4	5	6
Order no.	8010A103	8010A123	8010A203	8010A223
Price				

Lockers with

4 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 375 x 230/330 x 465 mm (H x W x D)





Dimensions and design



Width	320	420	610	810
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	3	4	5	6
Order no.	8010A104	8010A124	8010A204	8010A224
Price				

Lockers with

5 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 295 x 230/330 x 465 mm (H x W x D)





Dimensions and design



Width	320	420	610	810
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	4	5	6	7
Order no.	8010A105	8010A125	8010A205	8010A225
Prico				

Body and door color

Box lockers with viewing windows


Base instead of feet, design in body color, 100 mm base height, locker height 1800 mm



Width	320	420	610	810	900	1200	1190
+ Order no.	8020A						
+ Addtl. charge							












900	1200	1190
1850	1850	1850
3 x 300	3 x 400	4 x 300
6	7	7
8010A304	8010A324	8010A404





900	1200	1190
1850	1850	1850
3 x 300	3 x 400	4 x 300
7	8	8
8010A305	8010A325	8010A405



Order no. 8010A103



Order no. 8020A404



Order no. 8010A305

Top lockers

Top lockers

The practical and space-saving solution for increased space requirements. Doors single-walled smooth, without ventilation hole pattern and without label holder (if required please order additional plastic label holders, order no. 8500-15, page 49).

Compartment width of 400 mm also suitable for motorcycle helmets.

Doors with turning bolt latches.



(top locker)

(top locker)

Top lockers

depth 500 mm. Clear opening dimensions per door: 430 x 230/330 x 465 (H x W x D)









Width	320	420	610	810	900	1200
Height	500	500	500	500	500	500
Compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400
CSC	1	1	2	2	3	3
Order no.	8090-10	8090-12	8090-20	8090-22	8090-30	8090-32
Prico						

Top lockers with doors closing in the middle

for joint lock of 2 compartments, depth 500 mm. Clear opening dimensions per door: 430 x 230/330 x 465 mm (H x W x D)





Dimensions and design

Width	610	810	1190	1590
Height	500	500	500	500
Compartments	2 x 300	2 x 400	4 x 300	4 x 400
CSC	2	2	4	4
Order no.	8092-20	8092-22	8092-40	8092-42
Price				

Body and door color

46







1480

500

5 x 300

4

8090-50



1190	1590
500	500
4 x 300	4 x 400
4	4
8090-40	8090-42





Design	90°
+ Order no.	+ 8505-02
+ Addtl. charge	

Without door opening limiter



- + For specifically assigned compartments
- + More freedom of movement for users
- Forceful over-extension of the door by opening it too far is possible
- Damage to usable space of adjacent locker is possible

With door opening limiter 90°



- + Recommended if lockers are frequently used by different persons
- + Prevents forceful over-extension of the door by opening it too far
- + No overlap with usable space of adjacent locker
- Less freedom of movement for users

The S 2000 Classic accessory range offers:

The difference lies in the details! C+P offers a multitude of practical additional fittings and upgrading components. For you this means:

- All requirements can be met for a customized result
- Lockers "made-to-measure" for the specific location
- All parts can be ordered separately (no additional charge packages, you only pay for what you need!)
- Many parts can also be retrofitted
- Excellent price-performance ratio thanks to C+P modular system

Order no. 8050-40 with additional fittings:

- 1 x 8000-7035 (plastic bench slats),
- 4 x 0008-70 (cylinder locks), 4 x 8001-323 (perforated panel doors),
- 1 x 8504-40 (slope top), 4 x 8502-06 (number plates) and
- 4 x 8000-21 (electrolytically

zinc-plated design)



Bench slats made of plastic

Color	Light gray	Divo grav	Dlack gray
COIOI	Light gray	Blue gray	Black gray
Order no.	8000-7035	8000-7031	8000-7021
± Δddtl charge			

Additional fittings in the locker

Shoe tray made of plastic, removable, with bottom spacers

Wet room design*

see also page 24

for lockers with	
Order no.	
+ Addtl. charge	

electrolytically galvanized, enamel coated, compartment widths 300 and 400 mm, additional charge per compartment width

feet or base bench 8000-20. 8000-21.

Order no. Price



4500-707


Slanted roof designs

Depth 500 mm

Locker with integrated slope*

Locker approx. 200 mm higher in the back, additional charge per compartment

Slope top approx. 230 mm higher in the back for retroactive fitting



Locker with integrated slope* Nothing can be forgotten on top of the locker



н		2015 V.
н		日年
в		
	- 1	



Slope top Can be retrofitted later, prevents objects from being left on top



Compartment width	300/400	300/400	300/400	300/400	300/400	300
for number of compartments	-	1	2	3	4	5
CSC	-	1	1	1	2	2
Order no.	8000-38	8504-10/12	8504-20/22	8504-30/32	8504-40/42	8504-50
+ Addtl. charge						

Partitions

below the storage shelf, additional charge per compartment

made of steel in swivel design, cannot be retrofitted



1000 x 460 0080-00

made of steel in fixed design, cannot be retrofitted



1280 x 420 0090-00

made of translucent plastic, movable and swivel design, low-maintenance



1210 x 300 4500-705



made of blue linen material movable and swivel design, with several pockets



1170 x 450 4500-706

Ventilation hole pattern*

stamped in the rear wall, additional charge per compartment



Order no. + Addtl. charge

Ventilation hole pattern in the compartment rear panel at the top and bottom



8500-171

4 ventilation hole patterns in the compartment rear panel



8500-174

Shoe rack

Additional charge per compart-. ment



for models with bench built underneath



300 8050-7010

400 8052-7010

for models with bench in front*

Lockers without feet Price reduction

per locker

Order no.

+ Addtl. charge

approx. 1700 mm high

8055-00

Doors without label holder

Additional charge per door

Order no.

+ Addtl. charge

for all lockers from the S 2000 Classic series

8001-306

Order no

+ Addtl. charge

* cannot be

retrofitted



8030-701

8032-701

Additional fittings

Additional shelf

not height adjustable (installation height approx. 250 mm) cannot be retrofitted



Compartment width Order no.

Price

8000-80

400 8002-80

Security compartment inside*

(instead of the storage compartment) with cylinder lock, not possible for order no. 8000-38



300/400 8053-00

Mirror

to be mounted by the customer, approx. 110 x 90 mm, price per door



0019-00

Standard coat hanger

Hardwood varnished in black (with special mounting)



8000-061

Additional fittings

Wall mount

with additional support bracket, price per compartment

Label holder

made of plastic, self-adhesive

Paper labels

for stamped label frames (1 packing unit = 100 pieces) Height adjustment screws for locker feet (1 set = 4)

pcs.) for easy retrofitting of a 10 mm level adjustment in all S 2000 Classic lockers with feet



8000-34



8500-15

Stamped-in ventilation

hole pattern*

Ventilation hole pattern

in the door at the top and

bottom, incl. label holder



8501-07



8000-26

Door designs

Order no.

Price

Prices per door

Doors smooth

without louvers, without label holders (ensure alternative ventilation e.g. using the ventilation hole pattern!)



8500-173

Door with perforated panel for models 8010-8090,

compartment width 300/400 mm (square perforations approx. 23 mm with bars approx. 5 mm), 3-bolt latch recommended



8001-323





8505-02

Order no. Price

8001-303

www.cp-furniture.com




Accessories for lockers

Turning bolt latch and cylinder locks not for assembled box lockers

Basic design	Optional						
Turning bolt latch		Cylinder lo with 2				n moisture-proof linder lock in bl	
						6	0
for padlock	up to 1000 different key numbers	up to 6000 different key numbers	via master key system with security certificate*	via master key system without security certificate*	up to 1000 different key numbers	via master key system with security certificate*	via master key system without security certificate*
0002-00 Standard	0008-70	0008-700	0010-10	0010-010	0008-72	0010-12	0010-012
	padlock	padlock different key numbers 0002-00 0008-70	padlock different key numbers different key numbers 0002-00 0008-70 0008-700	padlock different key numbers different key numbers with security certificate* 0002-00 0008-70 0008-700 0010-10	padlock different key numbers with security certificate* key system without security certificate*	padlock different key numbers different key numbers with security certificate* key system without security certificate* different key numbers of the security certificate different key numbers of t	padlock different key numbers different key numbers with without security certificate* leave the security certificate different key numbers with security certificate.

Keys, locks, and wristband for cylinder locks



Locking no. according to customer requirements

Additional charge per lock

Order no.-..99

+ Addtl. charge

1) 51 black 56 gray 52 white 61 green 53 red 67 yellow 55 blue

Additional accessories for all lockers

Number plate for door lock

suitable as door protection and for holding the 4400-744 model number plate. Only possible with cylinder locks – models 0008-70, 0008-700, 0010-10, 0010-010 for easy DIY attachment above the key plate (please specify desired 3-digit numbering!), to be used only in conjunction with key plate, not suitable for coin-operated deposit locks



SAFE-O-MAT locks 107 + 165



Design Order no. Price



plastic **4400-742**



plastic **4400-744**




Accessories for assembled box lockers

Turning bolt latch and cylinder locks only for assembled box lockers

Prices **Basic** Optional per lock design Cylinder Cylinder lock in black Lock in moisture-proof design Turning bolt with 2 keys cylinder lock in black lock latch up to 6000 up to 1000 up to 1000 via master via master via master via master for different key different key different key system kev system kev system padlock key system key numbers with security numbers with without numbers without security certificate* security security certificate* certificate* certificate* Order no. 0008-700 0010-010 0008-70 0010-10 0008-72 0010-12 0010-012 0002-00 Unit price + Addtl. charge Standard

Keys and wristband for cylinder locks



Additional accessories for all lockers

1) 51 black 56 gray 52 white 61 green 53 red 67 yellow 55 blue

Number plates

Please specify numbering

Number plate in lock area, self-adhesive, 79 x 45 x 1,0 mm, only suitable for cylinder lock, separate, for easy DIY assembly

n, **only suitable for cy** eparate, for easy DIY as

Stainless steel number plate self-adhesive, 30 x 50 x 1.0 mm

Plastic key ring with S-hook, Ø 30 mm











Design Order no. Price plastic **8502-0611** stainless steel 8501-0611 stainless steel **8501-06**

black **8502-0851** white **8502-0852** aluminum coating **8502-0862**

Padlocks

Order no.

Price

for turning bolt latches, bolt size approx. 6 mm Brass design, 2 keys, up to 300 different key numbers

0002-10



0002-11

Brand lock in

brass design with

precision cylinder,

2 keys, up to 168,000

different key numbers

High-gloss chrome-plated with number combination, without keys



0002-12






Order no. 0002-11

Order no. 0002-12






The evolution of a classic: S 3000 EVOLO

The difference lies in the details! Evolo offers much more than you expect. Smart and sophisticated features – that's typical of C+P:

- Good ventilation and drying thanks to Evolo self-ventilation concept
- Increased burglar-proof design thanks to extremely warp resistant doors with closed profiles on the sides
- Special profile in the body for greater stability and safety as well as easy cleaning and use
- Slim appearancethanks to narrow side edgeshomogeneous also when set up in a row
- Wide range of door designs made of steel or made of MDF and phenolic HPL with attractive wood decors
- Practical interior fitting in the locker and also inside the locker door





Lockers



No more boring changing rooms! Those days are finally over – for Evolo from C+P sets new standards. A consistent design as well as optional MDF or HPL decor fronts also make applications interesting whose requirements cannot be met by conventional lockers. Attractive appearance with an excellent price-performance ratio: that is what Evolo from C+P, the market leader in steel furniture, stands for.

Evolo offers many visual added values thanks to the tasteful exchangeable decor door fronts. The doors can even be replaced later. In addition to appearance, the range features intelligent technology such as the unique drying and ventilation concept.

For additional furnishing examples from a market leader,



The multi-talented one: S 3000 EVOLO

For additional furnishing examples from a market leader, please see the Evolo product series brochures or our website at www.cp.de/evolo





The Evolo ventilation concept:

It ensures effective ventilation and drying of clothing with steel doors. Thanks to its air flow behavior, it works without additional ventilation equipment. Ventilation of the entire interior is guaranteed, even in steel lockers with a base (see diagram)!

The ventilation openings in the back of the locker base ensure optimum air circulation and drying in the compartment (see diagram). In lockers with bases, ventilation is ensured via openings above the recessed base.



New door opening limiter 90°: Made from special heavy-duty, plastic-coated stainless steel cable.







19

Custom-made for specific applications.





Ergonomically designed safety turning bolt latch:For lock bolt size 6-8 mm, with standard door protection against door damage caused by the padlock.





Feet made of plastic for optimum corrosion protection: They consistently underpin the linear design and have a protective sleeve that covers the adjusting screw when the optional height adjustment is used. An ingenious feature!

Lockers





Lockers 56_ Multi-purpose lockers 66 Double-tier lockers 68_



Open wardrobes..... 78



Optional integration of numbering: With self-adhesive film in the embossed label holder (optional).



Exchangeable fronts: (can also be retrofitted!) Choice of steel or decor doors (MDF or pheno-lic HPL). Door opening limiters are a standard feature with decor doors.



C+P double coat hooks: Oval special changing room rail with twist-proof double sliding hooks. Can support a large load and is very easy to use.



Easy-to-clean ventilation hole pattern: Thanks to the smooth outer front (no protruding louvers).



S 3000 EVOLO

The S 3000 Evolo series offers:

- Increased anti-burglary protection thanks to extremely warp-resistant doors and a special profile on the body interior - for high stability and an easy, convenient way to remove clothing
- Sturdy steel construction with high-quality enamel coating
- 2 compartment widths, 5 different box heights
- Sub-frame alternatively with feet, base, storage box, or bench
- Ventilation ensured by EVL (Evolo Ventilation Concept)
- Doors hinged right, borne on hinge pins, with easy-to-clean hole pattern and embossed label holder for optional integration of numbering
- Convenient doorstop silencers for pleasant closing behavior





with feet





with box





fronts





EVL selffronts (MDF) ventilation



Lockers with feet

with base

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 245/345 x 465 mm (H x W x D)





1.	Dimensions and
	door material

vviatri	300	400	600	800
Height	1850	1850	1850	1850
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	2	3	4	5
Order no.	49010-10	49010-12	49010-20	49010-22
Prico				



Lockers with base

on base 100 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 245/345 x 465 mm (H x W x D)





1	Dimensions and
_	door material

Steel doors

Width	300	400	600	800
Height	1800	1800	1800	1800
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	2	3	4	5
Order no.	49020-10	49020-12	49020-20	49020-22
Price				



Thickness	18	mm

+	Orde	er no.	

+	49110-750	+	4
---	-----------	---	---

49112-750

+ 49120-750

+ 49122-750



Thickness 13 mm

+ Order no + Addtl. charge

+ Addtl. charge

+ 49110-730


+ 49112-730

+ 49120-730

+ 49122-730

Body color (see end of catalog for color overview)











Lockers

- Decor doors (MDF and phenolic HPL) as standard with door opening limiter 90° made from special heavy-duty, plastic-coated stainless steel cable
- Elegant, slim sides create a uniform appearance when set up in a row (no wide strips at the locker joints)
- Exchangeable front concept with steel, phenolic HPL, or MDF decor doors, can also be retrofitted
- Interior is easy to clean because compartment shelves can be swept out smoothly (models 49030/49040 with cleaning openings)
- Storage shelf with roll-away protection at the back and sturdy wardrobe rail made of oval profile, 3 twist-proof sliding hooks with system holder, e.g. for coat hangers or movable partitions
- Ergonomic safety turning bolt latch for padlock with door protection as practical basic fitting
- Locker feet (e.g. in models 49010) made of plastic = improved corrosion protection!
- Feet in light gray with body color RAL 7035, in black with all other body colors
- Slot-in shoe shelf, can be easily retrofitted by users
- Optimum air circulation due to defined ventilation spaces in front of and behind the storage shelf





900	
1850	
3 x 300	
5	
49010-30	

1200	1200
1850	1850
3 x 400	4 x 300
6	6
49010-32	49010-40





1.	

	900	1200	1200
	1800	1800	1800
	3 x 300	3 x 400	4 x 300
4	5 49020-30	6 49020-32	6 49020-40



+ 49130-750

+ 49132-750

+ 49140-750



+ 49130-730

+ 49132-730

+ 49140-730



Additional fittings, locks 81 - 85





Lockers for schools and child care facilities






Order no. 49010-22 (with feet)

Danube maple Sen ash







Lockers with bench

Bench slats for models 49030, 49040 and 49050 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Plastic bench slats are available at no additional charge. Standard color of the bench underframes: black gray RAL 7021. Benches with adjustable floor gliders for easy level adjustment (10 mm). Locker and bench are delivered separately for easy DIY assembly.

Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm

For general description of the lockers see page 56/57.

Lockers with bench in front

on feet 150 mm high, with doors reduced in size, depth 500 mm. Clear opening dimensions per door:

1315 x 245/345 x 465 mm (H x W x D)





1. Dimensions and door material		Width	300	400	600	800	
	door material	Height	1850	1850	1850	1850	
		Compartments	1 x 300	1 x 400	2 x 300	2 x 400	
	Steel doors	CSC	2	3	4	5	
	1000	Order no.	49030-10	49030-12	49030-20	49030-22	
		Price					

Lockers with lowered bench underframe

with doors reduced in size, depth 500 mm. Clear opening dimensions per door: 1315 x 245/345 x 465 (H x W x D)





1.	Dimensions and door material	Width	300	400	600	800	
	door material	Height	1850	1850	1850	1850	
		Compartments	1 x 300	1 x 400	2 x 300	2 x 400	
	Steel doors	CSC	2	3	4	5	
	1000	Order no.	49040-10	49040-12	49040-20	49040-22	
		Price					


Lockers with bench underneath

Clear opening dimensions per door: 1600 x 245/345 x 465 mm (H x W x D)





Dimensions and door material	Width	300	400	600	800
door material	Height	2090	2090	2090	2090
	Compartments	1 x 300	1 x 400	2 x 300	2 x 400
Steel doors	CSC	2	3	4	5
The state of the s	Order no.	49050-10	49050-12	49050-20	49050-22
	Price				
+ MDF decor doors	Thickness 18 mm				
11000	+ Order no.	+ 49110-750	+ 49112-750	+ 49120-750	+ 49122-750
	+ Addtl. charge				
+ HPL decor doors	Thickness 13 mm				
The decor doors	+ Order no.	+ 49110-730	+ 49112-730	+ 49120-730	+ 49122-730
	+ Addtl. charge				
_					





Bench slats made of plastic

> + Order no. + Addtl. charge

Light gray + 8000-7035

Blue gray + 8000-7031

Black gray + 8000-7021





900 1850 3 x 300

1200 1850 3 x 400

1200 1850 4 x 300

5 49030-30

6 49030-32

6 49030-40





900

1200 1850 1850 3 x 300 3 x 400

1200 1850 4 x 300

5 49040-30

6 49040-32

6 49040-40





900 1200 1200 2090 2090 2090 3 x 300 3 x 400 4 x 300 5 6 6 49050-30 49050-32 49050-40

+ 49130-750

+ 49132-750

+ 49140-750

+

+ 49130-730

+ 49132-730

+ 49140-730

Accessories

Additional fittings, locks













Order no. 49040-30 + 49130-750 (MDF decor doors)

Order no. 49030-40



Order no. 49050-22 + 8000-7035 (plastic bench slats) + 2 x 8052-7010 (shoe rack)

S 3000 EVOLO

Lockers with pairs of doors closing in the middle

For joint lock of two compartments to be used by one person, for example for storing street clothes and work clothing, storage shelf, continuous through 2 compartments. Bench slats for models 49032 and 49042 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Bench slats made of plastic in light gray, blue gray, or black gray available for no additional charge. Standard color for bench bases: Black gray RAL 7021. Benches with adjustable floor gliders for easy level adjustment (10 mm). All doors with turning bolt latch for padlock use. Locker and bench are delivered separately for easy DIY assembly.

For general description of the lockers see page 56/57.

Lockers with benches Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm



Order no. 49022-20

Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 245/345 x 465 mm (H x W x D)





1	Dimensions and			
	door material			

Width	600	800	1200
Height	1850	1850	1850
Compartments	2 x 300	2 x 400	4 x 300
for no. of persons	1	1	2
CSC	4	5	6
Order no.	49012-20	49012-22	49012-40



Lockers with base on base 100 mm high, depth 500 mm.

Clear opening dimensions per door: 1600 x 245/345 x 465 mm (H x W x D)





1	Dimensions and			
	door material			

Width	600	800	1200
Height	1800	1800	1800
Compartments	2 x 300	2 x 400	4 x 300
for no. of persons	1	1	2
CSC	4	5	6
Order no.	49022-20	49022-22	49022-40
Drico			



MDF decor doors

Order no.
Price

+ 49122-750

+ 49140-750

HPL decor doors

Thickness 18 mm + Order no. + Addtl. charge

+ 49120-750

Thickness 13 mm + Order no.

+ Addtl. charge


+ 49120-730


+ 49122-730

+ 49140-730

Body color (see end of catalog for color overview)









Lockers



Bench slats made of plastic

+ 8000-7035

Light gray

Blue gray

Black gray

+ Order no.

+ Addtl. charge

+ 8000-7031

+ 8000-7021

Order no. 49032-40

Lockers with bench in front

on feet 150 mm high, with doors reduced in size, depth 500 mm. Clear opening dimensions per door: 1315 x 245/345 x 465 (H x W x D)





Dimensions and door material

Width	600	800	1200
Height	1850	1850	1850
Compartments	2 x 300	2 x 400	4 x 300
for no. of persons	1	1	2
CSC	4	5	6
Order no.	49032-20	49032-22	49032-40
Price			



Lockers with lowered bench underframe

with doors reduced in size, depth 500 mm. Clear opening dimensions per door: 1315 x 245/345 x 465 (H x W x D)





1	Dimensions and
	door material

Width	600	800
Height	1850	1850
Compartments	2 x 300	2 x 400
for no. of persons	1	1
CCC	4	Г

49042-20

1200	
1850	
4 x 300	
2	
6	



CSC	
Order no.	
Price	

49042-22

49042-40



Thickness 18 mm

+ Addtl. charge

+ Addtl. charge

+ Order no.

+ 49120-750 + 49122-750 + 49140-750

HPL decor doors

Thickness 13 mm + Order no.

+ 49120-730

+ 49122-730

+ 49140-730

Accessories





Shoe rack

Lockers with pairs of doors closing in the middle

For joint lock of two compartments to be used by one person, for example for storing **street clothes and work clothing**, Storage shelf, continuous through 2 compartments. Bench slats for models 49052 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Bench slats made of plastic in light gray, blue gray, or black gray available for no additional charge (standard color light gray). Standard color of the bench bases: Black gray RAL 7021. Benches and box with adjustable floor gliders for easy level adjustment (10 mm). All doors with turning bolt latch for padlock use. Locker and bench are delivered separately for easy DIY assembly.

For general description of the lockers see page 56/57.

Models 49052 Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm Models 49056 Bench height: 452 mm Bench depth: 315 mm Locker depth: 500/815 mm



Lockers with bench underneath

Depth 500 mm. Clear opening dimensions per door: 1600 x 245/345 x 465 mm (H x W x D)





Dimensions and door material

Width	600	800	1200
Height	2090	2090	2090
Compartments	2 x 300	2 x 400	4 x 300
for no. of persons	1	1	2
CSC	4	5	6
Order no.	49052-20	49052-22	49052-40
Price			



	T			0	8	•
j						





Practical storage box for shoes, helmets, bags, etc. This allows the storage space under the seat to be used optimally - not to mention easy cleaning!



The seat made of solid beech wood (optional available in phenolic HPL also) also serves as a flap and can be opened only by the owner of the locker.

Order no. 49056-40

Lockers with storage box underneath

Depth 500 mm. Seat made of solid beech wood. Clear opening dimensions per door: 1600 x 245/345 x 465 mm (H x W x D)





1.	Dimensions and door material or
	seat material

Width	600
Height	2090
Compartments	2 x 300
for no. of persons	1

1200
2090
4 x 300
2



CSC	4
Order no.	49056-20
Price	

5
49056-22

6	
49056-40	



Thickness 18 mm

+ Order no.

+ Addtl. charge

+ 49120-750

+ 49122-750

+ 49140-750

HPL decor doors

Thickness 13 mm

+ Order no. + 49120-730 + Addtl. charge

+ 49122-730

+ 49140-730

Seat made of phenolic HPL in white



Thickness 13 mm + Order no.

+ Addtl. charge


+ 495620-730

+ 495622-730

+ 495640-730

Body color

(see end of catalog for color overview)



shoe rack

Door color

Accessories

Additional fittings, locks 81 - 85



(door decor for MDF or phenolic HPL design if applicable)

Lockers

with one door over two compartments

for storing street clothes and work clothing. Bench slats for models 49250 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Bench slats made of plastic in light gray, blue gray, or black gray available for no additional charge (standard color light gray). Standard color of the bench bases: Black gray RAL 7021. Benches with adjustable floor gliders for easy level adjustment (10 mm). One door with turning bolt latch locks two compartments at the same time.

Storage shelf to the left and right of the inside partition, sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks.

Locker and bench are delivered separately for easy DIY assembly.

For general description of the lockers see page 56/57.

Lockers with benches Bench height: 420 mm Bench depth: 315 mm Locker depth: 500/815 mm







Order no. 49220-40

Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 1600 x 245 x 465 mm (H x W x D)



Height
Compartments
for no. of persons
CSC

Width






	*
	600
	1850
	2 x 300
;	1
	4
	49210-20



1200	
1850	
4 x 300	
2	
6	
49210-40	











Lockers with base


on base 100 mm high, depth 500 mm. Clear opening dimensions per door: $1600 \times 245 \times 465$ mm (H x W x D)





1. Dimensions and door material

Width	600	
Height	1800	
Compartments	2 x 300	
for no. of persons	1	
CSC	4	
Order no.	49220-20	





Lockers with bench underneath

Depth 500 mm. Clear opening dimensions per door: 1600 x 245 x 465 (H x W x D)



49250-20



1. Dimensions and door material

Bench slats made of plastic + Order no.

+ Addtl. charge

Width	600
Height	2090
Compartments	2 x 300
for no. of persons	1
CSC	4

1200
2090
4 x 300
2
6
49250-40



Light gray	Blue gray	Black gray
+ 8000-7035	+ 8000-7031	+ 8000-7021







Order no. 49250-40 + 8000-7035 (with plastic bench slats)

Laundry lockers and cleaning cabinets

Doors closing in the middle with a joint turning bolt latch for padlock, shelves not height adjustable.

For general description of the lockers see page 56/57.



Doors smooth

for all S 3000 Evolo locker models without louvers, without label holder, very easy to clean



Design	
+ Order no.	

+ Addtl. charge

smooth + 8001-303

Order no. 49060-20

800



Order no. 49120-00



on feet 150 mm high, depth 500 mm





Dimensions and door material

Width	600
Height	1850
Compartments	2 x 300
Description	Laure

1850 2 x 400

600 800 1850 1850 2 x 300 2 x 400

Description **Laundry lockers**

4 shelves on the left, storage shelf on the right with sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks

Cleaning equipment cabinet 4 compartments to the left of the shortened partition, sturdy rod made of oval profile on the right with 6 twist-proof sliding hooks



CSC Order no. Price

4 49060-20

5 49060-22

4 49110-00

5 49110-02

Lockers with base

on base 100 mm high, depth 500 mm





Dimensions and door material

Width	600	800	600	800
Height	1800	1800	1800	1800
Compartments	2 x 300	2 x 400	2 x 300	2 x 400
Description	see a	above	see a	above
CSC	4	5	4	5
Order no.	49160-20	49160-22	49120-00	49120-02
Price				



Body color (see end of catalog for color overview)

Door color (door decor for MDF or phenolic HPL design if applicable)

Accessories

Laundry and storage lockers

Doors with turning bolt latch, shelves not height adjustable.

For general description of the lockers see page 56/57.




Order no. 49020-20B

Order no. 49022-20B

Order no. 49222-20B

Lockers with feet

on feet 150 mm high, depth 500 mm





Width	600	800
Height	1850	1850
Compartments	2 x 300	2 x 400
Description	with individually lockable doors (both hinged right)	



600	800
1850	1850
2 x 300	2 x 400

with doors closing in the middle (joint lock)



1850
1 x 600
with doors closing in the middle
without partition

4 full-width shelves,

600



CSC Order no. Price

4 49010-20B

5 49010-22B

4 49012-20B

5 49012-22B (2-bolt latch) 4 49212-20B

Lockers with base

on base 100 mm high, depth 500 mm







x 400



1	Dimensions and
	door material

Compartments	
Description	
CSC	
Order no.	
Dutino	

	•	
Width	600	800
Height	1800	1800
Compartments	2 x 300	2 x 400
Description	see al	oove

600	800
1800	1800
2 x 300	2 x 400
see a	bove

600	
1800	
1 x 600	
see above	

Steel doors	
1	

CSC	
Order no.	
Price	

4	5
49020-20B	49020-22

4	5
49022-20B	49022-22B

4	
49222-20B	



Thickness	18	mm	

+ Order no.	
+ Addtl charge	

49120-750	+ 49122-750

+	49	12	0-	75



Thickness 13	mm
ı Ordar na	

+ Addtl. charge

+ 49120-730





+ 49122-730





Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 813 x 245/345 x 465 mm (H x W x D)







1.	Dimensions and			
	door material			

Steel doors	
1	

Width	600	800	
Height	1850	1850	
Compartments	2 x 300	2 x 400	
CSC	4	5	
Order no.	49310-20	49310-22	4
Price			

900	1200	1200
1850	1850	1850
3 x 300	3 x 400	4 x 300
5 49310-30	6 49310-32	6 49310-40

MDF decor doors

Thickness 18 mm + Order no. + Addtl. charge

+ 49220-750 + 49222-750 + 49230-750

+ 49232-750

+ 49240-750

HPL decor doors

Thickness 13 mm + Order no.

+ Addtl. charge

+ 49220-730

+ 49222-730


+ 49230-730

+ 49232-730

+ 49240-730

2. Body color (see end of catalog for color overview)















Double-tier lockers

Double-tier lockers with turning bolt latch

Lockers, double-tier, 2 compartments on top of one another, 1 door per compartment, sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks, doors with turning bolt latch for padlock, decor doors with door opening limiter as a standard fitting.

For general description of the lockers see page 56/57.



Lockers for schools and child care facilities

see from page 148





on base 100 mm high, depth 500 mm. Clear opening dimensions per door: 813 x 245/345 x 465 mm (H x W x D)

Lockers with base



HPL = high-pressure laminate





Steel doors	
10000	C
	Р

Dimensions and door material

Width	600	800	900	1200	1200
Height	1800	1800	1800	1800	1800
Compartments	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
CSC	4	5	5	6	6
Order no.	49320-20	49320-22	49320-30	49320-32	49320-40
Price					

+	MDF decor doors

Thickness 18 mm					
+ Order no.	+ 49220-750	+ 49222-750	+ 49230-750	+ 49232-750	+ 49240-750
+ Addtl. charge					
Thickness 13 mm					



THICKINGSS TS THITT					
+ Order no.	+ 49220-730	+ 49222-730	+ 49230-730	+ 49232-730	+ 49240-730
, Addtl charge					

Double-tier lockers with turning bolt latches

Lockers, double-tier, 2 compartments on top of one another, 1 door per compartment, sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks, doors with turning bolt latch for padlock. Bench slats for models 49350 made of hard beechwood as standard, approx. 60 x 35 mm in side-face, planed on all sides, rounded at the top, finished with clear varnish, with natural color differences. Bench slats made of plastic in light gray, blue gray, or black gray available for no additional charge (standard color light gray).

Standard color of the bench bases: Black gray RAL 7021. Benches with adjustable floor gliders for easy level adjustment (10 mm).

Locker and bench are delivered separately for easy DIY assembly. For general description of the lockers see page 56/57.





The C+P safety turning bolt cannot be overwound because it "spins" when it is closed, thus preventing tampering!

The cylinder lock engages only when the padlock is removed, and the door can be opened simply by turning the knob. For bolt lock size


In all Evolo steel lockers as standard!



Lockers with bench underneath

Bench height 420 mm, bench depth 315 mm, locker depth 500/815 mm. Clear opening dimensions per door: 813 x 245/345 x 465 mm $(H \times W \times D)$







Dimensions and door material

Width	600	800	900	1200	1200
Height	2090	2090	2090	2090	2090
Compartments	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
CSC	4	5	5	6	6
Order no.	49350-20	49350-22	49350-30	49350-32	49350-40
Price					



Thickness 18 mm

+ Order no. + Addtl. charge

+ 49220-750 + 49222-750

+ 49230-750

+ 49232-750

+ 49240-750

HPL decor doors

Thickness 13 mm

+ Order no.

+ Addtl. charge

+ 49220-730


+ 49222-730

+ 49230-730

+ 49232-730

+ 49240-730

Body color (see end of catalog for color overview)







Combination lockers with turning bolt latches

Models 49600 with turning bolt latches, compartment width 400 mm. The ideal solution for offering single-tier and double-tier compartments in the same locker! Combination cabinets, single- and double-tier. Single-tier: 1 door per compartment, storage shelf with sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks. Double-tier: 2 compartments on top of one another, 1 door per compartment, sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks, doors with turning bolt latch for padlock. For bench slats for models 49650, see left. For general description of the lockers see page 56/57.

Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 1600/813 x 345 x 465 mm (H x W x D)





Dimensions and door material

Width	800	1200
Height	1850	1850
Compartments	2 x 400	3 x 400
CSC	5	6
Order no.	49610-22	49610-32
Price		



Lockers with base

on base 100 mm high, depth 500 mm. Clear opening dimensions per door: 1600/813 x 345 x 465 mm (H x W x D)







Dimensions and door material

Steel doors

Width	800
Height	1800
Compartments	2 x 400
CSC	5
Order no.	49620-22
Price	







Bench height 420 mm, bench depth 315 mm, locker depth 500/815 mm. Clear opening dimensions per door: 1600/813 x 345 x 465 mm (H x W x D)





Dimensions and door material

Steel doors

Width	800	1200
Height	2090	2090
Compartments	2 x 400	3 x 400
CSC	5	6
Order no.	49650-22	49650-32
Price		



Thickness 18 mm

+ Order no. + 49622-750 + 49632-750 + Addtl. charge



Thickness 13 mm

+ Order no. + 49622-730 + 49632-730 + Addtl. charge











Box lockers

Doors single-walled smooth, without ventilation hole pattern and without label holders (if required please order additional plastic label holders, order no. 8500-15, page 49). Every door with cylinder lock and 2 keys. The bottoms of the compartments are generally finished in the color of the body. Decor door in Danube maple, Sen ash or Oak Sereno decor with black edge band, with door opening limiter as standard feature.

Note: For publicly accessible lockers, we recommend door opening limiters, see page 77.

Lockers with

3 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 510 x 245/345 x 465 mm (H x W x D)





1.	Dimensions and	Width	300	400	600	800	
	door material	Height	1850	1850	1850	1850	
		Compartments	1 x 300	1 x 400	2 x 300	2 x 400	
	Steel doors	CSC	3	4	5	6	
	1000	Order no.	49010-103	49010-123	49010-203	49010-223	
		Price					
Ð	MDF decor doors	Thickness 18 mm + Order no.	+ 49310-750	+ 49312-750	+ 49320-750	+ 49322-750	
		+ Addtl. charge					
Ð	HPL decor doors	Thickness 13 mm					
		+ Order no.	+ 49310-730	+ 49312-730	+ 49320-730	+ 49322-730	
		+ Addtl. charge					

Lockers with 4 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 375 x 245/345 x 465 mm (H x W x D)





373 X 2 1373 13 X 103 11111 (1		b					
1.	Dimensions and	Width	300	400	600	800	
	door material	Height	1850	1850	1850	1850	
		Compartments	1 x 300	1 x 400	2 x 300	2 x 400	
	Steel doors	CSC	3	4	5	6	
	1000	Order no.	49010-104	49010-124	49010-204	49010-224	
		Price					
₽	MDF decor doors	Thickness 18 mm					
		+ Order no.	+ 49410-750	+ 49412-750	+ 49420-750	+ 49422-750	
		+ Addtl. charge					
Ð	HPL decor doors	Thickness 13 mm					
		+ Order no.	+ 49410-730	+ 49412-730	+ 49420-730	+ 49422-730	
		+ Addtl. charge					
2.	Body color (see end of cat	alog for color overview)					
4.						487	
3.	Door color (door decor for						
		Please choose				487	
\Box	Accessories					104 1 105 1	
	Additional fittings, locks					81 - 85	

Base
instead of feet, design
in body color, 100 mm
base height, locker
height 1800 mm

Width	300	400	600	800	900	1200
Order no.	49020	49020	49020	49020	49020	49020
+ Addtl charge						








900	1200	1200
1850	1850	1850
3 x 300	3 x 400	4 x 300
6	7	7
49010-303	49010-323	49010-403







900	1200	1200
1850	1850	1850
3 x 300	3 x 400	4 x 300
6	7	7
49010-304	49010-324	49010-404

	+ 49430-750	+ 49432-750	+ 49440-750
+	+ 49430-730	+ 49432-730	+ 49440-730

Optional: **Decor fronts** (MDF) You can choose from the following decors:



Danube maple Sen ash










Order no. 49010-223



Order no. 49020-304



Lockers with 5 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per compartment: 295 x 245/345 x 465 mm (H x W x D)





1. Dimensions and	Width	300	400	600	800	
door material	Height	1850	1850	1850	1850	
	Compartments	1 x 300	1 x 400	2 x 300	2 x 400	
Steel doors	CSC	4	5	6	7	
1	Order no.	49010-105	49010-125	49010-205	49010-225	
	Price					
+ MDF decor doors	Thickness 18 mm + Order no.	+ 49510-750	+ 49512-750	+ 49520-750	+ 49522-750	
	+ Addtl. charge					
+ HPL decor doors	Thickness 13 mm + Order no.	+ 49510-730	. 40512 720	. 40520 720	. 40522 720	
	+ Addtl. charge	+ 49510-730	+ 49512-730	+ 49520-730	+ 49522-730	

2. Body color (see end of catalog for color overview)



Box lockers

Box lockers

Doors single-walled smooth, without ventilation hole pattern and without label holders (if required please order additional plastic label holders, order no. 8500-15, page 49).

Every door with cylinder lock and 2 keys. The bottoms of the compartments are generally finished in the color of the body. Decor door in Danube maple, Sen ash or Oak Sereno decor with black edge band, with door opening limiter as standard feature.

For general description of the lockers see page 56/57.

Note:


For publicly accessible lockers, we recommend door opening limiters, see page 77.



S 3000 Evolo laptop lockers|197_



Order no. 49020-325 + 49532-750 (MDF decor doors)





900	1200
1850	1850
3 x 300	3 x 400
7	8
49010-305	49010-325

1200 1850 4 x 300 8 49010-405

+ 49530-750 + 49532-750 + 49540-750 Ð + 49530-730 + 49532-730 + 49540-730 Base instead of feet, steel design, 100 mm high



Color (standard)	Body color
Locker height	1800
Order no.	49020
+ Addtl. charge	see page 73

Door color (door decor for MDF or phenolic HPL design if applicable)







Top lockers

Top lockers

Doors single-walled smooth, without ventilation hole pattern and without label holders (if required please order additional plastic label holders, order no. 8500-15, page 49).

Compartment width of 400 mm also suitable for motorcycle helmets.

Doors with turning bolt latches.



Turning bolt latch standard with door protection



Order no. 49090-30 (top locker)

Order no. 49092-20 (top locker)

Top lockers

Depth 500 mm. Clear opening dimensions per door: 430 x 245/345 x 465 mm (H x W x D)





1. Dimensions and	Width	300	400	600	800
door material	Height	500	500	500	500
	Compartments	1 x 300	1 x 400	2 x 300	2 x 400
Steel doors	CSC	1	1	2	2
10000	Order no.	49090-10	49090-12	49090-20	49090-22
	Price				



Thickness 18 mm + Order no. + Addtl.charge

+ 490910-750 + 490

+ 490912-750

+ 490920-750

+ 490922-750



Thickness 13 mm

+ Order no. + Addtl. charge + 490910-730

+ 490912-730

+ 490920-730

+ 490922-730

Top lockers

Dimensions and

door material

with doors closing in the middle, depth 500 mm. Clear opening dimensions per door: 430 x 245/345 x 465 mm (H x W x D)





	Height
	Compartme
Steel doors	CSC
100000	Order no.
	Price


Width	
Height	
Compartments	
CSC	


	800	
	500	
	2 x 400	
	2	

49092-22

V	
1200	
500	
4 x 300	
4	

49092-40





600










900	1200	1200
500	500	500
3 x 300	3 x 400	4 x 300
3	3	4
49090-30	49090-32	49090-40



+ + 490930-730 + 490932-730 + 490940-730

New door opening limiter 90°

made from special heavyduty, plastic-coated stainless steel cable



Design

+ Order no.

+ Addtl. charge

Price per door + 4900-700

Without door opening limiter



- + For specifically assigned compartments
- + More freedom of movement for users
- Forceful over-extension of the door by opening it too far is possible
- Damage to usable space of adjacent locker is possible

With door opening limiter 90°

(standard with decor doors)



- + Recommended if lockers are frequently used by different persons
- + Prevents forceful over-extension of the door by opening it too far
- + No overlap with usable space of adjacent locker
- Less freedom of movement for users

Door color (door decor for MDF or phenolic HPL design if applicable)

S 3000 EVOLO

The open wardrobes offer:

- Sturdy steel construction with high-quality enamel coating
- Steel doors single-walled smooth
- Alternatively: MDF or HPL decor doors in Danube maple, Sen ash or Oak Sereno decor with black edge band
- Plastic label holders optionally available, order no. 8500-15, see page 49
- Each compartment with cylinder lock and 2 keys
- Hat rack and shoe rack in black gray RAL 7021
- The bottoms of the compartments are generally finished in the body color.
- Delivered disassembled with detailed mounting instructions for easy DIY assembly











fronts (HPL)



Locker with feet, compartment width 300 mm

On feet 150 mm high, depth 500 mm. Locker consisting of two box lockers, hat shelf and shoe rack made of square profile in between, with 6, 8, or 10 plastic coat hangers in black











1	Dimensions and
	door material

Steel doors

Width	1600	1600	1600
Height	1850	1850	1850
Compartments	2 x 300	2 x 300	2 x 300
Clear opening dimensions per door (H x W x D):	510 x 245 x 465 mm	375 x 245 x 465 mm	295 x 245 x 465 mm
Assembled box lockers	3 compartments 4 compartments models 49010-103 models 49010-104		5 compartments models 49010-105
for no. of persons	6	8	10
CSC	6	6	8
Order no.	49406-00	49408-00	49410-00
Price			



Thickness 18 mn
+ Order no.
. Addtl chargo

+ 494060-750

+ 494080-750

+ 494100-750

HPL decor doors

Thickness 13 mm + Order no.

+ Addtl. charge

+ 494060-730

1. Dimensions and design

+ 494080-730

+ 494100-730

Body color (see end of catalog for color overview)



Please choose 487





Open wardrobes



Locker with feet, compartment width 400 mm

On feet 150 mm high, depth 500 mm. Locker consisting of two box lockers, hat shelf and shoe rack made of square profile in between, with 6, 8, or 10 plastic coat hangers in black







Dimensions and door material

	•	•	•
Width 1800		1800	1800
Height	1850	1850	1850
Compartments	2 x 400	2 x 400	2 x 400
Clear opening dimensions per door (H x W x D):	510 x 345 x 465 mm	375 x 345 x 465 mm	295 x 345 x 465 mm
Assembled box lockers	3 compartments models 49010-123	4 compartments models 49010-124	5 compartments models 49010-125
for no. of persons	6	8	10
CSC	8	8	10
Order no.	49406-02	49408-02	49410-02
Price			



for no. of persons	6	8	10
CSC	8	8	10
Order no.	49406-02	49408-02	49410-02
Price			



Thickness	18	mm
+ Order n	0.	
+ Addtl. cha	rge	

+ 494062-750

+ 494082-750

+ 494102-750



Thickness	13	mm

+ Order no. + Addtl. charge + 494062-730

+ 494082-730

+ 494102-730

Door color (door decor for MDF or phenolic HPL design if applicable) Please choose

.....487



Laundry collecting and dispensing lockers

Laundry bags made of 100% polyester, with 4 hanging loops, Packaging unit: 5 pieces



+ Order no.

+ 48270-7015

+ Addtl. charge







Lockers with feet

on feet 150 mm high, depth 500 mm Attention! Locker with integrated slope (order no. 8000-38) not possible









Order no. 48060-205





Width	420	420	810	810	420
Height	1850	1850	1850	1850	1850
Doors	5	10	10	20	1
Clear opening	per door	per door	per door	per door	per swing f
dimensions	269 x	126 x	269 x	126 x	282 x
$H \times W \times D$	251 v 475	251 x 475	295 v 475	295 x 475	270 x 47

Description

Laundry dispensing lockers

with central door by which the entire column of compartments can be opened at once (e.g. for loading). Compartments and central doors with cylinder lock and 2 keys, longer delivery time

ing flap 32 x 0 x 475 **Laundry collecting lockers**

one swing flap at the top in the hinged door, hinged door with cylinder lock and 2 keys. Laundry bag retaining hooks inside



CSC Order no. Price

6 48060-105

48060-110

48060-205

8 48060-210 48070-210

Lockers with base

on base 100 mm high, depth 500 mm

Attention! Locker with integrated slope (order no. 8000-38) not possible









48160-210



48170-210

1	Dimensions	and
	design	

Width	420	420	810	810	420
Height	1800	1800	1800	1800	1800
Doors	5	10	10	20	1
Clear opening dimensions H x W x D	per door 269 x 251 x 475	per door 126 x 251 x 475	per door 269 x 295 x 475	per door 126 x 295 x 475	per swing flap 282 x 270 x 475
Description see above			see above		

48160-205



Order no.	48160-105	48160-110
Price		

Accessories

Additional fittings, locks 81 - 85





Options

The S 3000 Evolo accessory range offers:

The difference lies in the details! C+P offers a multitude of practical additional fittings and upgrading components. For you this means:

- All requirements can be met for a customized result
- Lockers "made-to-order" for the specific location
- All parts can be ordered separately (no additional charge packages, you only pay for what you need!)
- Many parts can also be retrofitted
- Excellent price-performance ratio thanks to C+P modular system

Wet room design*

compartment widths 300 and 400 mm, additional charge per compartment width see also page 24

for lockers with	feet or base	bench
Order no.	8000-20.	8000-21.
+ Addtl. charge		



approx. 200 mm high for retrofitting, made of black gray MCPB material

Please consult us about your specific projects.



electrolytically galvanized, enamel coated,

Order no. 49050-40 with additional fittings.

- 1 x 8000-7035 (plastic bench slats)
- 4 x 8050-7010 (shoe rack)
- 1 x 4934-70 (slope top)
- 4 x 8000-21 (electrolytically zinc-plated design)

Slanted roof designs

Depth 500 mm

Slope top approx. 230 mm higher in the back for retroactive fitting





		being left off top		•
Compartment width	300/400	300/400	300/400	300
for number of compartments	1	2	3	4
CSC	1	1	1	2
Order no.	4931/41-70	4932/42-70	4933/43-70	4934-70
+ Addtl. charge				

Door designs

Additional charge per door

Doors smooth without louvers, without label holders (ensure alternative ventilation e.g. using the ventilation hole pattern!)



8001-303

Door with perforated panel

for models 49010-49090, compartment width 300/400 mm (square perforations approx. 23 mm with bars approx. 5 mm), 3-bolt latch recommended



8001-323

Base

(not for open wardrobes on page 78/79)





4900-707

Order no. + Addtl. charge





Partitions

below the storage shelf, additional charge per compartment

made of steel

in swivel design, cannot be retrofitted



made of steel

made of translucent plastic, movable and swivel design, low-maintenance



linen material movable and swivel design, with several pockets

made of blue



1170 x 450 4500-706

Partition H x W Order no. + Addtl. charge

1000 x 460 0080-00

1280 x 420 0092-00

Security compartment inside*

(instead of the hat shelf)

1210 x 300

4500-705

Mirror to be mounted by the customer, price per door

Standard coat hanger

Hardwood varnished in black (with special mounting)



Additional

Shoe shelf coated in black gray (installation height 250 mm)





small, W x H 110 x 90 mm

large, W x H 180 x 300 mm

Compartment width

Order no.

Price

300 4900-765

400 4900-766 300/400 8053-00

4500-761

4500-762

8000-061

Additional fittings

Prices per door

Towel holder for mounting on doors hinged on the right



Steel doors 300

4900-770

Decor doors 300/400 4900-7703

Towel and shower gel holder for mounting on doors hinged on the right



Steel doors Decor doors

400 300/400 4900-772 4900-7723 Flip-flop and shoe holder

(not suitable for lockers with storage box or partitions)



Steel doors

300

4900-773

400

4900-7732

Decor doors 300/400

4900-7733

Order no. Price

Design for

Compartment width

fittings Prices per door

Additional

Door opening limiter 90° addtl. charge for steel doors, for user instructions see page 77



Double

sliding hooks

as replacement,

per piece

Shoe rack

for models with bench \boldsymbol{built} underneath, retrofitting possible since May 1st 2012, addtl. charge per compartment



300

Shoe rack for models with bench in front, retrofitting not possible, addtl. charge per compartment



300 8030-701

400 8032-701

Compartment width Order no.

300 4900-700

400 4900-702

8500-012

8050-7010

400 8052-7010

82

Price

Additional accessories

Wall mount

with additional support bracket, price per compartment



Additional fittings in the locker

Shoe tray made of plastic, removable, with bottom spacers



4500-707

Order no. Price 8000-34

Padlocks

Order no

Price

for turning bolts and safety turning bolts, bolt size approx. 6 mm Brass design, 2 keys, up to 300 different key numbers



0002-10

Brand lock in brass design with precision cylinder, 2 keys, up to 168,000 different key numbers



0002-11 00

High-gloss chrome-plated with number combination, without keys

Order no.

Price



0002-12



Play it safe – with the new standard C+P safety turning bolt





The problem

Conventional turning bolt latches are highly susceptible to break-ins because the latch can be overwound.

The burglar uses the padlock as a lever (the longer the shackle, the greater the leverage). Overwinding destroys the locking mechanism and opens the way to the locker compartment.





The C+P solution

The C+P safety turning bolt cannot be overwound because it "spins" when it is closed, thus preventing tampering!


The cylinder lock engages only when the padlock is removed, and the door can be opened simply by turning the knob. For lock bolt size 6-8 mm.

Accessories for lockers

Turning bolt latch and cylinder locks not for assembled box lockers

Optional Prices **Basic** per lock design Turning Cylinder lock in black Lock in moisture-proof design cylinder lock in black bolt latch with 2 keys up to 1000 up to 6000 up to 1000 via master via master via master via master padlock incl. different key different key different key kev system key system kev system key system with security with security lock guard numbers numbers without numbers without certificate* certificate* security security certificate* certificate* Order no. 4900-718 4900-725 4900-721 4900-723 4900-724 4900-7212 4900-7242 4900-7252 Unit price + Addtl. charge Standard

Keys, locks, and wristband for cylinder locks



Locking no. according to customer requirements

Additional charge per lock
Order no.-..99

+ Addtl. charge

1) 51 black 56 gray 52 white 61 green 53 red 67 yellow 55 blue

Additional accessories for all lockers

Door protection and numbering

Door protection also suitable for holding number plate model 4400-744. Only possible with cylinder lock models 4900-721, 4900-723, 4900-724, 4900-725

Number plate for easy DIY attachment above the door protection (please specify desired 3-digit numbering!), to be used only in conjunction with door protection, not suitable for coin-operated deposit locks



SAFE-O-MAT locks 107 + 165



Design Order no. Price



plastic **4400-742**



plastic **4400-744**




Coin-operated deposit lock......107

Accessories for assembled box lockers

Turning bolt latch and cylinder locks only for assembled box lockers

Prices **Basic** Optional per lock design Cylinder Cylinder lock in black Lock in moisture-proof design Turning cylinder lock in black bolt latch lock with 2 keys up to 6000 up to 1000 for padlock up to 1000 via master via master via master via master different key different key different key system kev system kev system incl. lock kev system with security key numbers numbers with without numbers without guard certificate* security security security certificate* certificate* certificate* Order no. 4900-721 4900-723 4900-724 4900-725 4900-7212 4900-7242 4900-7252 4900-718 Unit price + Addtl. charge Standard

Keys and wristband for cylinder locks



Additional accessories for all lockers

55 blue Plastic key ring Optional integrated numbering Locker numbering Key with S-hook, Ø 30 mm, thanks to self-adhesive film for **decor** doors (MDF ring please indicate numbering in the embossed label holder and phenolic HPL), please (please specify from-to specify from-to numbering numbering and indicate color² and color 33 Design black white aluminum color self-adhesive self-adhesive Order no 8502-0851 8502-0852 8502-0862 4900-701.. 4900-749.. Price

Number plates

Please specify numbering

Design

Order no. Price



Number plates in lock area, self-adhesive, separate for easy DIY assembly

with integrated door protection, 123 x 39 x 1.0 mm.

without integrated door protection, 68 x 39 x 1.0 mm,

only suitable for cylinder locks plastic Stainless steel 4902-0601 4901-0601

only suitable for cylinder locks

Stainless steel plastic 4902-0611 4901-0611

Stainless steel number plate self-adhesive, 30 x 50 x 1.0 mm

1) 51 black

53 red

52 white

56 gray

61 green

67 yellow



Stainless steel 8501-06

white aluminum

www.cp-furniture.com



²⁾ 51 black 56 light gray

⁶⁵ white aluminum

⁵¹ black


⁵² white 56 light gray

Can do more than others: S 6000 CAMBIO


C+P Cambio is more than just a locker! The following facts are what makes this range so incomparable:

- Innovative ventilation and drying by means of the SVL, FVL, or FVLD concepts
- Optimum use of space and interior design thanks to corner, niche, and front end solutions
- Underbench solutions designed to meet your needs for adaptation to any room situation
- Choice of many materials and colors for every taste and every requirement
- Body and steel doors electrolytically zinc-plated as a standard
- Vast interior space thanks to a body height of 1850 mm plus sub-frame (feet or base)





Lockers



Let us know your ideas and send us your project-specific inquiry! In the world of changing rooms and locker systems, Cambio is the professional solution for nearly all furnishing needs.

For additional furnishing examples from a market leader, please see the Cambio product series brochures or our website at www.cp.de/cambio



The optimum: S 6000 CAMBIO





The Cambio ventilation concepts are explained in detail on pages 90-91





For our Cambio S 6000 series lockers and assembled box lockers with decor fronts, you can choose from the following decors (other decors on request):



White

Silver gray







Oak Sereno

Ingenious and pleasant for the highest standards.




Feet 130 mm high with protective sleeves, can be adjusted in height from inside and outside



Single- or double-walled doors with insulation: Single-walled steel doors with closed side profiles for the highest level of stability.

Double-walled doors in sandwich construction with convenient body sound absorption.





Door opening limiter 90° standard design. New design with special heavy-duty, plastic-coated stainless steel cable.

Lockers





Lockers 92



Double-tier lockers 94



Box lockers 96



Z lockers and corner solutions.....100





Stainless steel hinge: For phenolic HPL decor doors



For integration with Cambio: all common mechanical and electronic locking systems, from turning bolt latches to coin-operated locks to electronic locking systems as part of complete building automation (see pages 106, 107, 160-165).



Cylinder lock: with 2 keys as standard fitting.





Systemized ventilation and drying.

They all have holes and louvers. Somehow ventilation is supposed to be achieved through them. But is that enough?

In C+P Cambio, self-ventilation through the SVL concept® was tested and confirmed in scientific investigations.

Damp clothing dries much quicker in Cambio thanks to the effective flow behavior enforced by its design - guaranteed and without any additional energy input! In addition, the FVL and FVLD concepts are available for special drying tasks.

SVL concept®

Self-Ventilation concept (SVL) = effective drying without additional ventilation equipment!

(standard)



Applications for the **SVL concept®:**

Can be used for 90% of all drying tasks! Depending on moisture content, clothing may dry in 6-14 hours. The room temperature should be approx. 20° C with a relative humidity of approx. 50% (normal climate in Central Europe).



FVL concept

Forced Ventilation concept (FVL) means elimination of odors by means of high air flow rates and improved drying thanks to connection to an on-site ventilation system.

(additional equipment)





Applications for the **FVL concept:**

Can be used wherever odors need to be eliminated while performing normal drying tasks. Depending on moisture content, clothing may dry in 6-14 hours. The room temperature should be approx. 20° C with a relative humidity of approx. 50% (normal climate in Central Europe).

FVLD concept

Forced Ventilation concept with Drying (FVLD) means effective air renewal with an electric dryer and additional ventilation equipment!


(additional equipment)





Applications for the **FVLD concept:**

Can be used wherever a very high amount of damp clothing must be dried in a short time. Depending on moisture content clothing may take only few hours to dry.



Comparison of the concepts

Comparison of drying of conventional lockers and lockers with the SVL, FVL, and FVLD concept by C+P:

SVL = locker with SVL conceptFVL = locker with FVL conceptFVLD = locker with FVLD concept



S 6000 CAMBIO

The S 6000 Cambio series offers more:

- Sturdy steel construction with overlay doors and high-quality enamel coating
- 54° slope on the body interior for high stability and an easy, convenient way to remove clothing
- New ventilation system with the SVL concept® as standard feature (see previous page)!
- Fronts made of steel (single-walled, optionally double-walled or insulated) or phenolic HPL (optional) with wood decor for an even more attractive appearance
- Door hinges for sheet steel doors made of aluminum/plastic
- Door hinges for phenolic HPL decor fronts made of stainless steel
- Door opening limiter 90° for outstanding closing characteristics as standard fittings
- Body and steel doors electrolytically zinc-plated as a standard
- Cylinder lock with 2 keys
- Optimum air circulation due to defined ventilation spaces in front of and behind the storage shelf
- Sturdy wardrobe rail made of oval profile, 4 twist-proof hooks with system holder, e.g. for coat hangers or movable partitions
- Wide variety of interior fitting solutions for any requirement
- Slot-in shoe shelf, can be easily retrofitted by users

- Height adjustment through adjustable plastic feet 130 mm high, can be easily adjusted from inside and outside
- Base height-adjustable
- Wear-resistant plastic feet ensure protection from corrosion
- Sub-frame alternatively with feet or base as well as with spacious storage box or bench on request



- B Corner lockers 102



Sub-frame

with feet





Sub-frame with base



Sub-frame with bench



Wood decor fronts (phenolic HPL) ventilation



SVI - self-



fittinas

Lockers S 6000 Cambio

with SVL concept® and drying guarantee as standard features, see page 90 and 91



(A) Lockers with full-length doors


on **feet** 130 mm high, depth 525 mm. Clear opening dimensions per door: 1757 x 262/362 x 480 mm (H x W x D), each compartment with storage shelf, wardrobe rail and 4 hooks











Width	300	400	600	800
Height	1980	1980	1980	1980
Compartments	1 x 300	1 x 400	2 x 300	2 x 400
CSC	2	3	4	5
Order no.	45100-10	45100-12	45100-20	45100-22
Price				



Steel doors single-walled

Thickness 19 mm

+ Order no. + Addtl. charge + 45110-710

+ 45112-710

+ 45120-710

+ 45122-710

HPL decor doors

Thickness 13 mm

+ Order no. + Addtl. charge + 45110-730


+ 45112-730

+ 45120-730

+ 45122-730

Body color (see end of catalog for color overview) Please choose













Standard design of the steel locker doors:

- Single-walled, reinforced steel doors for a high degree of stability, Standard
- Optional: Double-walled doors in sandwich construction with body sound absorption through integrated sturdy honeycomb cardboard providing a pleasant sound behavior

Decor fronts (phenolic HPL)

For our Cambio S 6000 series lockers and assembled box lockers with decor fronts, you can choose from the following decors (other surfaces on request):







White Silver gray





Sen ash

Oak Sereno





Order no. 45100-20

+ 45120-730 (phenolic HPL decor doors in Sen ash) + 4500-700 (base)







900	1200	1200
1980	1980	1980
3 x 300	3 x 400	4 x 300
5 45100-30	6 45100-32	6 45100-40



Base instead of feet, steel design, 100 mm high, height adjustment



#			
	+ 45130-710	+ 45132-710	+ 45140-710

Color (standard)
Locker height
+ Order no.
+ Addtl. charge

Black gray RAL 7021	
1950	
+ 4500-700	

+ 45130-730


+ 45132-730

+ 45140-730



Accessories

S 6000 CAMBIO



(A) Lockers with 2 tiers

on feet 130 mm high, depth 525 mm. Clear opening dimensions per door: 862 x 262/362 x 480 mm (H x W x D), each compartment with wardrobe rail and 4 hooks









1	Dimensions and
	door material

	Com
Steel doors single-walled	CSC Orde
	Price

vviatri	
Height	
Compartments	
CSC	

1
45

300	400
1980	1980
1 x 300	1 x 400
2	3
5101-10	45101-12

600	
1980	
2 x 300	
4	
45101-20	

800
1980
2 x 400
5
45101-22

Steel doors doublewalled

Thickness 19 mm

+ Order no. + Addtl. charge + 45210-710

+ 45212-710

+ 45220-710

+ 45222-710

HPL decor doors

Thickness 13 mm

+ Order no. + Addtl. charge + 45210-730

+ 45212-730

+ 45220-730

+ 45222-730

2. Body color (see end of catalog for color overview)





94

Ordering steps:


1. Dimensions and door material

2. Body color

3 Door color

Options







Order no. 45101-20 + 45220-730 (phenolic HPL decor doors)







1.	900
	1980
	3 x 30

1980	
3 x 300	
5	
4E101 20	

þ		
	1200	
	1980	

3 x 400	
6	
45101-32	

1200

4 x 300 6 45101-40

1980



+ 45230-710

+ 45232-710

+ 45240-710



+ 45230-730

+ 45232-730

+ 45240-730



Additional fittings, locks | 103 | - | 107







Color (standard) Locker height

+ Order no. + Addtl. charge

1950 + 4500-700

Black gray RAL 7021



Accessories



A Lockers with 3 tiers

on feet 130 mm high, depth 525 mm. Clear opening dimensions per door: 562 x 262/362 x 480 mm (H x W x D), without interior fittings









1	Dimensions and
	door material

	Height
	Compartme
Steel doors single-walled	CSC
7	Order no


Price

eight	1980
ompartments	1 x 300
SC	3
rder no.	45102-10



45102-12





(A) Lockers with

4 tiers

on feet 130 mm high, depth 525 mm. Clear opening dimensions per door: 412 x 262/362 x 480 mm (H x W x D), without interior fittings









Dimensions and door material

Steel d	loors single-walled
	4
	7777
	1


Width	
Height	
Compartments	
CSC	

Order no. Price

45103-10	45103-12
3	4
1 x 300	1 x 400
1980	1980
300	400
Φ_{Φ}	Д.

1980
1 x 400
4 45103-12

600	
1980	
2 x 300	
5 45103-20	





Thickness 19 mm

+ Order no. + Addtl. charge + 45410-710

+ 45412-710

+ 45420-710

+ 45422-710

HPL decor doors

Thickness 13 mm

+ Order no. + Addtl. charge + 45410-730


+ 45412-730

+ 45420-730

+ 45422-730

2. Body color (see end of catalog for color overview)















Box lockers

Base instead of feet, steel design, 100 mm high,



Color (standard)
Locker height

height adjustment

Black gray RAL 7021 1950 + 4500-700

+ Order no.

+ Addtl. charge



_	$\overline{}$	A
	7	
].
b		



900 1980 3 x 300

1200 1980 3 x 400

1200 1980 4 x 300

6 45102-30

7 45102-32

8 45102-40







900 1980 3 x 300 6

1200 1980 4 x 300

45103-30

45103-32

8 45103-40

+

+ 45430-710

+ 45432-710

+ 45440-710

+

+ 45430-730

+ 45432-730

+ 45440-730



Accessories



Order no. 45102-32 + 4500-700 (base)



Order no. 45102-20 + 45420-730 (phenolic HPL decor doors in Danube maple) + 4500-700 (base)



S 6000 CAMBIO



instead of feet, steel design, 100 mm high, height adjustment

Color (standard)	Black gray RAL 7021
Locker height	1950
+ Order no.	+ 4500-700
+ Addtl. charge	



(A) Lockers with 5 tiers

on **feet** 130 mm high, depth 525 mm. Clear opening dimensions per door: 322 x 262/362 x 480 mm (H x W x D), without interior fittings



300







1	Dimensions and
	door material

	1
Steel doors single-walled	CSC
	Ordei
	Price

Width
Height
Compartments

reignt	1900	
Compartments	1 x 300	
CSC	4	
Order no.	45104-10	



600 1980 2 x 300

	800
	1980
2	x 400

- 44		
- 10	7.00	
	100	





5 45104-12

6 45104-20

45104-22

(A) Lockers with 6 tiers

on **feet** 130 mm high, depth 525 mm. Clear opening dimensions per door: 262 x 262/362 x 480 mm (H x W x D), without interior fittings







600

1980

2 x 300

6

45105-20



1	Dimensions and
	door material

Steel doors single-walled

Width	
Height	
Compartments	

	1		
CSC	-		
Ord	er r	10.	
Drice	_		

300
1980
1 x 300
_

1 X 300	
4	
•	
45105-10	

400 1980 1 x 400 5

45105-12







Thickness 19 mm + Order no.

+ 45610-710

+ 45612-710

+ 45620-710

+ 45622-710



Thickness 13 mm

+ Order no. + Addtl. charge

Ordering steps:

+ Addtl. charge

+ 45610-730

+ 45612-730

+ 45620-730


+ 45622-730

2. Body color (see end of catalog for color overview)











1. Dimensions and door material

2. Body color

3 Door color

Options

Box lockers









1.	900
	1980
	2 v 200

1200 1980 3 x 400

1200	
1980	
4 x 300	

45104-30

9 45104-32

10 45104-40







900
1980
3 x 300
0

1200	
1980	
4 x 300	

45105-30

45105-32

10 45105-40

Ð

+ 45630-710

+ 45632-710

+ 45640-710

+ 45630-730

+ 45632-730

+ 45640-730

Accessories

Additional fittings, locks | 103 | - | 107

CSC = color surcharge code number

HPL = high-pressure laminate



Z lockers

Z lockers offer more:

- Optimum use of the interior space for 2 users, with low floor-space requirements
- For use in areas that only offer enough space for a double-tier locker but still require long garments to be hung
- Lots of storage space! Large, bulky bags or helmets, long garments, shoes, and small objects all have their place
- Excellent view of locker content thanks to the functional interior arrangement
- Each compartment has a rail with 3 hooks on the side
- All users have compartments of exactly the same size



Vectogram on an phenolic HPL door (optional)



Order no. 45180-224

A Z lockers

on feet 130 mm high, Each compartment has a rail with 3 hooks on the side



Width
Depth
Height
Description





300	400
525	525
1980	1980
for	for
2 persons	2 persons
2	3

3 45180-122



600	
525	
1980	
for	
4 persons	

45180-234




800	
525	
1980	
for	
4 persons	

45180-224

A Z-Combination lockers

on **feet** 130 mm high, with two Z compartments each on the left and right, double-tier compartment in the middle



100

Width
Depth
Height
Description

	_
HPL decor doors	
	С
	Р

CSC
Order no.
Price



45180-132

•	•
900	1200
525	525
1980	1980
for 6 persons	for 6 persons
o persons	o persons
5	6



The practical, sturdy wardrobe rail made of oval profile with 3 twist-proof sliding hooks is very user-friendly and allows several garments to be hung at intervals.

Body color (see end of catalog for color overview)



45181-326





45181-336











1.	900
	525
	1980
	for
	6 persons


5 45180-336

1200	
525	
1980	
for	
6 persons	

6 45180-326

1200
525
1980
for
8 persons
6

45180-438



+ Base instead of feet, steel design, 100 mm high, height adjustment

Color (standard)	Black gray RAL 7021
Locker height	1950
+ Order no.	+ 4500-700
+ Addtl. charge	



Order no. 45181-326







B Corner lockers on feet 130 mm high





Dimensions and door material

Depth
Height
Clear opening dimensions per door (H x W x D)
Description

1980

1610 x
262 x 260

with one full-length door, storage shelf and 2 turnable

500/213 1980 780 x 262 x 260 with 2 doors and 2 compartments

on top of one another, 2 triple swivel hooks per compartment



CSC Order no. Price 3 **45100-90**

triple hooks

3 **45101-90**



Thickness 19 mm + Order no.

+ 45110-710

+ 45210-710



Thickness 13 mm

+ Order no. + Addtl. charge

+ Addtl. charge

+ 45110-730

+ 45210-730



Body color (see end of catalog for color overview)







k gray RAL 7021
1950
+ 4500-700





Ordering ston

Dimensions and door material



Door color

Options

Design variants and accessories



© Slope tops

without locker: rear approx. 230 mm high (= nothing can be left on top of the locker)



for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
+ Order no.	+ 4531-70	+ 4541-70	+ 4532-70	+ 4542-70	+ 4533-70	+ 4543-70	+ 4534-70
+ Addtl. charge							

Slope tops

for corner on existing corner locker





Design	Interior corner	Exterior corner
for compartments	1 x 300	1 x 300
+ Order no. + Addtl. charge	+ 4591-70	+ 4590-70

Pairs of doors closing in the middle*

Doors with joint lock, price **per pair**

for series	45100-20	45100-22
Locker width	600	800
+ Order no. + Addtl.charge	+ 45107-20	+ 45107-22



Base planking panel

Black gray plastic, 100 mm high, with bottom sealing lip, self-adhesive

per runnir	ng meter
+ Order no.	+ 4400-7002
+ Addtl. charge	



Experience this space-saving miracle.

Make optimal use of your C+P changing room and locker furniture.

That's no problem with C+P's well thought out locker accessories. The versatile interior fitting solutions ensure that all the space is used. You'll be amazed at all the extras that fit into your C+P steel locker.

Additional fittings in the locker

Shoe tray made of plastic, removable, with bottom spacers



Coat hanger with

Coat hanger with multi-function hooks As an alternative to the net, for example for areas with special hygiene requirements

Towel hanger movable, for easier drying of large towels



4500-707 Order no.

8501-04251

8501-04

4500-760

Additional fittings in the housing

Slot-in shoe shelf

Price

installation height approx. 250 mm, can be easily retrofitted by users



Design	Steel, black	gray coating	Stainle	ss steel
for compartment width	300	400	300	400
Order no.	4500-765	4500-766	4500-765E	4500-766E
Price				

Partitions

below the storage shelf made of translucent plastic, movable and swivel design, low-maintenance

made of blue linen material, movable and swivel design, with several pockets






Partition H x W	1210 x 300
Order no.	4500-705
Price	



4500-706

Labeling 132 systems



Locker connectors

for side

(1 set for 2 lockers), for linking 2 lockers



4500-715

Order no.		
Price		

Shield panel

exterior,

addtl. charge per compartment, for compartment rear panel with back-to-back configuration

Compartment width	300	400
Order no.	4500-10	4500-11
Addtl. charge		



Equipment solutions for the locker door

The easy way to keep things neat!

Use the door insides of your C+P changing room and locker furniture as an extra storage area.


Your benefits

- More space inside
- Accessories easy to reach
- Neat storage of even small items
- User-friendly handling
- Suitable for a variety of door materials, please inquire



Additional fittings

Towel holder for steel and decor doors hinged on the right



Flip-flop and shoe holder for steel and decor doors hinged on the right



for compartment width Design for singledsteel doors walled Order no 4500-775

300 doublewalled 4500-770R

400 singleddoublewalled walled 4500-776 4500-771R

phenolic HPL doors

4500-7713R

singledwalled 4500-777

300

400

singledwalled 4500-778

300/400 doublewalled 4500-773R

phenolic HPL doors

4500-7733

Mirror

Price Design for

decor doors

Order no. Price

for steel and decor doors, to be mounted by the customer



phenolic HPL doors

4500-7703R

Widht x Height for compartment width Design for

steel/decor doors Order no.

Price



180 x 300 mm 110 x 90 mm 300/400 300/400

Mirror Mirror small large 4500-761

4500-762

Locking systems see next spage









Mechanical locking systems

At C+P you can choose from the entire range of mechanical locking systems available on the market. The basic set includes the cylinder lock and two keys. The turning bolt latch for padlocks as well as deposit locks, token-operated locks, or ticket-operated locks can be integrated as well.

Locking no. according to customer requirements

Additional charge per lock

+-..99

for cylinder lock

(longer delivery

time)

+ Order no. + Addtl. charge



Safety turning bolts as standard design:

It is impossible to destroy the locking mechanism by overwinding because the locking cylinder only engages once the padlock has been removed.



Cylinder lock:

The basic fitting for all Cambio 5 6000 lockers. Every lock is supplied with 2 keys. Master key systems are available with or without a security certificate for more safety and convenience



SAFE-O-MAT deposit lock:

The best-selling classic among coin-operated locks. Available with a traditional master key system or with the innovative PROMAX exchangeable cylinder system.



Coin-operated deposit lock: The alternative for the basic function

of the deposit lock.

For electronic locking systems and information about the functionalities of SAFE-O-MAT locks, please see pages 160-165



SAFE-O-MAT number plate: Instead of the sign, silver, please

specify numbering (order no. 8501-430).



Coin-operated lock:

As classic deposit or token-operated lock where the coin is kept as a fee for the use of the locker or compartment.



Ticket-operated lock:

The practical solution often used in public swimming facilities: The admission ticket purchased at the machine serves as a deposit at the same time. Staff IDs and club membership cards can be used for this purpose as well. Please inquire with respect to your specific needs.



Accessories

Perlon wristband for cylinder keys

Please indicate numbering from-to and list the desired color no.1



263

Number plates

in lock area, self-adhesive, separate for easy DIY assembly, only suitable for cylinder locks

1) 51 black

52 white 53 red

55 blue 56 gray

61 green 67 yellow plates Please specify

numbering

with integrated door protection 120 x 38 x 1.0 mm

without integrated door protection 65 x 38 x 1.0 mm

Design Order no. Price

plastic 4502-0601 Stainless steel 4501-0601

plastic 4502-0611 Stainless steel 4501-0611

Number

plates self-adhesive film Please specify numbering from-to and color black (51), white (52), black gray (72), or white aluminum (65)



4400-749..



Additional door protection/ number plate..... 84



Order no Price

8501-05..

Order no. Price

Cylinder locks

Prices Basic per lock

design

Optional

Cylinder lock

Cylinder lock in black with 2 keys

Lock in moisture-proof design cylinder lock in black







up to 1000 different key numbers

up to 6000 different key numbers

via master key system with security certificate*

via master key system without security certificate*

up to 1000 different key numbers

via master key system with security certificate*

via master key system without security

Order no. Unit price

4500-721

4500-723

4500-724

4500-725

4500-7212

certificate*

+ Addtl. charge

Standard

4500-7242

4500-7252

Keys and safety turning bolts

Spare keys for cylinder lock



Spare key for master key system



Master key for master key system



Spare key for lock 4500-721 0006-21

Spare key for lock 4500-723 0006-00

with security certificate*

without security certificate*

certificate*

without security

Safety turning bolt



Order no. Price

0010-11

set to foreign

currency**

8500-44R

0006-00

4500-726

with

security

certificate*

4500-727

see left side

4500-718R

Safe-O-Mat locks

prepared for clipping on number plates. For a detailed description, see page 165

alternatively use of

1 or 2 Euro

coins

8500-731R

each lock with 1 key

Order no.

Addtl. charge

Twin-coin deposit lock

Token-operated lock twin-coin, multi-use

> set to 2 Euro deposit and 1 Euro cash function

> > 8501-40

Ticket/ coin-operated lock

on request



Accessories for SAFE-O-MAT locks

	Promax replace- ment cylinder	Promax emergency key	Sign	Number plate	Wristband set, nylon
	-	(cylinder exchange key)	for exterior, with sign SAFE-O-MAT	instead of the sign (specify numbering)	with metal latch, security screw and key pouch (please specify desired color no. ¹ and numbering)
Order no. Unit price	8501-4101	8511-00	included	8501-430	8501-46



51 black 52 white

53 red

55 blue

56 gray

61 green 67 yellow

Coin-operated deposit lock

Brass cylinder with 1 security key, with "standard" master key function, works with 1 Euro coins

Token-operated lock twin-coin, multi-use, for a detailed description, see page 165

Design	Coin-operated deposit lock	Replacement exchangeable cylinder, unit price		
Order no.	8500-745	4500-741		
+ Addtl. charge				
Design	Master key	Removal key	Spare key	
Order no.	8511-20	4500-740	8511-22	
Unit price				



^{*} much longer delivery time, key made of brass

^{**} Please specify currency or send sample coin

For maximum requirements: S 7000 PREFINO


There are tasks that only specialists can handle. Furnishing changing rooms, for example. Where the crucial bit of extra space, functionality, and design is needed - that's where Prefino comes into play:

- Extra-large locker capacity for more storage space
- Special interior fittings for practical and orderly lockers
- Absolutely sanitary thanks to smooth interior walls and bases
- Optimum use of space and interior design thanks to versatility and reconfiguration options
- **Double-walled design**for interior lighting, safe and clean online locking systems, and much more
- Body and steel doors electrolytically zinc-plated as a standard



The durable system body made of steel (alternatively stainless steel or aluminum) is the ideal basis for creative door variants in different materials.

For additional furnishing examples from a market leader, please see the Prefino



Lockers







Glass with printed motifs



Phenolic HPL with vectogram

Prefino offers countless customization options.

We look forward to your project-specific inquiry and will gladly provide you with an offer tailored to your specific needs.







Have a seat!

Depending on a building's design, a variety of different sub-frames can be utilized with locker systems. Prefino is flexible - and therefore well equipped for any challenge.

In addition to the classic foot and base designs, integrated bench solutions are becoming more and more commonplace. Be it overhanging benches on an existing base, benches built in front with shorter doors, or benches with storage boxes underneath: Prefino is the best choice for an ideal outcome.

All of the sub-frames shown here are very easy to clean, in part thanks to the clear-cut corner solutions. For you, this means extraordinarily sanitary conditions and simple, fast, and therefore cost-effective cleaning. Furthermore, the option with storage boxes underneath offers additional space that has generally gone unused - a true added benefit for visitors.

We look forward to your project-specific inquiry.






Bench with storage box underneath:
The bench surface serves as a lid that can be opened only by the user of the locker. It ensures that bags, helmets, and other items can be stored comfortably and removed easily.

A clean solution.

In areas with high hygiene requirements (such as the food industry), locker systems have to meet special demands. The connection to existing ventilation and extraction systems also requires a professional solution.

Lockers





Benches in front with phenolic HPL seat: This version as well as the variant with storage box underneath can also be retrofitted on request.



Swing-over bench This bench serves as the transition from the contaminated area to the clean space. Street shoes remain on the contaminated side.

In addition, this also requires suitable supplementary products, such as swing-over benches, over which employees move from the "contaminated area" to the "clean area". C+P offers the perfect range for these furnishing tasks.



The highlight: S 7000 PREFINO





Sanitary and easy to clean

Thanks to the smooth interior walls and bases, "dirty corners" are a concept unknown to Prefino. The double walls offer a safe installation space for interior lighting, online locking systems, ventilation and extraction systems, and much more - a novelty on the market!



Smooth interior walls - and endless possibilities behind them

The Prefino ventilation concept

Drying and ventilation play a major role in locker design. In Prefino lockers, the optimized air flow design allows clothing to dry much faster than in conventional lockers. It offers options ranging from the effective self-drying concept (SVL) all the way to forced ventilation with an integrated dryer. (See illustration)





The allrounder for special furnishing needs.



Steel doors: Double-walled and insulated, 19 mm thick, offers unlimited color coating options.



Phenolic HPL doors: Made of high-pressure laminate, 13 mm thick and available in a variety of appealing decors.




Glass doors: Made of colored, enameled safety glass, 8 mm thick, for a particularly classy design.



Labeling and orientation: Customized numbering and pictograms (monitors integrated in the glass or mirror panel on request).

Lockers





Glass shelves: Made of safety glass, 8 mm thick, as an elegant and stylish solution for the interior.



Monitor and LED lighting: Can be integrated behind the attractive mirror panels.







All common mechanical and electronic locking systems can be integrated in Prefino: From turning bolt latches to coin-operated locks to electronic online locking systems with central display, which also provides information about the free and occupied lockers.



S 7000 PREFINO

The S 7000 Prefino series offers more:

- Sturdy steel construction with multi-functional modular system, overlay doors and high-quality enamel coating
- Spacious body height of 1850 mm (1950 mm incl. feet or base)
- Body and steel doors electrolytically zinc-plated as a standard
- Fronts made of steel, optionally phenolic HPL with wood decor or enameled glass for an even more attractive appearance
- Double-walled design for high stability
- Smooth interior walls sanitary and easy to clean
- Compartment sizes can also be retrofitted later
- Door opening limiter 90° and doorstop silencers for outstanding closing characteristics as standard fittings
- Cylinder lock with 2 keys

- Novel slanted roof (optional)
- Perforated storage shelf for improved ventilation
- Sturdy wardrobe rail made of oval profile with 4 twist-proof double coat hooks and different positioning options for optimum adjustment to user behavior
- Wide variety of interior fitting solutions for any requirement
- Sub-frame alternatively with feet or base as well as with spacious storage box or bench on request
- Optimum ventilation, alternatively through SVL (self-ventilation), FVL (forced ventilation), or FVLD concept (forced ventilation with dryer)
- Glass doors always supplied in disassembled state for safe transportation







Slanted roof



Smooth interior walls



Different sub-frames



Can be reconfigured



Wood decor fronts (phenolic HPL) (enameled)



Glass fronts



Steel fronts with sound absorption

(A) Lockers with full-length doors

on feet 100 mm high, depth 525 mm. Clear opening dimensions per door: 1810 x 262/362 x 478 mm (H x W x D), each compartment with storage shelf, wardrobe rail and 4 hooks









1	Dimensions and
	door material

Steel doo

ors	
Part of the last o	

Compartmen	
CSC	
Order no.	
Price	

Width

Height



300 400 1950 1950 1 x 300 1 x 400 2

3 46110-12

600 1950

2 x 300

4

46110-20

800 1950 2 x 400 5

46110-22



HPL decor doors	
1	100
1000	

Thickness 13 mm + Order no.

+ 46110-730

46110-10

+ 46112-730

+ 46120-730

+ 46122-730

Glass doors

Thickness 8 mm

+ Order no.

+ Addtl. charge

+ Addtl. charge


+ 46110-750

+ 46112-750

+ 46120-750

+ 46122-750

Body color (see end of catalog for color overview)



B

	Steel side panel	
	Can be used for	
B	right or left side.	
	One nanel requir	

red for each visible outer surface per row of lockers.

	Height	1850
	Depth	500
ı	CSC	1
	+ Order no.	+ 4600-716
	+ Addtl. charge	

Accessories

Door color (door decor for phenolic HPL design + glass colors if applicable)


Body color

3 Door color

Options

Lockers







Order no. 46120-30 + 46130-730 (phenolic HPL decor doors in Oak Sereno) + 4600-716 (steel side panel)







1950
3 x 300
5
46110-30

1200
1950
3 x 400
6

46110-32

1200 1950 4 x 300 6

46110-40



+ 46130-730

+ 46132-730

+ 46140-730

+ 46130-750

+ 46132-750

+ 46140-750



Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment

Color (standard)	Black gray RAL 7021
Locker height	1950
Order no.	2



Order no. 46110-20 + 4600-716 (steel side panel)



Double-tier lockers





Order no. 46210-20 + 4600-716 (steel side panel)

(A) Lockers with

2 tiers

on **feet** 100 mm high, depth 525 mm. Clear opening dimensions per door: 895 x 262/362 x 478 mm (H x W x D), each compartment with wardrobe rail and 4 hooks





400



Dimensions and door material

	Com
Steel doors	CSC
1000	Orde
	Price

Width	300
Height	1950
Compartments	1 x 300
CSC	2
Order no.	46210-10

46210-12
3
1 x 400
1950

600
1950
2 x 300
4
46210-20

HPL decor doors

Thickness 13 mm + Order no. + Addtl. charge

+ 46110-730

+ 46112-730

+ 46120-730

Thickness 8 mm Glass doors


+ Order no. + Addtl. charge

+ 46210-750

+ 46212-750

+ 46220-750

Body color (see end of catalog for color overview)



Door color (door decor for phenolic HPL design + glass colors if applicable)

Œ	9	
(E	3)	

- Steel side panel Can be used for right or left side.

One panel required for each visible outer surface per row of lockers.

Height	1850
Depth	500
CSC	1
+ Order no.	+ 4600-716
+ Addtl. charge	

Accessories

Additional fittings, locks | 128 | - | 135













1200 1950

1	80	0
	195	50
	2 x 4	10

5 46210-22

900
1950
3 x 300
5

46210-30

4 x 300 6 46210-40

+ 46122-730

+ 46130-730

+ 46132-730

+ 46140-730

+ 46222-750

+ 46230-750

+ 46232-750

+ 46240-750

Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment

Locker height Order no.

Color (standard) Black gray RAL 7021 1950 ...2.-.. + Addtl. charge



A Lockers with 3 tiers

on **feet** 100 mm high, depth 525 mm. Clear opening dimensions per door: 590 x 262/362 x 478 mm (H x W x D), without interior fittings









1	Dimensions and
	door material

Steel doors	
50	

Width	300	400
Height	1950	1950
Compartments	1 x 300	1 x 400
CSC	3	4
Order no.	46310-10	46310-12

600	800
1950	1950
2 x 300	2 x 400
5	6
46310-20	46310-22



Thickness 13 mm + Order no. + Addtl. charge

Price

+ 46110-730 + 46112-730 + 46120-730

+ 46122-730

Glass doors

Thickness 8 mm

+ Order no.

+ 46310-750 + Addtl. charge

+ 46312-750

+ 46320-750

+ 46322-750





Order no. 46310-22 + 4600-716 (steel side panel)




6

46310-30







1200 1950 4 x 300 8 46310-40



+ 46130-730 + 46132-730 + 46140-730

7

46310-32

Ð + 46332-750 + 46330-750 + 46340-750

Body color (see end of catalog for color overview)

Door color (door decor for phenolic HPL design + glass colors if applicable)

Steel side panel Can be used for right or left side. One panel required for each visible outer surface per

row of lockers.

Height 1850 Depth 500 CSC + 4600-716 + Order no. + Addtl. charge

Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment

Color (standard)	Black gray RAL 7021
Locker height	1950
Order no.	2
+ Addtl. charge	

HPL = high-pressure laminate



Accessories



Order no. 46320-30 + 46130-730 (phenolic HPL decor doors in Oak Sereno) + 4600-716 (steel side panel)



A Lockers with 4 tiers

on **feet** 100 mm high, depth 525 mm. Clear opening dimensions per door: 437 x 262/362 x 478 mm (H x W x D), without interior fittings









1.	Dimensions and
	door material

Steel doors	
1	F

Width
Height
Compartment
CSC Order no.

300
1950
1 x 300
3 46410-10

Ψ
400
1950
1 x 400
4
46410-12

600	800
1950	1950
2 x 300	2 x 400
5	6
46410-20	46410-22

800	
1950	
2 x 400	
6	

+	HPL decor doors

Thickness 13 mm + Order no. + Addtl. charge

+ 46110-730

+ 46112-730

+ 46120-730

+ 46122-730

Glass doors

Thickness 8 mm


+ Order no. + Addtl. charge + 46410-750


+ 46412-750

+ 46420-750

+ 46422-750

Body color (see end of catalog for color overview)





2. Body color

3. Door color

Options

Box lockers



Steel side panel

Can be used for right or left side. One panel required for each visible outer surface per row of lockers.

Height	1850
Depth	500
CSC	1
+ Order no.	+ 4600-716
+ Addtl. charge	



Order no. 46420-40 + 4600-716 (steel side panel)







900 1200 1200 1950 1950 1950 3 x 300 3 x 400 4 x 300 7 6 8 46410-30 46410-32 46410-40

+

+ 46130-730

+ 46132-730

+ 46140-730

Ð

+ 46430-750

+ 46432-750

+ 46440-750

HPL = high-pressure laminate

Accessories



Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment



Color (standard) Locker height


Order no. + Addtl. charge Black gray RAL 7021 1950 ...2.-..





A Lockers with 5 tiers

on feet 100 mm high, depth 525 mm. Clear opening dimensions per door: 346 x 262/362 x 478 mm (H x W x D), without interior fittings



Steel doors



Order no. Price

300 1950 1 x 300

4

46510-10

400 1950 1 x 400 5 46510-12

HPL decor doors

Thickness 13 mm

+ Order no.

+ Addtl. charge

+ 46110-730

+ 46112-730



Thickness 8 mm

+ Order no. + Addtl. charge + 46510-750

+ 46512-750



Body color (see end of catalog for color overview)

Door color (door decor for phenolic HPL design + glass colors if applicable)

Steel side panel
Can be used for
right or left side.

One panel required for each visible outer surface per row of lockers.

Height	1850
Depth	500
CSC	1
+ Order no.	+ 4600-716
+ Addtl. charge	


Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment

Color (standard)	Black gray RAL 7021
Locker height	1950
Order no.	2
+ Addtl. charge	

















600	
1950	
2 x 300	
6	

46510-20

•	
800	
1950	
2 x 400	
7	

46510-22

900	
1950	
3 x 300	
8	

1200	
1950	
3 x 400	
9	
46510-32	

1200	
1950	
4 x 300	
10	

46510-40

+ 46120-730

+ 46122-730

+ 46130-730

46510-30

+ 46132-730

+ 46140-730

Ð


+ 46520-750

+ 46522-750

+ 46530-750

+ 46532-750

+ 46540-750



(A) Lockers with 6 tiers

on **feet** 100 mm high, depth 525 mm. Clear opening dimensions per door: 285 x 262/362 x 478 mm (H x W x D), without interior fittings







Dimensions and door material

Steel doors

	C
	C
	0
	Pr

Width	300
Height	1950
Compartments	1 x 300
CSC	4
Order no.	46610-10
Price	

400	600
1950	1950
1 x 400	2 x 300
5	6
46610-12	46610-20



Thickness 13 mm + Order no. + Addtl. charge

+ 46110-730

+ 46112-730

+ 46120-730

Glass doors

Thickness 8 mm + Order no.

+ Addtl. charge

+ 46610-750


+ 46612-750

+ 46620-750

Body color (see end of catalog for color overview)



Door color (door decor for phenolic HPL design + glass colors if applicable)



Can be used for B right or left side.
One panel required for each visible outer surface per row of lockers.

Height	1850
Depth	500
CSC	1
+ Order no.	+ 4600-716
+ Addtl. charge	

Accessories





Order no. 46620-32 + 46132-730 (phenolic HPL decor doors in Danube maple) + 4600-716 (steel side panel)









1.

800
1950
2 x 400
7
46610-22

1950 3 x 300 8 46610-30

1950 3 x 400 9

46610-32

1950 4 x 300 10

46610-40



+ 46122-730

+ 46130-730

+ 46132-730

+ 46140-730

+ 46622-750

+ 46630-750

+ 46632-750

+ 46640-750



Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment

Color (standard)	Black gray RAL 7021
Locker height	1950
Order no.	2
+ Addtl. charge	





S 7000 PREFINO

Business Class Z lockers offer you more:

- Optimum use of the interior space for 2 users, with low floor-space requirements
- Lots of storage space! Large, bulky bags or helmets, long garments, shoes, and small objects all have their place
- Excellent view of locker content thanks to the functional interior arrangement
- No troublesome door projections like in conventional Z lockers, meaning there is no risk of injury
- All users have compartments of exactly the same size
- Uniform appearance with a harmonious mix of small and large doors that fits well into any room

4 x order no. 46226-20 as a block with a vectogram




A Z lockers **Business Class**

on **base** 100 mm high, depth 525 mm, for use in areas that only offer enough space for a double-tier locker but still require long garments to be hung. Every compartment with wardrobe rail and 3 double coat hooks



1. Dimensions and door material	Width	600
door material	Height	1950
	Compartments	1 x 600
HPL decor doors	CSC	4
	Order no.	46226-20
	Price	



126

Z lockers





4 x order no. 46226-20 as a block with equipment panels and slanted roof



Accessories

Additional fittings, locks | 128 | - | 135





Security compartment instead of the hat shelf (available as an option)



Vectogram on an phenolic HPL door (available as an option)



Electronic online locking systems (available as an option)



C+P double coat hooks: Oval special changing room rail with twist-proof double sliding hooks. Can support a large load and is very easy to use.







to be mounted individually or back to back

for locker depth	52	25
Order no.	4604-710L	4604-710R
+ Addtl. charge		

Pairs of doors closing in the middle*

Doors with joint lock, addtl. charge **per pair**


for locker width	600	800
Order no.	2	2
+ Addtl. charge		



Smooth top plate

made of steel, for locker depth 525 mm

for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
Order no.	4600-760	4600-761	4600-762	4600-763	4600-764	4600-765	4600-765
+ Addtl. charge							




E Slanted roof

empty, for coverage of equipment intalled on-site, for locker depth 525 mm

nent intalled c., cker depth im					
ckor width	200	400	600	900	0.0

for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
Order no.	4604-10	4604-12	4604-20	4604-22	4604-30	4604-32	4604-32
+ Addtl. charge							



with lighting with integrated furniture

E Slanted roof

light incl.
illuminant, color white,
for locker depth
525 mm

We also offer project-specific additional variants, for example with colored light for spa areas or prepared for existing ventilation systems.



for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
Order no.	-	-	4604-200	4604-220	4604-300	4604-320	4604-320
+ Addtl. charge							

The novel Prefino slanted roof solution:

Offers lots of space for functional ideas - from housing ventilation and supply lines to completely integrated indirect lighting.

Slope tops

without locker: rear approx. 230 mm high (= nothing can remain on the locker!)



for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
Order no.	4631-70	4641-70	4632-70	4642-70	4633-70	4643-70	4643-70
+ Addtl. charge							

Additional fittings in the locker

Shoe tray made of plastic, removable, with bottom spacers





Towel hanger movable, for easier drying of large towels



4500-707



8501-04251



8501-04



4500-760

Additional fittings

Order no.

Price

on the locker door

for doors made of

for compartment width

Mirror to be mounted by the customer, 300 x 180 mm (H x W)



phenolic HPL and steel 300/400 4500-762

Towel holder for doors hinged on right



phenolic HPL steel 300 300 4600-7703R 4600-770R

Towel and shower gel holder for doors hinged on right



phenolic HPL steel 400 400 4600-7713R 4600-771R

Flip-flop and shoe holder



phenolic HPL steel 300/400 300/400 4600-7733 4600-773

Glass shelf

Order no.

Price

made of safety glass, 8 mm thick, addtl. charge per shelf



for compartment widt	h
Order no.	
Price	

Steel shelf

300 400 4600-580 4600-582

perforated, in body color, additional charge per shelf



for compartment width Order no. Price

300 4600-89

400 4602-89



Mirror panels

Prefino offers a range of different end face plates to enhance both the function and the appearance of the ends of locker rows, which often go unused.

The panels with integrated mirrors with or without deposit areas, with sockets or lighting, allow for customized options for this space.

They can either be attached to lockers or simply to the walls of a room.







© End face plate

to be attached to the side of the locker row, for locker depths of 525 mm


For additional mirror panel options, please submit a project-specific inquiry.

Locker configuration single-row



/	

Width	500
Height	1850



1850

Locker configuration

back to back



Mirror full surface

Order no.

4010-185050 Price

4010-185100



Mirror full surface and 2 LED lights behind the mirror

Order no.

4011-185100





Mirror full surface, deposit area with 2 sockets, 2 LED lights behind the mirror

Order no. 4012-185100

Price

Accessories for lockers







Lots of other design and veneering options await you.

We look forward to your project-specific inquiry.



Labeling and orientation

What good is the best changing room facility if you keep getting lost in it? C+P labeling systems put an end to this problem. From simple numbering of steel lockers, to graphically supported signs – you're in the perfect place here!

Orientation is more than just a small detail.

For you this means:

You save time and money, avoid unnecessary hassles, and you have a functional and attractive solution from the very start.

Everything from a single source – everything from C+P!

Locker numbering front inscription

- Digit combination with **3** characters each
- Choice of 2 colors (white aluminum or black gray please specify)
- Numbering according to customer requirements (**please specify**)


Color	White aluminum	Black gray
Order no.	4500-74965	4500-74972
Price		

Locker row signs

- Digit combination with **7** characters each
- Choice of 2 colors (white aluminum or black gray **please specify**)
- Numbering from ... to ... according to customer requirements (please specify)

Color	White aluminum	Black gray
Order no.	4500-75065	4500-75072
Price		





Note: The designs on this page are only examples of our extensive overall range. We look forward to your project-specific inquiry!



Room orientation with pictograms

- Pictograms for any location
- Choice of 2 colors (white aluminum or black gray please specify)
- More pictograms on request
- Always includes text

Color	White aluminum	Black gray
Order no.	449365	449372
Price		

Here a few examples:

Locker room





Order no.*

4493-09..

4493-10..

4493-11..

4493-12..

4493-13..

4493-15..

4493-16..





Order no. 4493-21 Order no. 4493-23

Order no. 4402 26

Further pictograms:

Designation	Order no.*
Security compartment	4493-00
Changing room - men	4493-01
Changing room - women	4493-02
Reception	4493-03
Restaurant	4493-04
Gym	4493-05
Telephone	4493-08

Designation	
First aid	
Sauna	
Locker room - families	
Locker room - handicapped persons	
Tanning booth	
Outdoor swimming pool	
Restroom	


Designation	Order no.*
Restroom - handicapped persons	4493-17
Indoor swimming pool	4493-18
Parking lot	4493-19
Bare feet	4493-20
Restroom - women	4493-22
Escape route	4493-24
Mothers' and babies' room	4493-25


^{*} Please specify no. 65 for white aluminum or 72 for black gray.

Arrows to show direction

- Complementing locker numbering and pictograms
- Available in 2 colors

Color	White aluminum	Black gray
Order no.	4493-2765	4493-2772
Price		





Note: The usual designs are shown on this page. Other variants are possible. We look forward to your project-specific inquiry!



Mechanical locking systems

At C+P you can choose from the entire range of mechanical locking systems available on the market. The basic fitting is the cylinder lock and 2 keys. The turning bolt latch for padlocks as well as deposit locks, token-operated locks, or ticket-operated locks can be integrated as well.

Locking no. according to customer requirements

Additional charge per lock

+ Order no.

+ Addtl. charge

for cylinder lock (longer delivery time)

+-..99



Safety turning bolts as standard design:

It is impossible to destroy the locking mechanism by overwinding because the locking cylinder only engages once the padlock has been removed.



Cylinder lock:

The basic fitting for all S 7000 Prefino lockers. Every lock is supplied with 2 keys. Master key systems are available with or without a security certificate for more safety and convenience



SAFE-O-MAT deposit lock:

The best-selling classic among coin-operated locks. Available with traditional master key system or with the innovative PROMAX exchangeable cylinder system.



Coin-operated deposit lock:

The alternative for the basic function of the deposit lock.

For electronic locking systems and information about the functionalities of SAFE-O-MAT locks, please see pages 160-165



SAFE-O-MAT number plate: Instead of the sign, silver, please specify numbering (order no. 8501-430).



Coin-operated lock:

As classic deposit or token-operated lock where the coin is kept as a fee for the use of the locker or compartment.



Ticket-operated lock:

The practical solution often used in public swimming facilities: The admission ticket purchased at the machine serves as a deposit at the same time. Staff IDs and club membership cards can be used for this purpose as well. Please submit a project-specific inquiry.



Accessories

Perlon wristband for cylinder keys

Please indicate numbering from-to and list the desired color no.

Number plates Please specify





Number plates

in lock area, self-adhesive, separate for easy DIY assembly, only suitable for cylinder locks



53 red 55 blue

56 gray

61 green 67 yellow numbering

with integrated door protection 120 x 38 x 1.0 mm

Stainless steel

without integrated door protection 65 x 38 x 1.0 mm

Design Order no Price

plastic 4502-0601 4501-0601

plastic 4502-0611 Stainless steel 4501-0611

Number

plates self-adhesive film black (51), white (52), black gray (72), or white aluminum (65)

127

Please specify numbering from-to and color

4500-749..



Additional door protection/ number plate..... 84

Order no Price

8501-05..

Order no. Price

Cylinder locks

Prices per lock

Basic design Optional

Cylinder lock

Cylinder lock in black with 2 keys

Lock in moisture-proof design cylinder lock in black





up to 1000

different

key numbers





via master key system without security certificate*

up to 1000 different key numbers

via master key system with security certificate*

via master key system without certificate*

Order no. Unit price + Addtl. charge

4600-721

4600-744

4600-734

4600-724

security

4600-7242

Standard

4600-7212

4600-7342

Keys and safety turning bolts

Spare keys for cylinder lock



Spare key for lock 4600-744

Spare key for master key system



with security

0006-00

Master key for master key system



without with security certificate*

Safety turning bolt for padlock



Order no. Price

Spare

key for

lock

4600-721

0006-21

0006-00

certificate* 0010-11

without security certificate*

4400-726

security certificate*

4400-727

see left side

4600-718

Safe-O-Mat locks

prepared for clipping on number plates. For a detailed description, see page 165

alternatively use of

1 or 2 Éuro

coins

4600-731R

each lock with 1 key

Order no.

+ Addtl. charge

Twin-coin deposit lock

set to foreign

currency**

4600-732R

twin-coin, multi-use set to 2 Euro deposit and 1 Euro cash function

Token-operated lock

4600-733

Ticket/ coin-operated lock

on request



Accessories for SAFE-O-MAT locks

	Promax replace- ment cylinder	Promax emergency key	Sign	Number plate	Wristband set, nylon		
	-	(cylinder exchange key)	for exterior, with sign SAFE-O-MAT	instead of the sign (specify numbering)	with metal buckle, security screw and key pouch (please specify desired color no. ¹ and numbering)		
Order no. Unit price	8501-4101	8511-00	included	8501-430	8501-46		

Token-operated lock twin-coin, multi-use, for a detailed description, see page 165


Coin-operated deposit lock

Brass cylinder with 1 security key, with "standard" master key function, works with 1 Euro coins

Design	Coin-operated deposit lock	Replacement exchange	eable cylinder, unit price		
Order no.	4600-730	4500-741			
+ Addtl. charge					
Design	Master key	Removal key	Spare key		
Order no.	8511-20	4500-740	8511-22		
Unit price					

1) 51 black 52 white 53 red 55 blue 56 gray

61 green 67 yellow





^{*} much longer delivery time, key made of brass

^{**} Please specify currency or send sample coin

Take a lot of wear and tear!

Box lockers S 4000 INTRO



The sturdy classic lockers with many different compartment sizes 140

- Sturdy steel construction with high-quality enamel coating
- 6 compartment heights, 2 compartment widths, 2 compartment depths for any requirement
- Can also be used as an extra high locker
- Doors either single-walled or double-walled depending on compartment

	The state of the s		ted on sturdy strap hir				
		Attractive I	ocker base in black gra	ау			
		■ Every box v	vith cylinder lock and	2 keys			
	N A A		y other locks: turning system, Safe-O-Mat lo		ing bolt,		
			loors made of acrylic on a stand		vith		
	The state of the s	addi openi	ng iliniter 50° as stane	ara reatare			
0	0				λ	*	
				single walled	Dongle, walled	Doog legic glass	
	METAN						
			Box lockers S 4000 Intro	•	•	•	
	THE STATE OF THE S		School lockers S 4000 Intro		•		
	The second second		School lockers S 3000 Evolo	•			
0			School lockers S 5000 Resisto				
		MA	Box lockers S 5000 Resisto		-		
126							
136	A CONTRACTOR	131 TA					

Box lockers for schools and child care facilities INTRO, EVOLO and RESISTO

Box lockers S 5000 RESISTO



The "short ones"

for the little ones......146

Intro series: 1 compartment size
 Evolo series: 2 designs
 Resisto series: 3 compartment sizes

■ Series description: see Intro and Resisto

Decor top MCPB (melamine coated particle board) 25 mm thick



- Sturdy steel construction with high-quality enamel coating
- 3 compartment heights and 3 compartment widths for any requirement
- "vandal-resistant" special doors made of steel 1.5 mm thick, curved to the front, mounted on sturdy swivel-rod hinges (kick-resistant!)
- Integrated door opening limiter 80° as standard feature
- $\hfill\blacksquare$ Locker base in color of the body
- Every compartment with cylinder lock and 2 keys
- Alternatively other locks: turning bolt, safety turning bolt, master key system, Safe-O-Mat locks
- 30 mm height adjustment

"Vandahesistan"	Ood opening o	ntedated door	Dod mounted hirl	Dod waringe	od Ojttetent jattnet	Could the state	or enter	Base 100 Min	reidit justnent	Loking att
	170°	STOP								
 -	•	90° *	•		•	B 400		•		•
-	•	-	•	-	-	B 400	•	•	-	•
 -	-	-	-	-	•	-	-	•	•	•
 •	-	80°	-	•	•	B 350	•	•	•	•
•		80°	-	•	•	B 350		•	•	•

Which series is suitable for what?

Based on a number of factors, you can easily establish which locker series best suits your desired field of application. For orientation purposes, this double page includes short descriptions of the series as well as suitability overviews. As you can see, C+P - market leader for steel furnishings - has even more box locker solutions to offer:



S 4000 **INTRO**

The sturdy lockers with many different compartment sizes Special features:

- Biggest range of compartment dimensions
- Single-walled and double-walled doors
- Extra depth of 590 mm










S 5000 **RESISTO**

The "vandal-resistant" lockers

Special features:

- Special doors made of steel 1.5 mm thick
- "vandal-resistant" school lockers
- Extra depths of 640 and 740 mm

Additional locker series with security compartments:



S 2000 **CLASSIC**

The timeless basic range

Special features:

- Cost-effective complete range
- Classic design











S 3000 **EVOLO**

The evolution of a classic

Special features:

- Attractive complete range
- An advancement of the basic design
- Exchangeable door-front concept











S 6000 **CAMBIO**

Excellence in technology and design

Special features:

- Body and steel doors electrolytically zinc-plated as a standard
- Practically unlimited options for design and interior fittings!









S 7000

PREFINO

The highlight for maximum requirements Special features:

- Top range with extra spacious lockers
- Range with system body that can be reconfigured later
- Double-walled design
- Optimal use of space and interior design









S 5000 Resisto series

S 4000 Intro series

Overview of locker series



S 4000 INTRO

The S 4000 Intro series offers:

- Sturdy steel construction with high-quality enamel coating
- 6 compartment heights, 2 compartment widths, 2 compartment depths for any requirement
- All lockers with attractive black gray base, 100 mm high
- Doors single-walled or double-walled (see individual descriptions)
- Each door with cylinder lock and 2 keys
- Other lock types, such as coin-operated locks, available as well
- Every door mounted and hinged right with sturdy strap hinges, door opening angle of 170°
- All lockers with louvers in the rear panel and 20 mm wall spacer (absolute body depth approx. 480 mm)







Double walled doors



compartment sizes



170° door opening angle



mounted on strap hinges





Box lockers

with full-length doors and 2 or 3 tiers

on base 100 mm high, doors single-walled reinforced, height 1950 mm



Dimensions and design



Width Depth 500 Compartments Clear opening dimensions per door H x W x D

1825 x 260 x 460



920 1220 500 500 3 4 1825 x 260 x 460 1825 x 260 x 460

with full-height doors,

1 storage shelf and 1 sturdy wardrobe rail made of oval profile inside with 3 twist-proof sliding hooks



CSC Order no. Price

Description

8170-201

8170-301

6 8170-401



height 1950 mm

with 4, 5, or 6 tiers on base 100 mm high, doors double-walled,

Dimensions and design



*	
620	
500	
8	
435 x 260 x 460	



920	
500	
12	
435 x 260 x 460	4



1220 500 16 135 x 260 x 460

Description with 4 tiers



CSC Order no. Price

Width

Depth

Compartments

Clear opening dimensions per door H x W x D

5 8470-201

6 8470-301

8 8470-401

Body and door color



140

Box lockers





Slope topCan be retrofitted later, prevents objects from being left on top

Sloping top

approx. 230 mm high in the rear, for retrofitting, for body depth of 480 mm

B				
Ш	8	ľ	ı	1
п	L			۱

for	lc	ocke	er '	Wi	dt	h	
CS(C						

+ Order no.

+ Addtl. charge

620 920 1220 2 + 8504-301

+ 8504-401

Order no. 8270-201







1220	





+ 8504-201



620
500
4
805 × 260 × 460

920	
500	
6	
895 x 260 x 460	

500
8
895 v 260 v 460

6

500 6 580 x 260 x 460

920 500 9 580 x 260 x 460

1220 500 12 580 x 260 x 460

with 2 tiers,

1 sturdy wardrobe rail made of oval profile inside with 3 twist-proof sliding hooks

8270-301


4 5

5 8270-401 8370-201

6 8370-301

with 3 tiers

8 8370-401




8270-201












620
500
10
345 x 260 x 460





8570-401



920	
500	
18	
285 x 260 x 460	



with 5 tiers

8570-301

8 10

6 8670-201

8 8670-301

with 6 tiers

10 8670-401



Accessories

Additional fittings, locks

6

8570-201



Extra-large box lockers

with 2 or 3 tiers

on base 100 mm high, doors single-walled reinforced, height 1950 mm







Width	820	820	1220	1220
Depth	500	600	500	600
Compartments	4	4	6	6
Clear opening dimensions per door H x W x D	895 x 360 x 460	895 x 360 x 560	895 x 360 x 460	895 x 360 x 560

with **2 tiers**, 1 sturdy wardrobe rail made of oval profile inside with 3 twist-proof sliding hooks Description



CSC 5 5 6 6 Order no. 8270-202 8270-203 8270-302 8270-303 Price

Extra-large box lockers

with 4 or 5 tiers

on base 100 mm high, doors single-walled reinforced, height 1950 mm





1 Dimensions and design

Width	820	820	1220	1220
Depth	500	600	500	600
Compartments	8	8	12	12
Clear opening dimensions per door H x W x D	435 x 360 x 460	435 x 360 x 560	435 x 360 x 460	435 x 360 x 560

Description with 4 tiers



CSC	6	6	7	7
Order no.	8470-202	8470-203	8470-302	8470-303
Price				

Body and door color




Box lockers



Slope top Can be retrofitted later, prevents objects from being left on top

Sloping top

approx. 230 mm high in the rear, for retrofitting, for body depth of 480/580 mm



Doors

double-walled

with 90° door opening limiter as standard feature for all doors on this double page

Additional charge per door (longer delivery time possible)

for locker width + Order no.

+ Addtl. charge

for lockers with 2/3 tiers

for lockers with 4/5 tiers



820 + 1220 820 + 1220 + 8270-700

+ 8270-702






820 820 1220 1220 500 600 500 600 6 6 9 9 580 x 580 x 580 x 580 x 360 x 460 360 x 460 360 x 560 360 x 560

with 3 tiers

6	6	7	7
8370-202	8370-203	8370-302	8370-303





820 820 1220 1220 500 600 500 600 10 10 15 15 345 x 345 x 345 x 345 x 360 x 460 360 x 560 360 x 460 360 x 560

with 5 tiers

7	7	9	9
8570-202	8570-203	8570-302	8570-303

Accessories



Order no. 8370-302



Order no. 8370-203



The S 4000 Intro series with doors made of acrylic glass offers:

- Sturdy steel construction with high-quality enamel coating
- 2 compartment heights for any requirement
- All lockers with attractive black gray base, 100 mm high
- Doors made of 8 mm thick acrylic glass, equipped with door opening limiter 90° as standard feature
- Each door with cylinder lock and 2 keys
- Other lock types, such as coin-operated locks, available as well
- Every door mounted and hinged right with sturdy strap hinges
- All lockers with louvers in the rear panel and 20 mm wall spacer (absolute body depth approx. 480 mm)
- Tops standard with 20 mm projection in the rear





Door mounted on



Acrylic glass doors

Different compartment angle



strap hinges

Extra-large box lockers

with doors made of acrylic glass and 3 or 4 tiers

on base 100 mm high, lockers 1370 mm high with decor top 25 mm thick made of MCPB













Order no. 8470A302

Dimensions and design

Width	820	1220	820	1220	820	1220
Top depth	500	500	-	-	-	-
Depth	500	500	500	500	500	500
Height	1370	1370	1750	1750	1750	1750
Compartments	2 x 3	3 x 3	2 x 3	3 x 3	2 x 4	3 x 4
Clear opening dimensions per door H x W x D	380 x 360 x 460	380 x 360 x 460	510 x 360 x 460	510 x 360 x 460	380 x 360 x 460	380 x 360 x 460
Description		with 3	3 tiers		with 4	1 tiers



Description		with 3 tiers			with 4 tiers	
CSC	3	4	5	6	6	7
Order no.	8573A202	8573A302	8370A202	8370A302	8470A202	8470A302
Price						



Extra-large box lockers



Tops without projection in the rear

flush with body on all sides, please specify top decor, see page 487



\mathbf{X}	

for locker width	820	1220
Top depth	480	480

MCPB top

Thickness 25 mm + Order no. + Addtl. charge

+ 8573A720 + 8573A730



Accessories



S 4000 INTRO



The S 4000 Intro series offers:

- Sturdy steel construction with high-quality enamel coating
- Compartments easy to reach for children
- Assembled box lockers with decor top made of MCPB (melamine coated particle board)
- All lockers with attractive base, 100 mm high, in black gray
- Double-walled doors, standard with door opening limiter 90°
- Each door with cylinder lock and 2 keys
- Every door mounted and hinged right with sturdy strap hinges
- All lockers with louvers in the rear panel and 20 mm wall spacer (absolute body depth approx. 480 mm)
- Tops standard with 20 mm projection in the rear

Box lockers

with 3 tiers

with decor top 25 mm thick made of MCPB, double-walled doors, height 1250.







5

8573-301

Width	620	920
Depth	500	500
Top depth	500	500
Compartments	6	9
Clear opening dimensions per door H x W x D	345 x 260 x 460	345 x 260 x 460

Description with 3 tiers



CSC Order no. Price

> 4 8573-201



Order no. 8573-201

Body and door color, top decor



Tops without projection in the rear

flush with body on all sides, please specify top decor, see page 487

for locker
Top depth

locker width	620



or locker width	620	920
op depth	480	480

100			
100		_	
-	100		

Thickness 25 mm + Order no. + Addtl. charge

+ 8573-7201

+ 8573-7301

Accessories

Additional fittings, lockssee right side



Order no. 8573-301 + 8573-7301 (top without rear projection)

Cylinder locks and turning bolt latches

Basic Optional per lock design Cylinder Cylinder lock in black **Turning bolt** Safety turning with 2 keys bolts lock latch up to 1000 for padlock via master via master for key system with key system without padlock different (see also page 83) key numbers security certificate* security certificate 8000-001 Order no. 8077-30 8000-01 0003-00 8000-718 Unit price + Addtl. charge Standard


Keys and wristband for cylinder locks





56 gray







0002-10

Brand lock in brass design with precision cylinder, 2 keys, up to 168,000 different key numbers



0002-11

High-gloss chrome-plated with number combination, without keys



0002-12

Locking no. according to customer requirements

Additional charge per lock

Order no. + Addtl. charge-..99

for

cylinder

lock (longer

delivery

time)

Number plates

Order no.

Price





Number plates in lock area, self-adhesive, separate for easy DIY assembly, only suitable for cylinder locks

with integrated door protection,

without integrated door protection,

	123 X	39 x 1.0 mm	68 X 39	x 1.0 mm
Design	plastic	Stainless steel	plastic	Stainless steel
Order no.	4902-0601	4901-0601	4902-0611	4901-0611
Price				



Additional door protection/ number plate...... 84




Stainless steel number plate

self-adhesive,

30 x 50 x 1.0 mm

263

Stainless steel 8501-06



S 3000 EVOLO

for childcare facilities

The S 3000 Evolo series offers:

- Increased anti-burglary protection thanks to extremely warp resistant doors
- Sturdy steel construction with high-quality enamel coating
- All compartments are easy to reach for children, making them ideal for use in schools and childcare facilities
- Available in 2 designs with full-length doors and 2 doors on top of one another (double tier)
- Either feet or base as sub-frame
- Doors hinged right, borne on hinge pins, with easy-to-clean hole pattern and embossed label holder for optional integration of numbering
- Convenient doorstop silencers for pleasant closing behavior











Sub-frame with feet

Sub-frame with base

fronts

Lockers with full-length doors

on feet 150 mm high, depth 300 mm. Clear opening dimensions per door: 1105 x 230 x 265 mm (H x W x D)



610

1350





Dimensions and door material

Steel doors

	Cor
5	CSC
	Ord
	Pric

Width Height

mpartments	2 x 300
C	4
der no.	480103-20
~e	



900	1190
1350	1350
3 x 300	4 x 300
5	6
480103-30	480103-40

Lockers with full-length doors

on **base** 100 mm high, depth 300 mm. Clear opening dimensions per door: 1105 x 230 x 265 mm (H x W x D)







1190

1300

Dimensions and door material

	Cor
Steel doors	CSC
1	Ord
	Pric

Width 610 Height 1300 2 x 300 Compartments

CSC	4
Order no.	480203-20
Price	

900	
1300	
3 x 300	

3 x 300	4 x 300
5	6
480203-30	480203-40

Body and door color

Lockers



Order no. 483203-30 (with base)

- Interior is easy to clean because compartment shelves can be swept out smoothly
- Compartments with sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks with system holder, e.g. for coat hangers or movable partitions
- Also 1 storage shelf per compartment in models with full-length doors
- Ergonomic safety turning bolt latch for padlock with door protection as practical basic fittings
- Locker feet (e.g. in model 480103) made of plastic = improved corrosion protection!
- Feet in light gray with body color RAL 7035, in black with all other body colors



Price per door




Design	
+ Order no.	
+ Addtl. charge	

900 + 8505-02

Lockers with 2 tiers

on feet 150 mm high, depth 300 mm. Clear opening dimensions per door: 536 x 230 x 265 mm (H x W x D)



Steel doors




Width



•	
610	
1350	
2 x 300	

4 Order no. 483103-20 Price





5 483103-30



1190	
1350	
4 x 300	
6	

483103-40

Lockers with 2 tiers

on base 100 mm high, depth 300 mm Clear opening dimensions per do 536 x 230 x 265 mm (H x W x D)



	Con
Steel doors	CSC
The state of the s	Ord
	Price

por:)	
dth	

Width	610
Height	1300
Compartments	2 x 300

C	4
der no.	483203-20
ce	



900	
1300	
3 x 300	

900	
1300	
3 x 300	
5	

483203-30

	1190
	1300
	4 x 300
	6

483203-40

Accessories




S 3000 EVOLO

for elementary schools

The S 3000 Evolo series offers:

- Increased anti-burglary protection thanks to extremely warp resistant doors
- Sturdy steel construction with high-quality enamel coating
- All compartments are easy to reach for children, making them ideal for use in schools and childcare facilities
- Available in 2 designs with full-length doors and 2 doors on top of one another (double tier)
- Either feet or base as sub-frame
- Doors hinged right, borne on hinge pins, with easy-to-clean hole



Lockers with full-length doors

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 1405 x 230 x 465 mm (H x W x D)






900

1650

3 x 300





Steel doors

Со
CS
Ord
Prio

Width Height mpartments

C der no. ce

610	
1650	
2 x 300	

5 480106-20 480106-30

1190	
1650	
4 x 300	

6 480106-40

Lockers with full-length doors

on **base** 100 mm high, depth 500 mm. Clear opening dimensions per door: 1405 x 230 x 465 mm (H x W x D)







1.	Dimensions and
	door material

	Cor
Steel doors	CSO
1000	Ord
	Pric

Width	610
Height	1600
Compartments	2 x 300

С	4
der no.	480206-20
ce	

900	1190
1600	1600
3 x 300	4 x 300
5	6
480206-30	480206-40

Body and door color



Lockers

- Interior is easy to clean because compartment shelves can be swept out smoothly
- Compartments with sturdy wardrobe rail made of oval profile and 3 twist-proof sliding hooks with system holder, e.g. for coat hangers or movable partitions
- Also 1 storage shelf per compartment in models with full-length doors
- Ergonomic safety turning bolt latch for padlock with door protection as practical basic fittings
- Locker feet (e.g. in model 480106) made of plastic = improved corrosion protection!
- Feet in light gray with body color RAL 7035, in black with all other body colors



Door opening limiter 90°

Price per door




90° Design + Order no. + 8505-02 + Addtl. charge

Lockers with 2 tiers

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 686 x 230 x 465 mm (H x W x D)







Dimensions and door material

Steel doors

Co
CS
10
Dr

Width	
Height	
Compartments	

CSC	
Order no.	
Duine	

610
1650
2 x 300

4 483106-20

900 1650 3 x 300

5

483106-30

1190 1650 4 x 300 6

483106-40

Lockers with 2 tiers

on **base** 100 mm high, depth 500 mm. Clear opening dimensions per door: 686 x 230 x 465 mm (H x W x D)







Dimensions and door material

Steel doors	
100	
1000	
_	

Width	
Height	
Compartments	

CSC	
Order no.	
Price	

610	
1600	
2 x 300	

483206-20

900	
1600	
3 x 300	

5	
483206-30	

1190	
1600	
4 x 300	

483206-40

Accessories





S 5000 RESISTO

The box lockers from the S 5000 Resisto series offer:

- Sturdy steel construction with high-quality enamel coating
- All compartments are easy to reach for children, making them ideal for use in schools and childcare facilities
- 3 different depths: 540, 640, and 740 mm (absolute body depths 480, 580, and 680 mm)
- Depths of 640 and 740 mm ideally suited for storing large gym bags



"Vandalresistant" doors



Integrated door opening limiter



Height adjustment



Door mounted on swivel rod hinges

- Box lockers with decor top made of MCPB (melamine coated particle board) 25 mm thick
- All lockers with attractive base, 100 mm high, in color of body and 30 mm height adjustment
- Special doors made of steel 1.5 mm thick, curved to the front, absolutely sturdy and "vandal-resistant"
- Door hinged on right with sturdy strap hinges
- Each door with cylinder lock and 2 keys
- Door opening limiter 80° and wall mounting as standard features
- Other lock types, such as coin-operated locks, or other electronic locking systems available as well
- All lockers with louvers in the rear panel and 20 mm wall spacer
- Tops standard with 20 mm projection in the rear

Box lockers

with full-length doors

on base 100 mm high, on the inside of each compartment 1 wardrobe rail with 3 sliding hooks, with MCPB decor top, height 1070 mm







1	Dimensions	and
	desian	

Width	770	770	770	1150	1150	1150
Depth	540	640	740	540	640	740
Compartments	2	2	2	3	3	3
Clear opening dimensions per door H x W x D	870 x 320 x 460	870 x 320 x 560	870 x 320 x 660	870 x 320 x 460	870 x 320 x 560	870 x 320 x 660
Description	with 2 adjacent compartments			with 3 a	djacent compa	rtments



CSC	5	5	5	6	6	6
Order no.	8271-272	8271-273	8271-274	8271-372	8271-373	8271-374
Price						



Order no. 8472-372 + 8573-7372 (top without rear projection)



Order no. 8573-372 + 8573-7372 (top without rear projection)



Box lockers

This series offers additional compartment volume for higher storage needs



"Vandal-resistant": The 1.5 mm thick curved steel doors make Resisto extra-sturdy



Тор: Durable MCPB tops protect the upper surface of the half-height lockers



Box lockers

with 2 tiers

on base 100 mm high, with MCPB decor top, height 1070 mm





		~			V	
Width	770	770	770	1150	1150	1150
Depth	540	640	740	540	640	740
Compartments	4	4	4	6	6	6
Clear opening dimensions per door H x W x D	420 x 320 x 460	420 x 320 x 560	420 x 320 x 660	420 x 320 x 460	420 x 320 x 560	420 x 320 x 660
Description	with 2 adjacent compartments			with 3 adjacent compartme		



CSC	5	5	5	6	6	6
Order no.	8472-272	8472-273	8472-274	8472-372	8472-373	8472-374
Price						

Box lockers


with 3 tiers

on base 100 mm high, with MCPB decor top, height 1250 mm





with 2 adjacent compartments





CSC	5	5	5	6	6	6
Order no.	8573-272	8573-273	8573-274	8573-372	8573-373	8573-374
Price						





Description

Accessories

with 3 adjacent compartments



S 5000 RESISTO

The S 5000 Resisto series offers:

- Sturdy steel construction with high-quality enamel coating
- 2, 4, or 5 tiers, 3 different depths: 540, 640, and 740 mm (absolute body depths 480, 580, and 680 mm)
- All lockers with attractive base, 100 mm high, in color of the body and 30 mm height adjustment
- Special doors made of steel 1.5 mm thick, curved to the front, absolutely sturdy and "vandal-resistant"
- Door hinged on right with sturdy swivel-rod hinges

- Each door with cylinder lock and 2 keys
- Standard door opening limiter 80° with soft doorstop silencer and wall mounting
- Other lock types, such as coin-operated locks, or other electronic locking systems available as well
- All lockers with louvers in the rear panel and 20 mm wall spacer







Integrated door opening limiter



Height adjustment



Door mounted on swivel rod hinges





Box lockers

with 4 tiers

on base 100 mm high, height 1950 mm







640

4

420 x



V	viatri
D	epth
C	ompartments
	lear opening dimensions

Depth
Compartments
Clear opening dimensions per door H x W x D
Description

x 460	320 x 560	320 x 660			
with 4 compartments					

420 x 420 x 420 x 320 x 460 320 x 560 320 x 660 with 2 adjacent compartments

640

8



CSC Order no. Price

AAC Jala

4 8470-172

396

540

4

420 x

320

4 8470-173

4 8470-174

396

740

4

420 x

6 8470-272

770

540

8

6 8470-273

6 8470-274

770

740

8

Box lockers

with 5 tiers

on base 100 mm high, height 1950 mm







Width	396	396	396	770	770	770
Depth	540	640	740	540	640	740
Compartments	5	5	5	10	10	10
Clear opening dimensions per door H x W x D	336 x 320 x 460	336 x 320 x 560	336 x 320 x 660	336 x 320 x 460	336 x 320 x 560	336 x 320 x 660



with 5 compartments

with 2 adjacent compartments



CSC Order no. Price

4 8570-172 8570-173

4 8570-174

6 8570-272

6 8570-273

6 8570-274

Body and door color (see end of catalog for color overview)





Box lockers








1150	1150	1150
540	640	740
12	12	12
420 x 320 x 460	420 x 320 x 560	420 x 320 x 660

with 3 adjacent compartments

8 8 8 **8470-372 8470-373 8470-374**






1150	1150	1150
540	640	740
15	15	15
336 x 320 x 460	336 x 320 x 560	336 x 320 x 660

with 3 adjacent compartments

8 8 8 8570-372 8570-373 8570-374





Extra-large box lockers

double tier

on base 100 mm high, on the inside of each compartment 1 wardrobe rail with 3 sliding hooks, height 1950 mm





Dimensions and design

Width	396	396	396	770	770	770
Depth	540	640	740	540	640	740
Compartments	2	2	2	4	4	4
Clear opening dimensions per door H x W x D	870 x 320 x 460	870 x 320 x 560	870 x 320 x 660	870 x 320 x 460	870 x 320 x 560	870 x 320 x 660



with 2 compartments

with 2 adjacent compartments



CSC Order no. Price

4 8270-172

4 8270-173

4 8270-174

6 8270-272

6 8270-273

6 8270-274

Extra-large combination box lockers

on base 100 mm high, height 1950 mm





Dimensions and design

Width	1150	1150	1150	1150	1150	1150
Depth	540	640	740	540	640	740
Clear opening dimensions	420/870 x	420/870 x	420/870 x	420/870 x	420/870 x	420/870 x
per door H x W x D	320 x 460	320 x 560	320 x 660	320 x 460	320 x 560	320 x 660
Description	with 2 + 4 + 2	compartments	, on the inside	with 4 + 2 + 4	compartments	, on the inside




CSC Order no. Price

of each compartment 1 wardrobe rail with 3 sliding hooks

with 3 sliding hooks

of each compartment 1 wardrobe rail



Extra-large combination box lockers

on base 100 mm high, height 1950 mm





Dimensions and design

Width	1150	1150	1150	1150	1150	1150
Depth	540	640	740	540	640	740
Clear opening dimensions	336/870 x					
ner door H x W x D	320 x 460	320 x 560	320 x 660	320 x 460	320 x 560	320 x 660



with 2 + 5 + 2 compartments, on the inside of each compartment 1 wardrobe rail with 3 sliding hooks

with 5 + 2 + 5 compartments, on the inside of each compartment 1 wardrobe rail with 3 sliding hooks



CSC Order no. Price

8 8070-3720 8070-3730

8070-3740

8 8070-3721 8070-3731 8070-3741

Body and door color (see end of catalog for color overview)

Sloping top

Extra-large box lockers





1150	1150	1150
540	640	740
6	6	6
870 x	870 x	870 x
320 x 460	320 x 560	320 x 660

with 3 adjacent compartments

8	8	8
8270-372	8270-373	8270-374



Integrated door opening



Order no. 8270-272 with special equipment (Safe-O-Tronic locks)

Extra-large box lockers


These lockers offer additional compartment volume - for example in fitness centers, where they hold even large gym bags comfortably, or for large backpacks in school lockers.





Sloping top approx. 230 mm high in the rear, for retrofitting, prevents objects from being left on top, body depth of 480/580/680 mm





for locker width		396			770			1150	
for body depth	480	580	680	480	580	680	480	580	680
CSC	1	1	1	1	1	1	1	1	1
Order no.	8504-172	8504-173	8504-174	8504-272	8504-273	8504-274	8504-372	8504-373	8504-374
Price									

Tops without projection in the rear

flush with body on all sides, for box lockers from pages 152/153.

Please specify top decor, see page 487





MCPB	top			
- 6	4			
		_	-	_

for locker width		770			1150	
Top depth	480	580	680	480	580	680
Thickness 25 mm						
+ Order no. + Addtl. charge	+ 8573-7272	+ 8573-7273	+ 8573-7274	+ 8573-7372	+ 8573-7373	+ 8573-7374

MCPB = Melamine coated particle board




Cylinder locks and turning bolt latches

Basic Optional per lock design Cylinder Cylinder lock in black **Turning bolt** Safety turning bolts lock with 2 keys latch for padlock up to 6000 for padlock via master via master key system with key system without different (see also page 83) key numbers security certificate* security certificate Order no. 8570-70 8570-711 8570-710 0003-00 8500-718 Unit price

Keys and wristband for cylinder locks

Standard



Padlocks

+ Addtl. charge

for turning bolts and safety turning bolts, bolt size approx. 6 mm

Brass design, 2 keys, up to 300 different key numbers



0002-10

Brand lock in brass design, with precision cylinder, 2 keys, up to 168,000 different key numbers



0002-11

High-gloss chrome-plated with number combination, without keys



0002-12

Locking no. according to customer requirements

1) 51 black

52 white

56 gray

61 green 67 yellow

Additional charge per lock time)

for

cylinder

lock

(longer

delivery

Order no.-..99 + Addtl. charge

Stainless steel number plate

self-adhesive,

30 x 50 x 1.0 mm

263

Stainless steel

8501-06

Number plates

Order no.

Price

Please specify numbering

Design

Price

Order no.



Number plates

in lock area, self-adhesive, separate for easy DIY assembly, only suitable for cylinder locks

with integrated door protection, 123 x 39 x 1.0 mm

without integrated door protection, 68 x 39 x 1.0 mm

plastic Stainless steel plastic Stainless steel 4901-0601 4902-0601 4902-0611 4901-0611



Additional door protection/ number plate...... 84



SAFE-O-MAT-

Locks 107 + 165



Electronic locking systems



Online and offline locking systems

Modern locker locking systems from GANTNER

Safe-deposit boxes and security compartments have to meet very clear requirements: they must be easy to administrate, simple to operate, and above all safe. Properties that mark out every GANTNER solution.

Identification and operation of GANTNER locks is carried out intuitively and conveniently with a non-contact data carrier (chip) which is integrated into a card, wristband, key ring, or watch.

The locker material type is unimportant because every RFID based GANTNER locking system can be used for any locker type, regardless whether it is made of wood, phenolic HPL, metal or glass.

The unique feature of GANTNER solutions is that they are part of a complete system: from the data carrier with integrated chip, to the wide range of possible applications, such as access control, complex automatic machines, tanning booth controls or cashless payment facilities – GANTNER supplies everything from a single source to create a coordinated, conclusive, convenient solution where every aspect is in perfect interplay.

The networked lock technology of the Smart and NET.Lock systems can be used to organize all kinds of safety deposit boxes and security compartments for numerous, frequently changing users.

GAT Net Lock

- Locker operation using chip card or bracelet
- Administration and control via PC software GAT Relaxx
- All lockers unlocked automatically
- Status overview of all lockers on PC including utilization overview
- High quality and durability
- Alerting in the event of attempted break-ins
- Easy-to-generate statistical analyses
- Authorization can be defined for one or more persons per locker
- Combination of battery- and wire-operated locks possible
- Suitable also for humid and briny air, resistant to UV radiation
- Automatic calibration and wide reading range
- Low maintenance costs
- Emergency operation without computer



Wire-operated locker lock with RFID GAT Net Lock

GAT ECO.Lock

- Locker operation using chip card, key ring, or bracelet
- No wiring required
- Easy retrofitting of existing lockers
- Can be operated intuitively
- Can be integrated into access system
- Authorization can be defined for one or more persons per locker
- Unrestricted locker selection or personalized locker allocation
- High quality and durability (also of batteries)
- Clear and distinct status display on locker
- Combination of battery- and wire-operated locks possible
- Suitable also for humid and briny air, resistant to UV radiation
- Low maintenance costs



Battery-operated locker lock GAT ECO.Lock

GAT ECO Side Lock

- GANTNER low-power technology ensures an operating life of approx. 10 years – without battery change
- Acoustic and optical alarm functions on the locker
- Slim and elegant design thanks to full integration inside the locker
- Protected against vandalism (no external parts)
- Intuitive one-hand operation
- Easy assembly, no wiringsuitable for all locker materials
- Various operating modes free locker selection, personal locker, or time-limited locker
- Several master keys



Battery-operated locker lock GAT ECO Side Lock

GAT Info

- Locker number display
- List of previous direct debits and/or current balance (if the chip is used as a non-cash means of payment)
- Information about length of stay (e.g. during a visit to a thermal bath or spa)
- Intuitive operation
- Clear display
- Available in two designs
- Optionally available with fingerprint reader (for even more safety)



Information terminal GAT Info 6100



Locking systems: two examples comprising multiple possibilities

Electronic PIN code lock 3780

Its various functions make the Euro-Locks electronic combination lock 3780 the ideal solution for personal security compartments used by different persons.

Whether for free locker selection or for permanently allocated security compartments and lockers – the 3780 is the perfect solution whenever the use of keys for locker locking is not desired for organizational reasons.

Instead of a key, a 4-digit numerical code ensures secure locking and unlocking of the locker or security compartment. In a nutshell, the Euro-Locks PIN code lock stands out due to its:

- Easy use
- Fast installation
- Easy retrofitting and compatibility with the most common standard hole patterns for cylinder locks
- Easy operation and code setting
- Immediate readiness for operation









Available in the colors silver and black

Note:

If you are buying locks **at a later stage**, we always need you to provide the original orderand the cabinet type.

All advantages at a glance

- Private, public, and technical mode
- Operation with 2 type AA batteries
- 4-digit user code
- 6-digit master code,6-digit technical code
- Up to 80,000 tested locking cycles with one set of batteries
- Battery status warning via LED
- Emergency override key
- Acoustic signal (switchable)
- Function display via LED
- Sturdy die-cast zinc housing and handle



Mechanical combination lock WF 1401 and 1402

The WF 1401 and 1402 combination locks are innovative Made-in-Germany products for indoor industrial locker applications. The locking system has a freely programmable combination lock and a higher-level locking cylinder with a service key. The simple operation and robust and functional design are ideal for use in schools, sports facilities and workplaces. With the new Anti-Spy technology and the innovative Quick Reset function, these locks set standards in terms of security and administrative effort.

The locks are purely mechanical, completely maintenance-free locking systems and therefore an affordable alternative to electronic locks when it comes to acquisition and operation.

- 10,000 freely programmable user codes
- **Locking cylinder for service key** (for resetting the lock and emergency openings)
- New ANTI-SPY locking system, in which personal user codes can no longer be read out
- New QUICK RESET function for restoring factory settings in seconds, without any need to go through the complicated process of finding codes
- Automatic code cover function for improved security and comfort
- Closure mechanism and all locking elements made of solid die-cast zinc
- Housing made of fiberglass-reinforced and easy-care special plastic
- Very well suited even to multi-point locks due to the large handle surface for easy turning

The perfect solution for permanent and changing users:

- The WF 1401 is for permanent users.

 A set code remains in place until it is changed
- In the case of the WF 1402 for changing users, every time the lock is opened the code is automatically deleted
- Both models are available in silver and black

Note:

If you are buying locks **at a later stage**, we always need you to provide the original orderand the cabinet type.

Cover function:

In the case of the WF 1401 (for permanent users), every time the lock is opened the set code is automatically covered as the combination wheels independently turn to 0-0-0-0. This means that nobody can see the user code. When it comes to closing, the lock can simply be turned back until it audibly and noticeably snaps into place, without any need to enter the code again. The programmed code is, of course, maintained.

In the case of the WF 1402 (for changing users), every time the lock is opened the code is automatically deleted.











SAFE-O-TRONIC® access LS lock

SAFE-O-TRONIC® access replaces the traditional cylinder lever lock with the convenience of electronic locking. This makes elaborate key management a thing of the past. PIN code technology and RFID technology are combined in a unique manner.

Keyless - by means of PIN codes

The personal PIN code can be conveniently entered by lightly touching the buttons. As an option, the locking system can also be programmed with master codes via RFID card for even more time savings.

Non-contact - via RFID card

To use RFID data carriers (such as cards, wristbands, or key rings), it is enough to simply hold them in front of the reader. We offer all RFID technologies in accordance with ISO 14443 A (e.g. MIFARE).



Personal Identification No.



Radio Frequency Identification







Please submit a project-specific inquiry

Variants:

SAFE-O-TRONIC® access LS 101
PIN code lock

SAFE-O-TRONIC® access L5 200 PIN code lock with RFID programming and RFID master

function

(2)

SAFE-O-TRONIC®
access LS 300
RFID lock

4

SAFE-O-TRONIC® access LS 400 Combined RFID and PIN code lock

All advantages at a glance

Standards easily adapted

Locker doors prepared for the conventional lever lock cylinders can easily be retrofitted for SAFE-O-TRONIC® access, allowing time and cost savings to begin as early as with the assembly step.

Flexible management

Different user categories can easily be grouped via PIN code (e.g. daily visitors), RFID card (e.g. club members and staff).

Convenient operation

To enter the personalized PIN code, a light touch of the buttons is enough (capacitive technology). RFID data carriers are simply held in front of the reader for identification. The keys are wear-free and suitable for use in wet areas such as swimming facilities and saunas.

Optimize locker capacities

A variety of functions designed to prevent unwanted locker reservations optimizes your capacities. Among other things, this allows you to program your lockers in a way that locks or unlocks them automatically at a predetermined point in time (e.g. automatic nighttime opening).

Controlled opening

In the event that a locker must be unlocked by staff members, you not only have the option of conventional master locking but also master locking functions designed to only open the locker but at the same time prevent it from being locked again unintentionally. This increases the level of security for your visitors and protects your staff members from false accusations.

Organize offline locking systems online The card-based network SAFE-O-TRONIC® CyberNet offers online convenience for offline locking systems.

Time savings in programming Your locking system can be programmed in a flash thanks to SystemKeys.

Convenient monitoring options For monitoring purposes, all locking processes can be logged, printed, analyzed, and verified beyond doubt.

Universal applications

The thin SAFE-O-TRONIC® access LS lock is suitable for locker doors on the left and right as well as doors in special shapes.

Individualized design

From locker numbering to logos, SAFE-O-TRONIC® access makes your individual design ideas reality.

Coin-operated locks (see page 107 and 135)

For its lockers and assembled box lockers, C+P uses the SAFE-O-MAT coin-operated locking systems. Lockers with these locking systems are suitable for use at public facilities and institutions such as swimming pools, sports halls, schools, universities, fitness and leisure centers as well as in shopping malls, trade fairs, libraries, and hospitals

SAFE-O-MAT systems are available in many different variants:

The **2-coin slot models** are available as both a deposit-operated lock and as a combined deposit/token-operated lock.

- With the twin-coin deposit-operated lock, the user can choose between two different coins to insert. For both operator and user, this eliminates the need to get change.
- With the combined twin-coin multi-use deposit/token-operated lock, the visitor inserts a coin for the admission charge as well as a deposit coin. This is returned upon termination of locker use.

 This allows visitors to come back to open their compartments as often as they want at no extra charge. At the same time, the deposit coin prevents the key from being stolen.
- The deposit/token-operated lock is also optionally available for other coin combinations.

Functioning of the locking systems

Prior to use, the key is firmly lodged in the lock and the locker door is open.

Once the right coins or tokens are inserted, the door can be closed and the key can be pulled out. Clothes and valuables are securely stored. The user keeps the key.

As soon as the user re-opens the locker, the coin or token drops into the collecting tray. The key is again firmly enclosed in the lock, making the locker available for the next visitor right away.

Deposit coin of choice

Twin-coin deposit lock

Practical key logistics

Key wristband sets and identical numbering at the locker and wristband (additional fittings) ensure practical deployment. Thanks to keys with clip-in number plates, the locking system can be organized very easily and efficiently. The operator himself can clip the number plates onto the key head at any time – in a flash and with no instruments needed. This eliminates the need for elaborate stamping and fastening. At the same time, it ensures greater flexibility and saves time when numbering and allocating the user keys. The fully laser-marked number plates can be stored on site in sets of 50.

Additional security

The SAFE-O-MAT locking system has an exchangeable cylinder system as standard feature. By means of an emergency opening key, it allows for emergency openings (if keys are lost) through controllable cylinder replacement.

Visitors who have lost their key can receive help immediately. The lost key does not pose any threat to security. The replaced locking cylinder ensures that the key no longer fits the lock.

Particular benefit from this solution: Quick cylinder replacement after any key loss means there is no need to buy several spare keys for every lock. This also eliminates any associated security risks. (One or two replacement cylinders are all you need!) In addition, there are no risks associated with the traditional master key system where the loss of the master key can jeopardize the security of the entire locking system.

However a conventional master key can be provided on request in order to, for instance, take the deposit coin as a "fine" for the non-authorized reservation of a compartment. Let us help you with your individual needs.

The advantages of coin-operated locks at a glance:

- Lower operating costs No need for staff members assigned to giving out and taking back keys.
- Protection against key loss The locker key is held in the lock until the locker is in use. Even after the locker is opened, the key automatically remains in position and cannot be removed accidentally.
- Time savings for the user
 No long wait for keys to be issued.
- Better utilization of locker capacities The locker can be used by different visitors several times a day.





Token-operated multi-use twin-coin lock



Sturdy and variable.



BASIC benches and benches with coat rack



The tried and tested single benches: Simple, sturdy, combined quickly......168

- Sturdy steel square tube construction with high-quality enamel coating
- Rounded hardwood bench slats, alternatively plastic bench slats
- Optional shoe rack, can also be retrofitted
- Easy height adjustment with adjusting screw
- Delivered completely preassembled for immediate use

	Guldy Little Holike	Surd ^d etardilar ^{ti}	sounded which he sound he	d state	industration	e pativity telde	
					000		
Benches and benches with coat rack Basic	•		•	•	•	optional	
HPL benches and stool		-	-	-	•	-	
Benches Vitas	-	•	-	-	•	-	

HPL benches and stool

VITAS benches



The attractive benches made of curved phenolic HPL......172

- Sophisticated design, excellent seating comfort
- Sturdy frame made of 13 mm thick, curved phenolic HPL material white (HPL = high-pressure laminate) with black gray core
- Also available as an attractive, cubical-shaped stool
- With 4 plastic adjustable glides each for non-slip positioning
- Easy-to-clean material, ideally suited for wet rooms



The durable, stylish solitaire bench......173

- Sophisticated design and excellent seating comfort
- Sturdy, durable, and hard-wearing steel-profile frame
- Frame available in coated steel or stainless steel
- Seat and backrest made of phenolic HPL material (= high-pressure laminate)
- Optional 50 mm soft leather padding (black) for seat and backrest
- Additional storage areas next to the seat (for the 2000 mm bench widths)
- With 4 adjustable gliders to prevent slipping
- Frame edges easy to clean
- Floor attachment and sealing possible by means of on-site silicone application/sealing



BASIC benches and benches with coat rack

The Basic benches and benches with coat rack offer:

- Sturdy steel square tube construction, 30 x 30 mm, with high-quality enamel coating
- Bench slats, backrests and hook racks made of hard beechwood planed on all sides, rounded at the top for good sitting comfort, approx. 60 x 30 mm side-face, finished with clear varnish,

with natural color differences

- Adjustable floor gliders for easy level adjustment (10 mm)
- Hook rail with plastic double hooks, concealed according to DIN
- Delivered completely preassembled for immediate use
- Bench slats made of plastic (e.g. for damp rooms) available for all models for no additional charge
- Optional shoe rack, can also be retrofitted
- Frame standard color: RAL 7021 black gray (other frame coatings according to the color surcharge table at the end of catalog - see color surcharge code number)



Order no. 8051-010



Sturdy square profile



Rounded varnished hard- adjustment wood bench slats



Free-standing bench

Frame in black gray RAL 7021 (standard),








Dimensions	an
desian	



vviatn	
Depth	
Feet	
CSC	
Order no.	
Price	







Shoe racks with 5 crossbars made of square profile, one-sided. (Double benches require one shoe rack per side)



Floor gliders with 10 mm level adjustment

height 420 mm

	24
without shoe rack	П

Width	1000	1500	1960
Depth	353	353	353
Feet	4	4	6
CSC	3	3	3
Order no.	8050-000	8051-000	8052-000
Price			



CSC Order no. Price

3 8050-010


3 8051-010

3 8052-010




for retroactive mounting under benches without shoe racks

for width	1000	1500	1960
CSC	1	1	1
+ Order no.	+ 8050-7100	+ 8051-7100	+ 8052-7100
+ Addtl. charge			



for number of feet	4	4	6
+ Order no.	+ 8051-703	+ 8051-703	+ 8051-704
+ Addtl. charge			



Light gray	
+ 8000-7035	

Blue gray	
+ 8000-7031	

Black gray + 8000-7021

Frame color

+ Order no. + Addtl. charge



Black gray RAL 7021 (standard)





Coat rack section

Frame in black gray RAL 7021 (standard), height 1650 mm. One-sided or double-sided with backrests and hook rails. For retrofitting or for remodeling ...




Width	1000	1500	1960
Double hooks	4	6	8
CSC	1	1	1
Order no.	8050-711	8051-711	8052-711
Price			





8052-712



8051-712

Frame color

with coat rack

...two free-standing

benches into a double-sided bench

Black gray RAL 7021 (standard)

Width

CSC

Price

Order no.

Double hooks

8050-712

For retrofitting coat rack sections, the assembly bore holes required must be drilled by the customer.

Comfort coat hooks

Additional functions

- Combined hat and double coat hook
- Number plate that can be customized (with individual motifs, numbering, etc.)
- Coat hook bent backward (concealed according to DIN)

Modern design and made of high-quality plastic.



Comfort coat hooks with exchangeable individual label

Wall-mounted wardrobe

Hook rail for wall mounting with plastic double hooks

One-sided design

Width	996	1496
Depth	68	68
Double hooks	4	6
Order no.	8078-2101	8078-2111
Price		



Single-sided and double-sided BASIC benches with coat racks





Comfort coat hooks with exchangeable individual label



Floor gliders with 10 mm level adjustment

One-sided bench with coat rack

Frame in black gray RAL 7021 (standard), height 1650 mm, bench height 420 mm





1500



1960

Dimensions and design

Depth	403	403	403
Feet	4	4	6
Double hooks	4	6	8
CSC	4	4	4
Order no.	8050-100	8051-100	8052-100



	CSC
with	Order no
shoe rack	Price

4 8050-110


8051-110

8052-110

Frame color

Black gray RAL 7021 (standard)

Width



Double-sided bench with coat rack

Frame in black gray RAL 7021 (standard), height 1650 mm, bench height 420 mm







vviatn	1000	1500	1960
Depth	756	756	756
Feet	2 x 4	2 x 4	2 x 6
Double hooks	2 x 4	2 x 6	2 x 8
CSC	6	6	6
Order no.	8050-200	8051-200	8052-200
Price			



CSC 6 6 6 Order no. 8050-210 8051-210 8052-210 Price









HPL benches and stool

The HPL benches and the **HPL** stool offer:

- Sophisticated design, excellent seating comfort
- Sturdy frame made of 13 mm thick, curved phenolic HPL material white (HPL = high-pressure laminate) with black gray core
- Also available as an attractive, cubical-shaped stool
- With 4 plastic adjustable glides each for non-slip positioning
- Easy-to-clean material
- Ideally suited for wet rooms



Order no. 80593-000



Sturdy phenolic HPL material



Cubical-shaped stool



wet rooms







Free-standing HPL benches and stool*

Seat and frame made of curved phenolic HPL, height 445 mm





Width	
Depth	
Design	
	_

Order no. Price



450

450

Stool

80593-000



80503-000



1500 450 450 Bench

80513-000



2000

450

80523-000

* Longer delivery time



VITAS benches

The Vitas benches offer:

- Sophisticated design, excellent seating comfort
- Sturdy steel-profile frame, available in coated steel or stainless steel
- Seat and backrest made of phenolic HPL (= high-pressure laminate)
- Optional 50 mm soft leather padding (black) for seat and backrest
- Additional storage areas next to the seat (for the 2000 mm bench widths)
- With 4 adjustable gliders to prevent slipping
- Frame edges easy to clean
- Floor attachment and sealing possible by means of on-site silicone application/sealing



For wet rooms, we recommend the option with stainless steel frame and phenolic HPL seat/backrest



Sturdy rectangular tube



Reinforced phenolic HPL seat and functional area




Stainless steel optional




Functional areas






Seat made of **phenolic HPL**, height 453 mm





2000

400





Width	1500
Depth	400
Design	Full-width seat

1500	2000
825	825
	-width seat





CSC Order no. Price

3 8151-900

3 8152-900 8151-920

8152-920





CSC Order no. Price

8151-902

8152-902

8151-922


8152-922

Additional leather seat

Leather black, height 490 mm











B Leather seat

Design

+ Order no.

+ Addtl. charge

Full-width seat

+ 8152-004

Seat 1500 mm, storage areas on seat left and right

+ 8152-004 + 8152-204

Seat 1500 mm, storage areas on left and right

+ 8152-204



for coated option



Something for everyone.

Wall-mounted wardrobes and free-standing wardrobes



The useful helpers

Sturdy steel and aluminum construction

- Free-standing wardrobes optionally available with casters for mobile use
- Optional double numbering for use as a "theater wardrobe"
- Two umbrella stand variants
- Delivered disassembled with easy assembly instructions

		Double malled	"Vardaheistan".	ood mounted or	nied de lini	et Interdated block inter	
TARRIES .		·			90°	80° 33333 STOP	
	Wall-mounted wardrobes and free-standing wardrobes			_			
	Open wardrobes and box lockers	•	-	-	•	-	
	Open wardrobes S 5000 Resisto	-	•	•	-	•	

Open wardrobes and box lockers



The typical office wardrobe designed


- Sturdy steel construction with high-quality enamel coating
- 2 compartment widths (wide version suitable for motorcycle helmets)
- Flexible endless system comprising box lockers, intermediate parts, and end panels, expandable at any time
- Door opening limiter 90° as standard feature
- Coat hangers with special mounting (discourages theft)
- Double-walled doors with cylinder lock and 2 keys
- Other lock options: turning bolt, master key system, Safe-O-Mat locks

Open wardrobes S 5000 RESISTO



Open wardrobe with special doors:

- Sturdy steel construction with high-quality enamel coating
- Special doors made of 1.5 mm thick steel, curved to the front, mounted on sturdy swivel-rod hinges
- Compartments suitable for motorcycle helmets
- Integrated door opening limiter 80° as standard feature
- Each door with cylinder lock and 2 keys
- Other lock options: turning bolt, master key system, Safe-O-Mat locks
- Height adjustment
- Soft doorstop silencer





The wall-mounted and free standing wardrobes offer:

- Each system consists of durable, non-coated anodized aluminum and powder coated square/rectangular steel tube in black
- All hooks in standard design black anodized, also in non-coated aluminum on request
- Delivered disassembled with easy assembly instructions
- Coat hangers made of black plastic






wardrobes

Umbrella stand

Order no. 8078-1103

Wall-mounted wardrobes











Width	1000	1000	1000	1000
Depth	250	350	65	170
Height	180	180	45	180
Description	Wardrobe profile with hat rack and 19 hooks	Wardrobe profile with hat rack and 10 coat hangers made of black plastic	Wardrobe profile with 10 hooks (standard design)	Wardrobe profile with supports and 10 hooks mounted toward the inside
Order no.	8078-1103	8078-1104	8078-1101	8078-1102
Price				



for all free-standing wardrobes with hooks, consisting of self-adhesive number plates and matching wardrobe tag, both white plastic with black numbering (please specify)



Order no.	8078-707
Price	



Special coat hangers made of black plastic,

in bulk Order no. Price



8078-703



1 set of casters (4 pieces) for free-standing wardrobes, sturdy design with brake



Order no.	8078-702
Price	







Order no. 8078-1201 + 8078-702 (casters)

Free-standing wardrobes

free-standing



8078-1201

design

Width	1000
Depth	450
Height	1700
Description	one-sided design with hat rack and 19 hooks

Order no. Price

Price



1700 double-sided design with hat rack and 2 x 19 hooks

8078-1202



1000 550 1700 one-sided design with hat rack and 10 coat hangers made of black plastic

8078-1203

Umbrella stand

with drip pan





Order no.	8078-1301	
Description	for 6 umbrellas	
Height	450	
Depth	150	
Width	600	



•
1000
250
450
for 20 umbrellas
8078-1302





8070 series





Door opening limiter 90°



Wide compartment (e.g. for motorcycle helmets) from model 82700



Order no. 80700-00



Open wardrobes











Width	740	960	1430	1870
Depth	480	480	480	480
Height	1950	1950	1950	1950
Clear opening dimensions per compartment H x W x D	345 x 190 x 460	345 x 410 x 460	345 x 190 x 460	345 x 410 x 460
for no. of persons	5	5	10	10
Description	1 locker with 5 compartments, no. 80700-10, 1 top shelf, 1 hat rack with 5 coat hangers, 1 shoe rack, 1 end side panel	1 locker with 5 compartments, no. 82700-10, double-width, 1 top shelf, 1 hat rack with 5 coat hangers, 1 shoe rack, 1 end side panel	2 lockers with 5 compartments, no. 80700-10, 1 top shelf, 1 hat rack with 10 coat hangers, 1 shoe rack	2 lockers with 5 compartments each, no. 82700-10, double-width, 1 top shelf, 1 hat rack with 10 coat hangers, 1 shoe rack
CSC	6	7	9	11
Order no.	80700-00	82700-00	80710-00	82710-00

2. Body and door color (see end of catalog for color overview)



Open wardrobes and box lockers

The 8070 series offers:

- Sturdy steel construction with high-quality enamel coating
- Expandable and modifiable continuous system
- Double-walled hinged doors
- All doors with door opening limiter 90°
- Cylinder lock with 2 keys
- Two compartment sizes
- Lockers prepared for intermediate parts on left and right

- Coat hangers with special mounting (discourages theft)
- Hat rack and shoe racks made of square tube, coated in black gray, base in color of body
- The wardrobes are delivered disassembled with easy assembly instructions
- Asymmetrical wardrobes can also be mirrored for assembly















954	
480	
1950	
-	

10	
2 end panels, no. 8074-00	,
1 top shelf,	
1 hat rack with	
10 coat hangers,	
1 shoe rack	

1 rear panel, no. 8071-02

345 x
190 x 460
10
1 locker with 10 compartments, no. 80700-20.
1 top shelf,

480 1950

no. 80700-20,
1 top shelf,
1 hat rack with
10 coat hangers,
1 shoe rack,
1 end side panel

	>
2100	
480	
1950	

15
1 locker with 10 compartments,
no. 80700-20,
1 locker with 5 compartments,
no. 80700-10,
الممام مما 1

345 x 190 x 460

1 top shelf,	
1 hat rack with 15 coat hangers	S
1 shoe rack	

2840	
480	
1950	
345 x 190 x 460	

20
2 lockers with 5 compartments each, no. 80700-10, 1 locker with 10 compartments, no. 80700-20, 2 top shelves, 2 hat racks with 10 coat hangers each, 2 shoe racks

5	9	11	15
8071-03	80720-00	80730-00	80730-20



Accessories






Box lockers





Description

240	
480	
1950	



compartments = 10

compartments



	680		
	480		
	1950		
60	345 x 190 x 460		
s and	with 5 tiers an		





900
480
1950
345 x 190 x 460
with E tions and

with 5 tiers and 4 adjacent compartments = 20 compartments



460	
480	
1950	
345 x 410 x 460	

with 5 tiers (double-width)

>

900

480

1950

345 x 410 x 460 with 5 tiers and 2 adjacent compartments (double-width) = 10

compartments

CSC	4	6	9	10	6	9
Order no.	80700-10	80700-20	80700-30	80700-40	82700-10	82700-20
Price						

1. Dimensions and design

Body and door color (see end of catalog for color overview)

Please choose

Accessories for open wardrobe systems

Intermediate parts


1 top shelf, 1 hat rack with 5 coat hangers, 1 shoe rack **for no. 80700-00**

and 82700-00

1 top shelf, 1 hat rack with 10 coat hangers, 1 shoe rack for no. 80710, 80720, 82710-00, and 80730-20

1 top shelf, 1 hat rack with 15 coat hangers, 1 shoe rack for no. 80700-00

Width	500	950
Depth	480	480
CSC	1	2
Order no.	8070-01	8071-01
Price		



1

8074-00

Rear panels


Width

Height

Order no.

CSC

Price







950	1400
1950	1950
2	3
8071-02	8073-02

Side end panel

Depth 480 mm

CSC

Price

Order no.





Door reduced in size

for letter drop with 80700/82700 series (addtl. charge per door/longer delivery time possible)

Order no.	8000-25
Price	



Double coat hooks for ease of operation, with integrated mounting for coat hangers

Coat hangers



Hardwood in black paint finish (with special mounting)



Metal nickel-plated (with conventional mounting)



Metal golden (with conventional mounting)

Order no.	8000-061	8000-063	8000-064
Price			

Moisture-proof design (electrolytically zinc-plated, enamel coated) on request



Cylinder locks and turning bolt latches

per lock

Basic design Optional

Cvlinder lock

Cylinder lock in black with 2 keys

via master

key system

with

security

8000-01

Lock in moisture-proof design cylinder lock in black

Turning bolt latch



up to 1000 different

key numbers

Unit price + Addtl. charge

up to 6000 different key numbers

8077-300

certificate*

via master key system without security certificate*

8000-001

up to 1000 different key

numbers

key system with security certificate3

via master

key system without security

padlock

8077-32

8000-012

certificate*

8000-0012

via master

for

0003-00

Order no.

8077-30

Standard

53 red

1) 51 black 52 white

55 blue

56 gray 61 green yellow

Keys and wristband for cylinder locks

Spare keys for cylinder lock



Spare key for lock 8077-30 / 8077-300

0006-00

Order no. Price

Spare key for master key system



with security certificate*

0010-11

without security certificate*

0006-00

Master key for master key system



without

security

certificate

0012-00

with security certificate*

0011-00

Perlon wristband for cylinder locks



Please indicate numbering from-to and list desired color no.

8501-05..

Padlocks

for turning bolt latches, bolt size approx. 6 mm

Brass design, 2 keys, up to 300 different key numbers



0002-10

Brand lock in brass design with precision cylinder, 2 keys, up to 168,000 different key numbers



0002-11

High-gloss chrome-plated with number combination, without keys



0002-12

Locking no. chosen by customer

Additional charge per lock for cylinder lock (longer delivery time)

Order no + Addtl. charge-..99

Number plates Please specify

numbering

Order no

Price



Number plates

in lock area, self-adhesive, separate for easy DIY assembly, only suitable for cylinder locks

with integrated door protection, 123 x 39 x 1.0 mm

without integrated door protection, 68 x 39 x 1.0 mm

263

Design Order no. Price

plastic 4902-0601 Stainless steel 4901-0601

plastic 4902-0611 Stainless steel 4901-0611

30 x 50 x 1.0 mm

Stainless steel number plate

self-adhesive,

Stainless steel 8501-06



SAFE-O-MAT-

Locks 107 + 165



Additional door protection/ number plate..... 84



The S 5000 Resisto series offers:

- Sturdy steel construction with high-quality enamel coating
- All models on base 100 mm high in color of the body and height adjustment
- Lockers with 5 tiers and vented rear panel as well as 20 mm wall spacer
- Special doors made of steel 1.5 mm thick, curved to the front and absolutely sturdy
- Door hinged on right and left with sturdy strap hinges
- Each door with cylinder lock and 2 keys
- Integrated door opening limiter 80° with soft doorstop silencer and wall mounting as standard features
- Compartments suitable for motorcycle helmets
- Other lock types, such as coin-operated locks, available as well







80° STOP VINtegrated He door opening ad



Height adjustment




Door mounted on swivel-rod hinges

Open wardrobe

limiter

onsisting of one security locker each model 8570-172, hat and shoe rack made of round metal in between, 10 black plastic coat hangers



	_
4	
ш	•

Width	1742
Depth	540
Height	1950
Clear opening dimensions per compartment H x W x D	336 x 320 x 460
CSC	10
Order no.	8571-00
Price	

All lockers with louvers in the rear panel and 20 mm wall spacer



Accessories

Locks	159
Coat hangers	176



Absolutely smooth and "vandal-resistant"



Integrated door opening limiter 80°





Z lockers

S 3000 EVOLO Fire service lockers





The red lockers with the clever details

- Sturdy steel construction with high-quality enamel coating
- Choice of different dimensions and compartment widths
- Many sub-frame options customized to specific requirements
- Security compartment (door does not project beyond the housing)
- Combination lock with master key and scrambling function
- Practical accessories, proven under operating conditions

	1. shaped doors	885 100 lill	Oitleseld trans	steel fronts	Standard Stands	Locking aris	
	F						
Z lockers	•	•	•	•	•	•	
S 3000 Evolo fire service lockers			•	•	•	•	
S 3000 Evolo laundry collection/ dispensing lockers and laptop lockers		•	•	•	-		
Space-saving lockers, safe deposit box and small-compartment lockers	-	•	_	•	_	-	

Industry-specific and custom solutions

S 3000 EVOLO Laundry collection and dispensing lockers S 3000 EVOLO Laptop lockers Space-saving lockers, safe deposit box, small-compartment lockers








- Sturdy steel construction with high-quality enamel coating
- Dispensing lockers with two different compartment sizes
- Practical central door for collective loading and individual unloading
- Either feet or base as sub-frame
- Collection lockers with integrated swing flap
- Laundry-bag holder

- Sturdy steel construction with high-quality enamel coating
- The solution for the secure and space-saving storage of 10 or 20 laptops, notebooks, or tablets
- Optionally with power connection in each compartment (installation position always on the left, incl. cabinet connection cable)
- Door hinged on right, with sturdy swivel-rod hinges
- Each door with cylinder lock and 2 keys

The space-saving specialists

.....|198

- Sturdy steel construction with high-quality enamel coating
- Doors of space-saving lockers mounted on sturdy strap hinges
- Safe deposit box lockers with shortened door, e.g. for letter drop
- Space-saving lockers with extra narrow compartment width of 150 mm for small rooms
- Attractive locker base in black gray
- Small-compartment lockers with two compartment sizes for simple adaptation for desired use



2) for laptop lockers





With folding-door mechanism

for double hanging room for long garments in a small space, special folding-door mechanism, requires little space, no risk of collisions, each door with cylinder lock and two keys. All lockers with ventilation in the rear panel and 10 mm spacer (absolute body depth = approx. 500 mm)

Clear opening dimensions per compartment (H x W x D): 1225 x 350/160 x 480 mm Height of the wide section: 340 mm

Special folding-door mechanism:

- low space requirements
- no risk of collision
- comfortable operation via locks in the center

Z lockers

on base 100 mm high, doors in color of the body and 10 mm height adjustment











1	Dimensions	and
	design	

Height
for no. of per
CSC Order no.

Width	420	820
Depth	510	510
Height	1800	1800
for no. of persons	2	4
CSC	3	5
Order no.	8023-122	8023-224
Price		

Dimensions and design

	420	820
	510/825	510/825
	2090	2090
	2	4
-	3	5
	8053-122	8053-224

Body and door color

Z lockers



With fixed doors

for double hanging room for long garments in a small space, with fixed door (non-folding), no risk of collisions thanks to corresponding lock position, each door with cylinder lock and two keys. All lockers with ventilation in the rear panel and 10 mm spacer (absolute body depth = approx. 500 mm).

Clear opening dimensions per compartment (H x W x D): 1225 x 350/160 x 480 mm Height of the wide section: 340 mm




The practical, sturdy wardrobe rail made of oval profile with 3 twist-proof sliding hooks is very user-friendly and allows several garments to be hung at intervals.

Z lockers

on base 100 mm high, doors in color of the body and 10 mm height adjustment



420



820









uesigii	Depth	510	510
	Height	1800	1800
	for no. of persons	2	4
	CSC	3	5
	Order no.	8123-122	8123-224
	Price		

Width

Dimensions and design

	0_0
510/825	510/825
2090	2090
2	4
3	5
8153-122	8153-224

Bench slats made of plastic

+ Order no.	
+ Addtl. charge	

Light gray	Blue gray	Black gray
+ 8000-7035	+ 8000-7031	+ 8000-7021

Accessories

Additional fittings, locks 51



Practical details: S 3000 EVOLO

For additional furnishing examples from a market leader, please see the Evolo fire service lockers brochure or our website at www.cp.de/evolo





Foldable helmet holder: made of glass-fiber reinforced plastic, for better protection of the helmet by the curved support and practical folding function for easier removal




Hook rail on the side:With three additional sliding stainless steel hooks, for example for safety harness, respirator mask, etc.



C+P double coat hooks:

Oval special changing room rail with twist-proof double sliding hooks. Can support a large load and is very easy to use, with system holder, e.g., for coat hangers or a movable partition.







Optimum corrosion protection thanks to optional feet made of plastic: They consistently underpin the linear design and have a protective sleeve that covers the adjusting screw when the optional height adjustment is used. An ingenious feature!





Security compartment with additional top shelf: Important details on model 48315: The security compartment door does not project beyond the housing when opened, thus keeping the passageway clear (= safety even during hectic changing situations).

Fire service lockers





Fire service lockers

Compartment width 500 mm... 190



Fire service lockers

Compartment width 400 mm...|191_



Fire service lockers

with helmet holder on locker roof192



Fire service

combination locker.....194



Fire service wardrobes...... 195



Step tread with top handle: For easy access of the helmet holder on top of the locker for shorter people.



Shoe tray: The shoe tray collects dirty water and foreign objects from the bottom of shoes and protects the locker from damage. Cleaning is no problem thanks to its easy removal.



Special combination lock: With scrambling and master key function to keep valuables and personal items safely locked away.

S 3000 EVOLO

The S 3000 Evolo fire service lockers offer:

- Sturdy steel construction with high-quality enamel coating
- Choice of different dimensions and compartment widths
- Many sub-frame options customized to specific requirements
- Security compartment (door does not project beyond the housing)
- Combination lock with master key and scrambling function
- Adjustment screws, level adjustable from the inside
- Optional: locker feet made of plastic = increased protection against corrosion of the locker!
- Practical accessories, proven under operating conditions







Sub-frame with feet optional



Recessed security compartment



helmet holder

foldable

Combination

lock



compartment widths

Order no. 48315-13 + 48015-711L (combination lock)



Fire service lockers

Compartment width 500 mm, with the following equipment: foldable helmet holder inside on the top right, storage shelf or optionally security compartment inside on the top left. Sturdy wardrobe rail made of oval profile below with 4 twist-proof sliding hooks, hook rail on the side with 3 sliding hooks for safety harness, etc., bottom can be swept out smoothly.

Internal dimensions of helmet compartment: 320 x 250 (H x W)

Internal dimensions from wardrobe rail to bottom of locker: 1360 x 445 x 565 mm (H x W x D)

Height 1850 mm Depth 600 mm








Dimensions and design


open	
compart-	
ment	

C
C
C
Р

VVIGUI
Compartmen
CSC Order no.
Price

\\/idth





1500	
3 x 500	
8	
48315-331	

Lockers with security compartment

with cylinder lock and 2 keys (combination lock for additional charge)

Interior dimensions of security compartment: 155 x 125 x 320 mm (H x W x D)







Dimensions and design



Width	
Compartments	
CSC	
Order no.	

	520
;	1 x 500
	4
	48315-13

1010
2 x 500
6
48315-23

1500
3 x 500
8
48315-33

Body color (fire red RAL 3000 for no addtl. charge)



Fire service lockers



Feet Plastic version, 150 mm high, height-adjustable by approx. 10 mm (4 pieces)



Color	Black
Locker height	2000
+ Order no.	+ 4800-70251
+ Addtl. charge	

Order no. 48215-22 + 4800-70251 (feet made of plastic) + 2x 48015-711R (combination lock)

Fire service lockers

Compartment width 400 mm, with the following equipment: security compartment on top, below that phenolic HPL shelf in black with foldable helmet holder. Sturdy wardrobe rail made of oval profile below with 3 twist-proof sliding hooks, hook strip with 3 movable hooks for safety harness, etc. on the side, bottom can be swept out smoothly.

Internal height of the helmet compartment:

Internal dimensions from barre porte-manteau to bottom of locker: . 1130 x 330 x 465 mm (H x W x D)

Height 1850 mm Depth 500 mm









design	
open compart- ment	

Dimensions and

Width	420	810	1200	1590	
Compartments	1 x 400	2 x 400	3 x 400	4 x 400	
CSC	3	5	6	8	
Order no.	48215-121	48215-221	48215-321	48215-421	
Price					

Lockers with security compartment

with cylinder lock and 2 keys as well as insertion slot (H 25 x W 195 mm) above the door (combination lock for additional charge) Interior dimensions of security compartment:

200 x 288 x 435 mm (H x W x D)









1.	Dimensions and design		
	with		
	security	-	
	compartment		

Width	420	810	1200	1590
Compartments	1 x 400	2 x 400	3 x 400	4 x 400
CSC	3	5	6	8
Order no.	48215-12	48215-22	48215-32	48215-42
Price				

Accessories

Fire service lockers

Compartment width 400 mm, with the following equipment: foldable helmet holder on the locker roof (delivered separately, for easy DIY assembly), one open compartment inside at the top, optionally with security compartment with insertion slot, additional storage shelf optional. Sturdy wardrobe rail made of oval profile below with 3 twist-proof sliding hooks, hook rail on the side with 3 sliding hooks for safety harness, etc., bottom can be swept out smoothly.

Plastic version, 150 mm high, height-adjustable by approx. 10 mm (4 pieces) Color
Total height with helmet holder
Locker height
+ Order no.

+ Addtl. charge

2185 2000

+ 4800-70251



Total height with helmet holder 2035 mm Locker height 1850 mm Depth 500 mm









 Dimensions and design



420 1 x 400

2 x 400

3 x 400

1590 4 x 400

open compartment



3 **48015-121** 5 **48015-221** 6 **48015-321** 8 **48015-421**

Lockers with security compartment

with cylinder lock and 2 keys as well as insertion slot (H 25 x W 195 mm), combination lock for additional charge

Interior dimensions of security compartment: 200 x 288 x 435 mm (H x W x D)









Dimensions and design

VVidtn	
Compartments	
	_

420 1 x 400 **810** 2 x 400

1200 3 x 400

1590 4 x 400

with security compartment



CSC Order no. Price

3 **48115-12** 5 **48115-22** 6 **48115-32** 8 **48115-42**

Lockers with security compartment and other compartment

with cylinder lock and 2 keys as well as insertion slot (H 25 x W 195 mm), below that open compartments, combination lock for additional charge

Interior dimensions of security compartment: 200 x 288 x 435 mm (H x W x D)







Dimensions and design

Width	
Compartments	

420 1 x 400 **810** 2 x 400

1200 3 x 400 **1590** 4 x 400

with security compartment + other compartment



CSC Order no. Price 3 **48015-12** 5 **48015-22** 6 **48015-32** 8 **48015-42**

Body color (fire red RAL 3000 for no addtl. charge)



Accessories

Additional fittings, combination locksee righ

Accessories for fire service lockers

Step tread

with additional top handle (wall mount required), additional charge per compartment

Aluminum Design + Order no. + 48015-770 + Addtl. charge



Order no. 48115-22 + 4800-70251 (feet made of plastic) + 2x 48015-770 (step tread including handle) + 2x 48015-711R (combination lock)



Individual helmet holder

Foldable, made of black gray plastic Price per unit

+ Order no. + 8501-011 + Price

Master key

for combination lock 48015-711L/R

+ 48015-713 + Order no. + Addtl. charge

Electrolytically zinc-plated, enamel-coated design

per compartment

Design zinc-plated + 8000-20 + Order no. + Addtl. charge

Combination lock in the security compartment

With scrambling option as well as emergency opening and code finding by means of master key

Door hinged	on left	on right
+ Order no.	+ 48015-711L	+ 48015-711R
+ Addtl. charge		

Shoe tray, black

made of plastic, for compartments W 400 and 500 mm, easy to adapt, price per compartment

+ 4800-707 + Order no. + Addtl. charge

Special coat hanger

Special coat hangers with drying function (also for interiors), made of plastic, black, in bulk





Feet made of plastic



Step tread with top handle and shoe tray



Combination lock



Special coat hanger



The S 3000 Evolo fire service combination locker and fire service wardrobes offer:

- Sturdy steel construction with high-quality enamel coating
- Tried and tested open compartments or locker intermediate parts with well thought-out equipment solutions for professional storage of fire service equipment
- Double-tier compartments with doors for safe storage of street clothes and personal items
- Doors hinged on the right, borne on bolt hinges, shortened at top for slot, valuables compartment on the door inside behind it
- Convenient doorstop silencer for pleasant closing behavior
- Ergonomic safety turning bolt latch for padlock with door protection as practical basic fittings
- Cabinets and wardrobes level adjustable from the inside thanks to adjustment screws
- Optional: locker feet made of plastic = increased protection against corrosion of the locker!
- Practical accessories, proven under operating conditions



- + 4800-70251 (feet made of plastic)
- + 2x 48015-770 (step tread including handle)

Fire service combination locker

Open compartments, compartment width 400 mm, with the following equipment: foldable helmet holder and shelf inside at the top. Sturdy wardrobe rail made of oval profile below with 2 twist-proof sliding hooks and 2 special coat hangers, hook rail on the side with 3 sliding hooks for safety harness, etc., bottom can be swept out smoothly

Closed double-tier compartment, compartment width 300 mm, with the following equipment: Doors shortened at top for insertion, safe behind on the inside of the door and sturdy wardrobe rail made of oval profile with 3 twist-proof sliding hooks.

Internal height of the helmet compartment: 300 mm

Clear opening dimensions per door: 813 x 230 x 465 mm (H x W x D)

Height 1850 mm, depth 500 mm





Dimensions and design	Width	1100
uesign	for people	2
Steel doors	CSC	6
The state of the s	Order no.	48615-000
	Price	




Doors shortened at the top



Special coat hanger

Body and door color (fire red RAL 3000 for no addtl. charge)





Step tread with additional top handle (wall mount required), additional charge per compartment

Design	Aluminum
+ Order no.	+ 48015-770
+ Addtl. charge	





Color	Black
Locker height	2000
+ Order no.	+ 4800-70251
+ Addtl charge	



+ 2x 4800-70251 (feet made of plastic)

Fire service wardrobes

Double-tier lockers, compartment width 300 mm,

with the following equipment: Doors shortened at the top for slot, behind that collection box on the door inside, sturdy wardrobe rail made of oval profile with 3 twist-proof sliding hooks.

Locker intermediate parts

see description in the chart

Clear opening dimensions per door: 1600/813 x 230 x 465 mm (H x W x D)

Height 1850 mm, depth 500 mm





Dimensions and design

for people	2
Description	2x locker and locker intermediate
of the lockers	parts with the following equipment:
	2 foldable helmet holders and
	1 shelf at the top, below that
	1 wardrobe rail with 2 special coat
	hangers and 2 hooks,
	1 zinc-plated shoe shelf at the bottom

1 zinc-plated shoe shelf at the bottom

2x locker double-tier and locker intermediate parts with the following equipment: 4 foldable helmet holders and 1 shelf at the top, below that 1 wardrobe rail with 4 special coat hangers and 4 hooks,

Steel doors	
See	ed in

CSC Order no. Price

6 48415-012

6 48415-024

Body and door color (fire red RAL 3000 for no addtl. charge)

Width

Additional accessories

Laundry collecting and dispensing lockers

Laundry bags made of 100% polyester, with 4 hanging loops, Packaging unit: 5 pieces



+ Order no.

White + 48270-7015

+ Addtl. charge





Order no. 48170-210

Lockers with feet

on feet 150 mm high, depth 500 mm Attention! Locker with integrated slope (order no. 8000-38) not possible











Dimensions and design

Width	420	420	810	810
Height	1850	1850	1850	1850
Doors	5	10	10	20
Clear opening dimensions H x W x D	per door 269 x 251 x 475	per door 126 x 251 x 475	per door 269 x 295 x 475	per door 126 x 295 x 475

Laundry dispensing lockers

with central door by which the entire column of compartments can be opened at once (e.g. for loading). Compartments and central doors with cylinder lock and 2 keys, longer delivery time

per swing flap 282 x 270 x 475 **Laundry collecting lockers**

one swing flap at the top in the hinged door, hinged door with

48070-210

420

1850



CSC Order no. Price

Description

6 48060-105

48060-110

48060-205

8 48060-210 cylinder lock and 2 keys. Laundry bag retaining hooks inside

Lockers with base

on base 100 mm high, depth 500 mm

Attention! Locker with integrated slope (order no. 8000-38) not possible












Dimensions and design

Width	420	420	810	810	420
Height	1800	1800	1800	1800	1800
Doors	5	10	10	20	1
Clear opening dimensions	per door 269 x	per door 126 x	per door 269 x	per door 126 x	per swing flap 282 x
HxWxD	251 x 475	251 x 475	295 x 475	295 x 475	270 x 475
Description	see above			see above	



CSC	6	7	8	8	6
Order no.	48160-105	48160-110	48160-205	48160-210	48170-210
Price					



Accessories

Additional fittings, locks 81 - 85



Order no. 48010-1210

The S 3000 Evolo laptop lockers offer:

- The solution for the secure and space-saving storage of 10 or 20 laptops, notebooks, or tablets
- Optionally with power connection in each compartment (installation position always on the left, incl. cabinet connection cable)
- Sturdy steel construction with high-quality enamel coating
- Sub-frame alternatively with feet or base
- Door mounted on a sturdy swivel-rod hinge on the right
- Each door with cylinder lock and 2 keys
- Convenient doorstop silencers for pleasant closing behavior









Sub-frame with feet


Sub-frame with base

Electrification (optional)

Lockers with feet

on feet 150 mm high, depth 500 mm. Clear opening dimensions per door: 148 x 330 x 478 mm (H x W x D)







Width	420	810
Height	1850	1850
Compartments	1 x 400	2 x 400
Compartments	10	20
CSC	6	8
Order no.	48010-1210	48010-2210



Lockers with base

on base 100 mm high, depth 500 mm. Clear opening dimensions per door: 148 x 330 x 478 mm (H x W x D)





Dimensions and design

Width	420	810
Height	1800	1800
Compartments	1 x 400	2 x 400
Compartments	10	20
CSC	6	8
Order no.	48020-1210	48020-2210
Price		



Electrification of all compartments*

Each compartment with

+ Order no.

+ 4800-1210

+ 4800-2210

1 earthed socket 230V

+ Addtl. charge

Body and door color (see end of catalog for color overview)



Accessories

* For sockets to be used outside of Germany, please indicate the country of use (e.g. CH/Switzerland) and ask about prices

Space-saving lockers, safe deposit box and small compartment lockers

Space-saving lockers

in sturdy, high-quality design, all doors hinged with sturdy strap hinges, cylinder lock standard with 2 keys, 1 shelf inside at the top, wardrobe rail with 2 hooks below it, compartment width only 150 mm, depth 500 mm







Dimensions and design

Width	620	920	1220
Height	1950	1950	1950
Compartments	4	6	8
Clear opening dimensions H x W x D		per door: 1825 x 105 x 460	



CSC Order no. Price

8170-402

8170-602

8170-802

Accessories

Door opening limiter, only for space-saving lockers.....



460

1950



Small compartment lockers with base

every compartment with cylinder lock and 2 keys, base in color of the body, depth 200 mm







vviatn
Height
Compartments
Clear opening dimensions H x W x D

Compartments
Clear opening dimensions H x W x
CSC

98 x 190 x 180 9

460
1950
20
158 x 190 x 180



Order no. Price

80700-201

8 80700-203

Small compartment lockers wall-mounted

every compartment with cylinder lock and 2 keys, depth 200 mm





Dimensions and design

Width Height Compartments Clear opening dimensions H x W x D

770	
12	
98 x 190 x 180	

770 8 158 x 190 x 180



CSC Order no. Price

5 80700-231

5 80700-233

Body and door color

Please select (see end of catalog for color overview)



All spacing-saving lockers and safe deposit box lockers with louvers in the rear panel and 20 mm wall spacer (absolute body depth approx. 480 mm)



Order no. 8170-602

Safe deposit box lockers

with 1, 2 or 3 x 11 compartments, doors shortened (e. g. for letter drop) with label holder made of plastic and cylinder lock with 2 keys, locker on black gray base, depth 500 mm





Width
Height
Compartments
Clear opening

dimensions H x W x D

320	620	920
1950	1950	1950
11	22	33

with door closed: 23 x 250 x 460, with door open: 150 x 230 x 460



CSC Order no. Price



9 8170-211

11 8170-311



•
460
1130
12
158 x 190 x 180

7 7 80700-221 80700-223



Number plates optionally available, see page 182

All small-compartment lockers (including the model with base) are intended for wall mounting due to their depth. Customer must provide accessories for wall mounting suitable for the respective walls.



Order no. 8170-111



Accessories





Cabinets, workbenches, and shelving

Order, safety and the support of functional work processes are important principles for the development of warehouse and workshop furniture.

At C+P, you can find a product range that offers any solution you can imagine, from storage to workplace configuration.

Practical details, such as the new **Ergo-Lock 4.0** grip lock in hinged-door cabinets, make your work easier and bring real benefits to your everyday workshop and warehouse routines.






















Sturdy and practical.

for tools and accessories



The cost-effective universal cabinets for warehouse and workshop 206

- Sturdy steel construction with high-quality enamel coating
- Zinc-plated shelves
- The **Ergo-Lock 4.0** grip lock (three-bolt) with 2 keys and optional exchangeable cylinder
- Doors on bolt hinges, door opening angle of approx. 110°
- Complete product line (different heights, dimension variants and shelf/drawer configurations for any requirement)
- Drawers coated light gray
- Drawers on wear-resistant guide slide bearing, 4/5 extensible

for heavy-duty purposes





loads of up to **700 kg**

The heavy-duty tool and equipment cabinets226

- Sturdy steel construction with high-quality enamel coating
- Complete product line (different dimension variants and interior fittings for any requirement)
- The Ergo-Lock 4.0 grip lock (three-bolt) with 2 keys and optional exchangeable cylinder
- Doors on external hinges, approx. 180° opening angle



fido dish piq	Doors had glass	Ood order up to	000 10 100 00 00 00 00 00 00 00 00 00 00	
		110°	180°	
•	-	•	optional / •	
•			•	
•	•		•	
•		•	optional	
•	-		optional	
		Hadright Spatchicols -		- optional / optional

with viewing windows



as hazardous substance cabinets

with open-front containers





Hinged doors

- Sturdy steel construction with high-quality enamel coating
- Zinc-plated shelves
- The Ergo-Lock 4.0 grip lock (three-bolt) with 2 keys and optional exchangeable cylinder
- Doors on external hinges, approx. 180° opening angle
- Different dimension variants and occasional cabinets
- Steel doors with viewing windows made of acrylic glass for a direct view

The safe cabinets for storing water-polluting substances 234

- Protection against high consequential costs!
- Sturdy steel construction with high-quality enamel coating
- Trays made of zinc-plated steel or polyethylene
- The Ergo-Lock 4.0 grip lock (three-bolt) with 2 keys and optional exchangeable cylinder
- Different dimension variants and occasional cabinets

The pros for

- Sturdy steel construction with high-quality enamel coating
- Zinc-plated shelves
- The Ergo-Lock 4.0 grip lock (three-bolt) with 2 keys and optional exchangeable cylinder
- Open-front containers in professional quality
- Complete product line (different heights, dimension variants and container hardware for any requirement)

For water politing Staff Capacity (Ach) 70-110 25 450 700 110 70-110 450 70 450

50

450

The new Ergo-Lock 4.0

Making a good solution even better!



Outstanding operating safety, wear resistance, and an attractive appearance have always characterized the patent-pending "Ergo-Lock" grip lock from C+P. The "simply push shut to close" feature in particular has already made the work of hundreds of thousands of users easier. But that wasn't enough for us.

We're going one better with the new Ergo-Lock 4.0!

The new Ergo-Lock 4.0 offers:

- An even higher-quality appearance

 current and contemporary

 Fits in with any room and gives your cabinet a distinctive look.
- "Simply push shut to close" mechanism (patent-pending)
 Only with a C+P solution can you still close the cabinet when your hands are full.
- Removable core cylinder, subsequent replacement, simultaneous locking – everything is possible! Remain open to future change and safeguard the security of your investment.
- Matching locking systems with PIN codes or matching-look transponders
 Depending on your security requirements, you

can opt for PIN codes or transponders with the same design instead of keys. As a complete, electronic offline lock, the Ergo-Lock 4.0 offers full state-of-the-art features.



Whether you use it as a key lock or with PIN codes or transponders – the Ergo-Lock 4.0 product range offers the right system to suit every requirement.









Opt for security and access control to suit your particular needs:



Mechanical locking system

- 2 keys per lock
- Standard design for all hinged-door tool cabinets
- Easy and convenient to use even when wearing gloves
- Frame in black as standard
- Silver frame available for an additional charge



Additional charge for silver lock frames

- + Order no. ...
- + Addtl. charge



PIN code lock

- Motor locking bolt
- 4 digits
- 4 to 8-digit codes possible
- Visual functional feedback (green / red)
- Main key code

- Range of application from +5 to +40°C
- Battery suitable for 30,000 openings or approx. 3 years
- Available from the middle of 2019
- Silver frame as standard



Transponder lock

- Motor locking bolt
- MIFARE® DESFire® transponder model
- Can be integrated in existing access control systems
- USB programming interface
- Visual functional feedback (green / red)
- Master code transponder card

- Management software optionally available
- Range of application from +5 to +40°C
- Battery suitable for 30,000 openings or approx. 3 years
- Available from the middle of 2019
- Silver frame as standard

The tool and equipment cabinets offer:

- Sturdy steel construction with high-quality enamel coating
- Wide range of different dimensions for every application
- Improved operating safety, wear resistance, and an attractive ergonomic appearance thanks to the Ergo-Lock 4.0 grip lock (three-bolt latch) in black with 2 keys
- Door mounting bracket with an opening angle of approx. 110°
- Exterior hinges on request, approx. 180° opening angle

- Central door reinforcement for high stability
- Very flexible arrangement of the interior fittings thanks to adjustability in 15 mm steps
- Load capacity of 25 kg per drawer
- High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg), for reinforcements see page 211











shelves

Tool cabinets with hinged doors

with three-bolt grip lock Ergo-Lock 4.0













1.	Dimensions design	and

	-	-	-	-	-
Width	500	500	700	700	930
Depth	400	500	400	500	400
Height	1950	1950	1950	1950	1950
Interior dimensions HxWxD	1840 x 498 x 353	1840 x 498 x 453	1840 x 698 x 353	1840 x 698 x 453	1840 x 928 x 353
Shelves	4	4	4	4	4
CSC	4	4	5	5	5
Order no.	8900-00	8901-00	8910-00	8911-00	8920-00
Price					





Additional shelves











Width x depth

495 x 352

495 x 452

695 x 352

695 x 452

925 x 352

zinc-plated

Thickness 24 mm

+ Unit price

+ Order no. + 8900-80

+ 8901-80

+ 8910-80

+ 8911-80

+ 8920-80

Tool and equipment cabinets

Video at:

www.cp.de / ergo-lock 204





Ergo-Lock 4.0 grip lock

Improved operating safety, wear resistance, and an attractive appearance thanks to the grip lock (3-bolt latch) in black with 2 keys – the door can be closed simply by squeezing the grip lock






















	_
4	
	- 4


930	
500	
1950	
1840 x 928 x 453	
4	
5	

8921-00

30	930
00	600
950	1950
928 x 453	1840 x 928 x 55
4	4
5	5



930	1200
800	400
1950	1950
40 x 928 x 753	1840 x 1198 x 35
4	4
6	6



1200	1200
500	600
1950	1950
340 x 1198 x 453	1840 x 1198 x
4	4
6	6
8931-00	8932-00

1200	1200
600	800
1950	1950
x 1198 x 553	1840 x 1198 x 753
4	4
	_





8922-00



8924-00



8930-00







8934-00

+ 8921-80

+ 8922-80

+ 8924-802

+ 8930-80

+ 8931-80

+ 8932-80

+ 8934-802

Accessories



Workshop shelving





Order no. 8911-02

Order no. 8920-02

Workshop shelving units

Workshop shelving units are cabinets without doors











Dimensions and design

Width	500	500	700	700	930
Depth	400	500	400	500	400
Height	1950	1950	1950	1950	1950
Interior dimensions HxWxD	1840 x 498 x 353	1840 x 498 x 453	1840 x 698 x 353	1840 x 698 x 453	1840 x 928 x 353
Shelves	4	4	4	4	4
CSC	3	3	4	4	4
Order no.	8900-02	8901-02	8910-02	8911-02	8920-02
Price					



Additional shelves





695 x 452



925 x 352

zinc-plated

Thickness 24 mm

+ Order no. + Unit price + 8900-80

+ 8901-80

+ 8910-80

695 x 352

+ 8911-80

+ 8920-80

















1200

1
ш

930
500
1950
1840 x 928 x 453
4

8921-02



930	930
600	800
1950	1950
840 x 928 x 553	1840 x 928 x 75
4	4

5 4 8922-02 8924-02

5 8930-02

1200	1200
400	500
1950	1950
1840 x 1198 x 353	1840 x 1198 x 453
1	1

5 8931-02

1200 600 1950 1840 x 1198 x 553

800 1950 1840 x 1198 x 753 5 5 8932-02 8934-02



925 x 752

1195 x 452



1195 x 552



925 x 452

925 x 552

1195 x 352

1195 x 752

+ 8921-80

+ 8922-80

+ 8924-802

+ 8930-80

+ 8931-80

+ 8932-80

+ 8934-802





Order no. 8920-314


Tool and equipment cabinets with hinged doors


with different interior fittings with three-bolt grip lock ${\bf Ergo\text{-}Lock}$ 4.0



Dimensions and design














Width
Depth
Height
Interior dimensions HxWxD
Two-door security compartment H x W x D
Shelves
Description

Depth
Height
Interior dimensions HxWxD
Two-door security compartment H x W x D
Shelves
Description

٧	V
930	1200
500	500
1950	1950
1840 x 460 x 450	1840 x 595 x 450
-	-
8	8
with center par- tition	with center par- tition





3

Security com-

partment with

cylinder lock

1950	
1840 x 928 x 35	3
-	
2	
9 compartment	ς

at top

adjustable in

width

930

400

CSC	5	6	5	5	5
Order no.	8921-311	8931-311	8920-313	8921-313	8920-314
Price					













Width x depth

459 x 449

594 x 449

925 x 352

925 x 452

925 x 352



Thickness 24 mm

+ 8921-3707

+ 8931-3707 + 8920-80 + 8921-80

+ 8920-80

2. Body and door color

Please choose (see end of



Door opening angle

180°

+ Order no. + Addtl. charge +....-...5

210

Ordering steps:

1 Dimensions and design

Body / door color

Options

Tool and equipment cabinets


















1	930
	500
	1950
	1840 x 928 x 453

400 1950 1840 x 1198 x 353

500 1950 1840 x 1198 x 453

930 500 1950 1840 x 460 x 450

930 500 1950 1840 x 928 x 453 930 400 1950

1840 x 375 x 350

9 compartments at top

9 compartments at top adjustable in width adjustable in width

9 compartments at top adjustable in width

4 on right with center partition, storage shelf on the left with wardrobe rail (without coat hangers)

Storage shelf on the inside with wardrobe rail (without coat hangers)

4 on right with partition, storage shelf on the left with fully extendable wardrobe rail (without coat hangers), filing section approx. 380 mm wide, clothing section approx. 550 mm wide

8921-314

6 8930-314

6 8931-314

5 8921-312

5 9280-088 8920-312













Width x depth

925 x 452

1195 x 352

1195 x 452

459 x 449

925 x 452



Thickness 24 mm + Order no.

+ 8921-80 + Unit price

+ 8930-80

+ 8931-80

for right side + 8921-3707

+ 1050-80

for right side + 8920-3707





Load capacity per shelf	
+ Order no.	

+ Addtl. charge

1 reinforcement: approx. 90 kg

+....-801

2 reinforcements: approx. 110 kg +....-802

Top, hanging, and occasional cabinets



Top cabinets with hinged doors

with three-bolt grip lock Ergo-Lock 4.0, incl. accessories for mounting to base cabinet











Width	930	930	1200	1200
Depth	400	500	400	500
Height	500	500	500	500
Interior dimensions HxWxD	440 x 928 x 353	440 x 928 x 453	440 x 1198 x 353	440 x 1198 x 453
Shelves	-	-	-	-
CSC	3	3	3	3
Order no.	9264-000	9284-000	9464-000	9484-000
Price				












Width	930	930	1200	1200
Depth	400	500	400	500
Height	790	790	790	790
Interior dimensions HxWxD	730 x 928 x 353	730 x 928 x 453	730 x 1198 x 353	730 x 1198 x 453
Shelves	1	1	1	1
CSC	3	3	3	3
Order no.	9265-009	9285-009	9465-009	9485-009
Price				



Customer must provide wall mounting for top cabinets



Hanging cabinet/Hanging shelf

e.g. for hanging above the workbench, doors on hinge pins, cabinet with three-bolt grip lock Ergo-Lock 4.0





	3
1	Dimensions
	and shelf
	material

Width	700	700
Depth	300	300
Height	830	830
Interior dimensions HxWxD	770 x 695 x 250	770 x 695 x 250
Shelves	3	3
CSC	3	2
Order no.	134013-22	134013-02





CSC	3	
Order no.	134013-22	134
Price		

Order no. 134013-22



Available in the following colors.

Light gray **RAL 7035** 487

Black gray RAL 7021

Reseda green RAL 6011

Gentian blue RAL 5010

Water blue RAL 5021





Occasional cabinets with hinged doors

with three-bolt grip lock **Ergo-Lock 4.0**, with corrugated rubber mat









1	Dimensions	and
	desian	

Width	930	930	1200	1200
Depth	400	500	400	500
Height	1000	1000	1000	1000
Interior dimensions HxWxD	855 x 928 x 353	855 x 928 x 453	855 x 1198 x 353	855 x 1198 x 453
Shelves	1	1	1	1
CSC	3	3	3	3
Order no.	8820-000	8821-000	8830-000	8831-000
Price				











Width	930	930	1200	1200
Depth	400	500	400	500
Height	1200	1200	1200	1200
Interior dimensions HxWxD	1055 x 928 x 353	1055 x 928 x 453	1055 x 1198 x 353	1055 x 1198 x 453
Shelves	2	2	2	2
CSC	4	4	4	4
Order no.	8520-000	8521-000	8530-000	8531-000
Price				
Interior dimensions HxWxD Shelves CSC Order no.	1055 x 928 x 353 2 4	1055 x 928 x 453 2 4	1055 x 1198 x 353 2 4	1055 x 1198 x 45 2 4



- + Order no.
- + Addtl. charge

+ 8900-7211





Tops

made of MCPB, with corrugated rubber mat instead of steel top section









for cabinet width
Depth

ioi cabine	t wiatii
Depth	



400





500

МСРВ

Thickness 25 mm

- + Order no. + Addtl. charge
- + 1124-0000

+ 1124-1000

+ 2016-000

+ 2017-000

Top decor

Occasional cabinets with hinged doors

on hinge pins, adjustable zinc-plated shelves





1. Dimensions and design

Width	500	940
Depth	500	500
Height (incl. raised edge)	1000 (approx. 1020)	1000 (approx. 1020)
Interior dimensions (under the drawer) HxWxD	790 x 490 x 475	790 x 930 x 475
Drawers	1	1
Drawer interior dimensions HxWxD	70 x 367 x 438	70 x 800 x 438
Shelves	2	2
Description	Door hinged on right, with one-bolt cylinder lock, 1 drawer at top	2 hinged doors with two-bolt cylinder lock, 1 drawer at top
CSC	2	3
Order no.	8721-00	8821-00
Price		

2. Body and door color



Occasional cabinets





1 set of casters

for model 8721-00 (2 fixed casters, 2 lockable casters) to move the cabinet



+ Order no. + Unit price

+ Order no. + Unit price



Tabletop lectern

for model 8721-00, with lockable flap, cylinder lock



500 x 500 Order no. 8721-71556 + 8721-71574 + 8721-71561 + 8721-71556

Additional shelves

zinc-plated

for cabinet width	500	940
Thickness 24 mm + Order no. + Unit price	+ 8721-80	+ 8821-80

Corrugated rubber mat for top self-adhesive

•		
for cabinet width	500	940
+ Order no.	+ 8750-00	+ 8850-00
+ Unit price		

Ordering steps:









Tool cabinets with hinged doors

with drawers and shelves, with three-bolt grip lock **Ergo-Lock 4.0**









Width	930	1200	930
Depth	500	500	500
Height	1950	1950	1950
Interior dimensions HxWxD	1840 x 928 x 453	1840 x 1198 x 453	1840 x 928 x 453
Shelves	6	6	6
Description	left and right 2 large drawers each	left and right 2 large drawers each	4 small drawers on left, 2 large drawers on right
Drawer interior dimensions HxWxD*	125 x 367 x 438	125 x 502 x 438	70/125 x 367 x 438
CSC	9	10	9
Order no.	8921-3042	8931-3042	8921-3041
Price			







930	1200
459 x 449	594 x 449



Thickness 24 mm + Order no. + Unit price

for cabinet width

Width x depth

+ 8921-3707

+ 8931-3707



External door hinges

Door opening angle	180°	
+ Order no.	+5	
+ Addtl. charge		

Ordering steps:

1. Dimensions and design

2. Body and door color

Options

Tool and equipment cabinets







500 1950

V	
1200	
500	
1950	
1840 x 1198 x 453	
6	
4 small drawers	
on left, 2 large drawer on right	S
70/125 x 502 x 438	

10

8931-3041

500	
1950	
1840 x 928 x 453	
6	
4 small drawers and 4 large drawers on left	

10

8921-305

1840 x 928 x 453	1840 x 1198 x 453
6	6
4 small drawers nd 4 large drawers on left	4 small drawers and 4 large drawers on left
70/125 x 367 x 438	70/125 x 502 x 438

8931-305

*Panel height 82 or 170 mm

11





Order no. 8921-3716

Drawer tidies

Plastic boxes for small parts, approx. 54 mm high






+ 8931-3713







+ 8931-3716

Drawer block

+ Price

Diawei bloc
Generally
in light gray
RAL 7035

for cabinet width

+ Order no.

for cabinet width
Drawer panel height
+ Order no.
+ Price

with 2 large drawers (from model 8921/31-3042)



930 approx. 170 + 8921-3723

+ 8921-3713



1200
approx. 170
+ 8931-3723

with 4 small drawers (from model 8921/31-3041)






930	1200	
approx. 82	approx. 82	
+ 8921-3722	+ 8931-3722	



Order no. 8921-700



to be inserted into the drawer







for cabinet width	930	1200
Depth	500	500
+ Order no.	+ 8921-700	+ 8931-700
+ Unit price		

- Accessories



www.cp-furniture.com

Tool cabinets with hinged doors

with security compartments, drawers, and shelves, with three-bolt grip lock **Ergo-Lock 4.0**








Dimensions and design

Width	930	1200	930
Depth	500	500	500
Height	1950	1950	1950
Interior dimensions HxWxD	1840 x 928 x 453	1840 x 1198 x 453	1840 x 928 x 453
Shelves	4	4	4
Description	1 security compartment with cylinder lock on left, 8 large drawers	1 security compartment with cylinder lock on left, 8 large drawers	1 security compartment with cylinder lock on left, 16 small drawers
Security compartment dimensions H x W x D	400 x 376 x 460	400 x 511 x 460	400 x 376 x 460
Drawer interior dimensions HxWxD*	125 x 367 x 438	125 x 502 x 438	70 x 367 x 438
CSC	10	11	10
Order no. Price	8921-306	8931-306	8921-301



Please select (see end of catalog for color overview).....







for cabinet width	930	1200
Width x depth	459 x 449	594 x 449



Thickness 24 mm + Order no. + Unit price

+ 8921-3707

+ 8931-3707

Extensible tray on request



Plastic boxes for small parts, approx. 54 mm high



Zinc-plated separators, approx. 68 mm high



for cabinet width
+ Order no

930 + 8921-3713

1200 + 8931-3713

930 + 8921-3716

1200 + 8931-3716

Order no. 8921-3716

with 4 small drawers

(from model 8921/31-3041)

Drawer block

+ Price

Generally in light gray

with 2 large drawers (from model 8921/31-3042)





930

approx. 82



KAL 7035
for cabinet width
Drawer panel height

930	
approx.	170



1200 approx. 170

1200
approx. 82

+ Order no.

+ 8921-3723

+ 8931-3723

+ 8921-3722

+ 8931-3722

+ Price

Tool and equipment cabinets












	1	٠,	

1200	930	1200	930	1200
500	500	500	500	500
1950	1950	1950	1950	1950
1840 x 1198 x 453	1840 x 928 x 453	1840 x 1198 x 453	1840 x 928 x 453	1840 x 1198 x 453
4	-	-	-	-
1 security compartment with cylinder lock below, 16 small drawers	1 security compartment at left and right respectively, with cylinder lock, 16 small drawers on the left, 8 large drawers on the right	1 security compartment at left and right respectively, with cylinder lock, 16 small drawers on the left, 8 large drawers on the right	1 compartment at top left and right respectively, 16 small drawers on the left, 8 large drawers on the right	1 compartment at top left and right respectively, 16 small drawers on the left, 8 large drawers on the right
400 x 511 x 460	400 x 376 x 460	400 x 511 x 460	400 x 376 x 460	400 x 511 x 460
70 x 502 x 438	70/125 x 367 x 438	70/125 x 502 x 438	70/125 x 367 x 438	70/125 x 502 x 438
11	11	12	11	12
8931-301	8921-302	8931-302	8921-303	8931-303

* Panel height 82 or 170 mm






to be inserted into the drawer





for cabinet width	930	1200
Depth	500	500
+ Order no.	+ 8921-700	+ 8931-700
+ Unit price		





Door opening angle	180°
+ Order no.	+5
+ Addtl. charge	





Order no. 8921-3042



Occasional cabinets with drawers

with hinged doors and three-bolt grip lock **Ergo-Lock 4.0**, incl. corrugated rubber mat for top and raised edge











	•	•	·	•
Width	500	500	500	500
Depth	500	500	500	500
Height (incl. raised edge)	1000 (1020)	1000 (1020)	1000 (1020)	1000 (1020)
Interior dimensions HxWxD	855 x 376 x 460	855 x 376 x 460	855 x 376 x 460	855 x 376 x 460
Shelves	1	-	-	-
Drawers 82 mm	1	-	2	8
Drawers 125 mm	1	1	1	1
Drawers 170 mm	-	4	3	-
Drawer interior dimensions HxWxD*	70/115 x 367 x 438	115/125 x 367 x 438	70/115/125 x 367 x 438	70/115 x 367 x 438
CSC	6	8	8	9
Order no.	8721-302	8721-306	8721-305	8721-303
Price				

^{*} Panel height 82, 125, or 170 mm.

Occasional cabinets with drawers

with hinged doors and three-bolt grip lock Ergo-Lock 4.0, incl. corrugated rubber mat for top and raised edge











Dimensions and design

Width	930	930	930	930	930
Depth	500	500	500	500	500
Height (incl. raised edge)	1000 (1020)	1000 (1020)	1000 (1020)	1000 (1020)	1000 (1020)
Interior dimensions HxWxD	855 x 460 x 449	855 x 460 x 449	855 x 460 x 449	855 x 460 x 449	855 x 460 x 449
Shelves	2	2	2	-	-
Drawers 82 mm	-	2	4	-	8
Drawers 125 mm	1	2	1	2	2
Drawers 170 mm	4	-	2	8	4
Drawer interior dimensions HxWxD*	115/125 x 367 x 438	70/115 x 367 x 438	70/115/125 x 367 x 438	115/125 x 367 x 438	70/115/125 x 367 x 438
CSC	8	7	8	9	10
Order no.	8821-308	8821-302	8821-303	8821-306	8821-305
Price					

^{*} Panel height 82, 125, or 170 mm.









Plastic boxes for small parts, approx. 54 mm high, for models 87/8821-**3...**

Zinc-plated separators, approx. 68 mm high, for models 87/8821-**3...**






for cabinet width	
+ Order no.	
+ Price	

930 + 8921-3713

930 + 8921-3716





to be inserted into the drawer



for cabinet width	930
Depth	500
+ Order no.	+ 8921-700
+ Unit price	



zinc-plated

For cabinet side Width x depth

Thickness 24 mm + Order no. + Unit price



with shelves and drawers 376 x 460

only with shelves 459 x 449

+ 8921-3706

+ 8921-3707



Order no. 8821-308

Order no. 8721-305

Keys and locks for tool and equipment cabinets



^{*} when ordered with cabinet

Extra-large tool cabinets

The extra-large tool cabinets offer:

- Sturdy steel construction with high-quality enamel coating
- Different dimension variants (2 widths, 2 heights, 3 depths)
- Improved operating safety, wear resistance, and an attractive appearance thanks to the Ergo-Lock 4.0 grip lock (three-bolt latch) in black with 2 keys
- 3 drawers with telescopic rail guide, fully extensible, 50 kg load capacity/drawer
- Mounted on door with external hinges, approx. 180° opening angle
- Very flexible arrangement of the interior fittings thanks to adjustability in 15 mm steps
- High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg), for reinforcements see right-hand page







Shelf load capacity 70-110 ka



Zinc-plated shelves



Ergo-Lock 4.0 grip lock

Improved operating safety, wear resistance, and an attractive appearance thanks to the grip lock (3-bolt latch) in black with 2 keys - the door can be closed simply by squeezing the grip lock

Video at: www.cp.de/ergo-lock





Extra-large tool cabinets

with doors on external hinges (door opening angle of 180°), wall mounting necessary when drawers bear loads













Width	930	930	1200	1200	1200
Depth	500	600	400	500	600
Height	1950	1950	1950	1950	1950
Interior dimensions HxWxD	1435 x 928 x 453	1435 x 928 x 553	1435 x 1198 x 353	1435 x 1198 x 453	1435 x 1198 x 553
Shelves	4	4	4	4	4
Drawers	3	3	3	3	3
Drawer interior dimensions HxWxD	100 x 730 x 440	100 x 730 x 440	100 x 1000 x 330	100 x 1000 x 440	100 x 1000 x 440
CSC	8	8	9	9	9
Order no.	8921-503	8922-503	8930-503	8931-503	8932-503
Price					

Extra-large occasional cabinets

with doors on external hinges (door opening angle of 180°), with corrugated rubber mat, wall mounting necessary when drawers bear loads







Dimensions and design

Width	930	1200	1200
Depth	500	400	500
Height	1000	1000	1000
Interior dimensions HxWxD	450 x 928 x 453	450 x 1198 x 353	450 x 1198 x 453
Shelves	2	2	2
Drawers	3	3	3
Drawer interior dimensions HxWxD	100 x 730 x 440	100 x 1000 x 330	100 x 1000 x 440
CSC	3	3	3
Order no.	8821-5035	8830-5035	8831-5035
Price			

















for	cabinet width
De	pth
_	

930 500 930 1200 600 400

1200 500

1200 600



Thickness 24 mm

+ Order no.

+ Unit price

+ 8921-80

+ 8922-80

+ 8930-80

+ 8931-80

+ 8932-80

Drawer tidies

Plastic boxes for small parts, approx. 63 mm tall





1200



for cabinet width
for cabinet depth
Boxes

930 500/600 4x 162 x 108 mm, 8x 108 x 108 mm, 16x 54 x 54 mm, 16x 108 x 54 mm

400 6x 162 x 108 mm, 6x 108 x 108 mm, 12x 54 x 54 mm, 18x 108 x 54 mm

500/600 8x 162 x 108 mm, 8x 108 x 108 mm, 16x 54 x 54 mm,

24x 108 x 54 mm

1200

+ Order no. + Price

+ 8921-5713

+ 8930-5713

+ 8931-5713





Reinforced shelf

Load capacity per shelf

+ Order no. + Addtl. charge

1 reinforcement: approx. 90 kg +-801

2 reinforcements: approx. 110 kg

+-802





Extra-large tool cabinets

with hinged doors on external hinges (door opening angle 180°), 3 drawers with telescopic rail guide, fully extensible in center, 50 kg load capacity/drawer, wall mounting necessary when drawers bear loads













Width	930	930	1200	1200	1200
Depth	500	600	400	500	600
Height	1950	1950	1950	1950	1950
Shelves	3	3	3	3	3
Drawers	3	3	3	3	3
Drawer interior dimensions HxWxD	100 x 730 x 440	100 x 730 x 440	100 x 1000 x 330	100 x 1000 x 440	100 x 1000 x 440
CSC	8	8	9	9	9
Order no.	8921-5030	8922-5030	8930-5030	8931-5030	8932-5030
Price					













Thickness 24 mm + Order no.

+ Unit price

Width x depth


+ 8921-80

+ 8922-80

+ 8930-80

+ 8931-80

+ 8932-80



zinc-plated



Reinforced shelf

Load capacity per shelf	1 reinforcement: approx. 90 kg	2 reinforcements: approx. 110 kg
+ Order no.	+801	+802
+ Addtl. charge		

Extra-large tool cabinets



Drawer tidies

Plastic boxes for small parts, 63 mm high







for cabinet width	930	1200	1200
Depth	500/600	400	500/600
Boxes	4x 162 x 108 mm	6x 162 x 108 mm	8x 162 x 108 mm
	8x 108 x 108 mm	6x 108 x 108 mm	8x 108 x 108 mm
	16x 54 x 54 mm	12x 54 x 54 mm	16x 54 x 54 mm
	16x 108 x 54 mm	18x 108 x 54 mm	24x 108 x 54 mm
+ Order no.	+ 8921-5713	+ 8930-5713	+ 8931-5713
+ Unit price			



Drawer tidies

with zinc-plated separators, approx. 68 mm high







for cabinet width	930	1200	1200
Depth	500/600	400	500/600
Compartments (vertically adjustable)	2x 134 x 420 mm 12x 95 x 110/199 mm	2x 161 x 315 mm 18x 95 x 57/199 mm	2x 161 x 420 mm 18x 95 x 110/199 mm
+ Order no. + Unit price	+ 8921-5718	+ 8930-5718	+ 8931-5718



Foam rubber mat

to be inserted into the drawer







for cabinet width	930	1200	1200
Depth	500/600	400	500/600
+ Order no.	+ 8921-701	+ 8930-701	+ 8931-701
+ Unit price			

Keys and locks for tool and equipment cabinets



+ Addtl. charge

8900-721

Ergo-Lock 4.0

Ergo-Lock 4.0 with master key system

Matching master key Ergo-Lock 4.0 with simultaneous locking

Single/spare key

Additional charge for silver lock frames

Additional charge for lock with lock no. upon request (longer delivery times)

Further additional charges

Single/ spare key

Order no. 8900-723 8900-7131 8900-7211 0004-11-73.. ...-...99 0005-10 Unit price



^{*} when ordered with cabinet







The cabinets for heavy-duty purposes offer:

- Sturdy steel construction with high-quality enamel coating
- Different dimension variants (3 widths, 3 heights)
- Mounted on door with external hinges, approx. 180° opening angle
- Door reinforcement for high stability and concealed locking rod
- Very flexible arrangement of the interior fittings thanks to adjustability in 15 mm steps
- High load capacity of each zinc-plated shelf: 110 kg
- Bay load: 700 kg

Ergo-Lock 4.0 grip lock

Improved operating safety, wear resistance, and an attractive appearance thanks to the grip lock (3-bolt latch) in black with 2 keys - the door can be closed simply by squeezing the grip lock







Bay load 700 kg



Shelf load capacity 70-110 kg









loads of up to **700 kg**

700



Tool cabinets with hinged doors

on external hinges (door opening angle of 180°), incl. three-bolt grip lock Ergo-Lock 4.0



Dimensions and design













Width	500	500	930	930	930
Depth	400	500	400	500	600
Height	1950	1950	1950	1950	1950
Interior dimensions HxWxD	1840 x 498 x 353	1840 x 498 x 453	1840 x 928 x 353	1840 x 928 x 453	1840 x 928 x 553
Shelves	4	4	4	4	4
CSC	4	4	5	5	5
Order no.	8900-052	8901-052	8920-052	8921-052	8922-052
Price					



















495 x 352 495 x 452



925 x 452

925 x 552

Thickness 24 mm + Order no.

Width x depth

+ 8900-802

+ 8901-802

+ 8920-802

+ 8921-802

+ 8922-802

Occasional cabinets with hinged doors

on external hinges (door opening angle of 180°), incl. three-bolt grip lock Ergo-Lock 4.0 and corrugated rubber mat









Dimensions and design

Width	930	1200	930	1200
Depth	500	500	500	500
Height	1000	1000	1200	1200
Interior dimensions HxWxD	855 x 928 x 453	855 x 1198 x 453	1055 x 928 x 453	1055 x 1198 x 453
Shelves	1	1	2	2
CSC	3	3	3	3
Order no.	8821-052	8831-052	8521-052	8531-052
Price				



made of MCPB, with corrugated rubber mat instead of steel top section, select top decor (see end of catalog)

for cabinet width
Depth







Thickness 25 mm + Order no.

+ Addtl. charge

+ 1124-1000 + 2017-000

500

Order no. 8521-052



loads of up to **700 kg**



800

1950

1840 x 928 x 753





1200

500

1950

1840 x 1198 x 453





1200	1200
600	800
1950	1950
1840 x 1198 x 553	1840 x 1198 x 753
4	4

5 8924-052

6 8930-052

1200

400

1950

1840 x 1198 x 353

6 8931-052

6 8932-052

6 8934-052

Accessories



1195 x 352

1195 x 452





+ 8924-802

+ 8930-802

+ 8931-802

+ 8932-802

+ 8934-802

Extra-large tool cabinets

with doors on external hinges (door opening angle 180°), 3 drawers with telescopic rail guide, fully extensible, 75 kg load capacity/drawer, wall mounting necessary









1. Dimensions and design

Width	930	930	1200	1200
Depth	500	600	500	600
Height	1950	1950	1950	1950
Interior dimensions HxWxD	1435 x 928 x 453	1435 x 928 x 553	1435 x 1198 x 453	1435 x 1198 x 553
Shelves	4	4	4	4
Drawers	3	3	3	3
Drawer interior dimensions HxWxD	100 x 730 x 440	100 x 730 x 440	100 x 1000 x 440	100 x 1000 x 440
CSC	8	8	9	9
Order no.	8921-523	8922-523	8931-523	8932-523
Price				



Extra-large occasional cabinets

with hinged doors on external hinges (door opening angle 180°), 3 drawers with telescopic rail guide, fully extensible with approx. 75 kg load capacity/drawer, with corrugated rubber mat. Wall mounting necessary






Dimensions and design

Width	930	1200
Depth	500	500
Height	1000	1000
Interior dimensions HxWxD	450 x 925 x 453	450 x 1198 x 453
Shelves	2	2
Drawers	3	3
Drawer interior dimensions HxWxD	100 x 730 x 440	100 x 1000 x 440
CSC	3	3
Order no.	8821-5235	8831-5235
Price		



Please choose (see end of



to be inserted into the drawer





for cabinet width	930	1200
Depth	500/600	500/600
+ Order no.	+ 8921-701	+ 8931-701
+ Unit price		

Ordering steps:









Extra-large tool cabinets for heavy-duty purposes









930	930	1200	1200
500	600	500	600
1950	1950	1950	1950
1435 x 928 x 453	1435 x 928 x 553	1435 x 1198 x 453	1435 x 1198 x 553
3	3	3	3
3	3	3	3
100 x 730 x 440	100 x 730 x 440	100 x 1000 x 440	100 x 1000 x 440
8	8	9	9



loads of up to **700 kg**

Additional shelves

Load capacity 110 kg

8921-5230



8931-5230



8932-5230





for cabinet width Depth

8922-5230

930 500

600

500

600



Thickness 24 mm

+ Order no.

+ Unit price

+ 8921-802

+ 8922-802

+ 8931-802

+ 8932-802

Drawer tidies

Plastic boxes for small parts, 63 mm high





for cabinet width	930	1200
Depth	500/600	500/600
Boxes	4x 162 x 108 mm 8x 108 x 108 mm 16x 54 x 54 mm 16x 108 x 54 mm	8x 162 x 108 mm 8x 108 x 108 mm 16x 54 x 54 mm 24x 108 x 54 mm
+ Order no. + Unit price	+ 8921-5713	+ 8931-5713

Drawer tidies

with zinc-plated separators, approx. 68 mm high





for cabinet width	930	1200
Depth	500/600	500/600
Compartments (vertically adjustable)	2x 134 x 420 mm 12x 95 x 110/199 mm	2x 161 x 420 mm 18x 95 x 110/199 mm
+ Order no. + Unit price	+ 8921-5718	+ 8931-5718



Order no. 8931-5230

loads of up to **700 kg**









Door opening angle of 180°



Shelf load capacity 70 - 110 kg



Zinc-plated

The tool and equipment cabinets with viewing windows offer:

- Sturdy steel construction with high-quality enamel coating
- Different dimension variants (2 widths, 3 heights)
- Mounted on door with external hinges, approx. 180° opening angle
- Steel doors with viewing window made of acrylic glass (3 mm thick) for a direct view
- Exchangeable acrylic glass panes
- Very flexible arrangement of the interior fittings thanks to adjustability in 15 mm steps
- High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg), for reinforcements see page 224

"Ergo-Lock" grip lock

Improved operating safety, wear resistance, and an attractive appearance thanks to the grip lock (3-bolt latch) in black with 2 keys – the door can be closed simply by squeezing the grip lock

Cabinets that save money

Finding instead of searching = saves time and money!

- Ingeniously simple: The direct view of the cabinet's contents makes tedious searches and elaborate labeling unnecessary. Cabinets with viewing windows also tend to be kept in better order.
- C+P cabinets with viewing windows pay for themselves after just a short period of time - and then they even make you money by saving time and costs!
- They are also perfectly suited for the implementation of modern simplification and improvement concepts such as KAIZEN or CPI.

Tool cabinets with viewing windows

with doors on external hinges (door opening angle of 180°), incl. three-bolt grip lock Ergo-Lock 4.0













Width	500	500	700	700	930
Depth	400	500	400	500	400
Height	1950	1950	1950	1950	1950
Interior dimensions HxWxD	1840 x 498 x 353	1840 x 498 x 453	1840 x 698 x 353	1840 x 698 x 453	1840 x 928 x 353
Shelves	4	4	4	4	4
CSC	4	4	5	5	5
Order no.	8900-055	8901-055	8910-055	8911-055	8920-055
Price					





Body and door color

Tool and equipment cabinets with viewing windows

Occasional cabinets with viewing windows

with doors on external hinges (door opening angle of 180°), incl. three-bolt grip lock **Ergo-Lock 4.0**, with corrugated rubber mat











Width	930	1200	930	1200
Depth	500	500	500	500
Height	1000	1000	1200	1200
Interior dimensions HxWxD	855 x 928 x 453	855 x 1198 x 453	1055 x 928 x 453	1055 x 1198 x 453
Shelves	1	1	2	2
CSC	3	3	3	3
Order no.	8821-055	8831-055	8521-055	8531-055
Price				



Tops

made of MCPB, with corrugated rubber mat instead of steel top section

		~
r cabinet width	930	1
n+h	FOO	

200 Depth 500 Thickness 25 mm + 2017-000



+ Order no. + Addtl. charge

+ 1124-1000



Please choose (see end of

Order no. 8521-055















930	930	930	1200	1200	1200	1200
500	600	800	400	500	600	800
1950	1950	1950	1950	1950	1950	1950
1840 x 928 x 453	1840 x 928 x 553	1840 x 928 x 753	1840 x 1198 x 353	1840 x 1198 x 453	1840 x 1198 x 553	1840 x 1198 x 753
4	4	4	4	4	4	4
5	5	6	6	6	6	6
8921-055	8922-055	8924-055	8930-055	8931-055	8932-055	8934-055















+ 8921-80

+ 8922-80

+ 8924-802

+ 8930-80

+ 8931-80

+ 8932-80

+ 8934-802





Order no. 8921-553

Order no. 8931-5530

Extra-large tool cabinets with viewing windows

with doors on external door hinges (door opening angle 180°), 3 drawers with telescopic rail guide, fully extensible with approx. 50 kg load capacity/drawer, wall mounting necessary









1. Dimensions and design

Width	930	930	1200	1200
Depth	500	600	500	600
Height	1950	1950	1950	1950
Interior dimensions HxWxD	1840 x 928 x 453	1840 x 928 x 553	1840 x 1198 x 453	1840 x 1198 x 553
Shelves	4	4	4	4
Drawers	3	3	3	3
Drawer interior dimensions HxWxD	100 x 730 x 440	100 x 730 x 440	100 x 1000 x 440	100 x 1000 x 440
CSC	8	8	9	9
Order no.	8921-553	8922-553	8931-553	8932-553
Price				









1. Dimensions and design

	*	*	*	*
Width	930	930	1200	1200
Depth	500	600	500	600
Height	1950	1950	1950	1950
Interior dimensions HxWxD	1840 x 928 x 453	1840 x 928 x 553	1840 x 1198 x 453	1840 x 1198 x 553
Shelves	3	3	3	3
Drawers	3	3	3	3
Drawer interior dimensions HxWxD	100 x 730 x 440	100 x 730 x 440	100 x 1000 x 440	100 x 1000 x 440
CSC	8	8	9	9
Order no.	8921-5530	8922-5530	8931-5530	8932-5530
Price				

Extra-large tool cabinets with viewing windows





Extra-large occasional cabinets with viewing windows

with doors on external hinges (door opening angle 180°), 3 drawers with telescopic rail guide, fully extensible with approx. 50 kg load capacity/drawer, with corrugated rubber mat, wall mounting necessary





Dimensions and design

	*	•
Width	930	1200
Depth	500	500
Height	1000	1000
Interior dimensions HxWxD	855 x 928 x 453	855 x 1198 x 453
Shelves	2	2
Drawers	3	3
Drawer interior dimensions HxWxD	100 x 730 x 440	100 x 1000 x 440
CSC	3	3
Order no.	8821-5535	8831-5535
Price		
dimensions HxWxD CSC Order no.	3	3



Additional shelves









Width x depth

925 x 452

925 x 552

1195 x 452

1195 x 552

zinc-plated

Thickness 24 mm

+ Order no. + Unit price + 8921-80

+ 8922-80

+ 8931-80

+ 8932-80

Accessories

The hazardous substance cabinets offer:

- Safe storage of small containers with water-polluting substances (no acid or lye)
- Doors resting on bolt hinges
- Sturdy steel construction with high-quality enamel coating
- Doors at the top and bottom with easy-to-clean ventilation hole pattern
- Protection against consequential costs at a low price
- Legally prescribed for many sectors (e.g. agricultural businesses)
- Collection trays tested according to the German Water Resources Act (WHG)







Ergo-Lock 4.0 grip lock

Improved operating safety, wear resistance, and an attractive appearance thanks to the grip lock (3-bolt latch) in black with 2 keys – the door can be closed simply by squeezing the grip lock



Hazardous substance cabinets

with doors, with ventilation hole pattern, incl. three-bolt grip lock **Ergo-Lock 4.0**











Width	500	930	500	930
Depth	500	500	500	500
Height	1950	1950	1950	1950
Interior dimensions HxWxD	1840 x 498 x 453	1840 x 928 x 453	1840 x 498 x 453	1840 x 928 x 453
Shelves	-	-	3	3
Zinc-plated trays	4	4	-	-
Polyethylene trays	-	-	4	4
Collection volume	10 l / tray	20 l / tray	10 l / tray	20 l / tray
CSC	4	5	4	5
Order no.	8901-315	8921-315	8901-316	8921-316
Price				

Body and door color



Additional tray or polyethylene tray

Tray zinc-plated, height 50 mm

Polyethylene tray with zinc-plated shelf, tray height 50 mm










for cabinet width
Dimensions W x D
Collection volume
+ Order no.
+ Addtl. charge

500
490 x 450
10 l / tray
+ 8901-3725

930
920 x 450
20 l / tray
+ 8921-3725

500	930
490 x 450	920 x 450
10 l / tray	20 l / tray
+ 8901-3726	+ 8921-3726







Hazardous substance cabinets

Trays tested acc. to WHG



Polyethylene tray: load capacity 70 kg



Zinc-plated tray: load capacity 80 kg



Order no. 8901-315

Order no. 8721-315 + 8751-00 (corrugated rubber mat for top)

Occasional safety cabinets

with doors, with ventilation hole pattern, incl. three-bolt grip lock **Ergo-Lock 4.0**









Dimensions and design

Width	500	930	500	930
Depth	500	500	500	500
Height (incl. raised edge)	1000 (1020)	1000 (1020)	1000 (1020)	1000 (1020)
Interior dimensions HxWxD	855 x 498 x 453	855 x 928 x 453	855 x 498 x 453	855 x 928 x 453
Shelves	-	-	1	1
Zinc-plated trays	2	2	-	-
Polyethylene trays	-	-	2	2
Collection volume	10 l / tray	20 l / tray	10 l / tray	20 l / tray
CSC	2	3	2	3
Order no.	8721-315	8821-315	8721-316	8821-316
Price				



Corrugated rubber mat for top

self-adhesive

for cabinet width





500 + 8751-00



930 + 8851-00

Color recommendations without additional charge:

Body



RAL 7035 Light gray



RAL 6011 Reseda green



RAL 7035 Light gray





RAL 7035 Light gray



RAL 6011 Reseda green



RAL 1023 Traffic yellow





The open-front container cabinets offer:

- Sturdy steel construction with high-quality enamel coating
- Wide range of different dimensions and container hardware for any application
- Door mounting bracket with approx. 110° opening angle (except models on page 246/247 = 180°)
- Central door reinforcement for high stability
- Very flexible arrangement of the interior fittings thanks to adjustability in 10 mm steps (except for model 8931-501 and -502 = 15 mm steps)
- Load capacity per zinc-plated shelf: 70 kg
- Load capacity per shorter shelf: 50 kg
- Cabinet load capacity 450 kg
- Wall mounting is required for sturdy and secure positioning.
 The fastening method depends on the wall material.
 Please use screws and dowels that are suitable for the respective type of wall (not included)
- Cabinet models with open-front containers are available in 9 appealing standard colors
- Cabinets with drawer block, 3 drawers with telescopic rail guide, fully extendable, 50 kg load capacity/drawer



Extra-large cabinets with doors on external door hinges (door opening angle 180°)



Door opening angle of 180°



Shelf load capacity



Open-front containers

The open-front and shelf containers offer:

- Smooth inner surfaces and recessed grip on the rear panel designed for practical use
- Stacking lugs facilitate stacking without slippage
- The slightly roughened bottom ensures non-slip transport on conveyor belts
- The open-front containers are made of polypropylene (up to -20°C/+90°C, food-safe and oil-resistant). Available in 7 practical sizes and in the cadmium-free colors red and blue
- Can also be fitted with protective label covers, dust covers, front panels, and carrying bars as well as vertical dividers for more versatile organization





Video at: www.cp.de/ergo-lock









Ergo-Lock 4.0 grip lock

Improved operating safety, wear resistance, and an attractive appearance thanks to the grip lock (3-bolt latch) in black with 2 keys – the door can be closed simply by squeezing the grip lock



Open-front container cabinets



Open-front containers





Onon	frant	containers
Open-	tront	containers

	-								
	in bulk, inc	l. labels	•						
1.	Dimensions	Size	1	2	3	4	5	6	7
		Outside dimensions H x W x D	50 x 102 x 85	75 x 103 x 160	125 x 150 x 230	145 x 210 x 350	200x210x350	145 x 315 x 500	200 x 315 x 500
		Packaging unit	60 units	40 units	20 units	10 units	10 units	8 units	6 units
	•	Color red Order no. Price	8920-59153	8920-59253	8920-59353	8920-59453	8920-59553	8920-59653	8920-59753
		Color blue Order no. Price	8920-59155	8920-59255	8920-59355	8920-59455	8920-59555	8920-59655	8920-59755
Ð	Protective	label cover (1 packag	ing unit = 50 sh	eets)					
		+ Order no. + Addtl. charge	+ 8920-59105	+ 8920-59205	+ 8920-59305	+ 8920-59405	+ 8920-59505	+ 8920-59605	+ 8920-59705
Ð	Dust cove	r (1 packaging unit = 1	0 units)						
		+ Order no. + Addtl. charge	+ 8920-59101	+ 8920-59201	+ 8920-59301	+ 8920-59401	+ 8920-59501	+ 8920-59601	+ 8920-59701
Ð	Vertical di	viders (1 packaging ur	nit = 10 units)						
		+ Order no. + Addtl. charge	-		-	+ 8920-59402	+ 8920-59502	-	+ 8920-59702
Ð	Carrying b	oar (1 packaging unit =	10 units)						
		+ Order no. + Addtl. charge	-	-	-	-	-	+ 8920-59606	+ 8920-59706
Ð	Front pane	el (1 packaging unit = 1	10 units)						
		+ Order no. + Addtl.charge	+ 8920-59104	+ 8920-59204	+ 8920-59304	+ 8920-59404	+ 8920-59504	+ 8920-59604	+ 8920-59704



Protective label cover



Dust cover



Horizontal divider



Carrying bar



Front pane

Open-front container cabinets





Open-front container cabinets

with doors, incl. three-bolt grip lock **Ergo-Lock 4.0**, shelves adjustable in 10 mm steps














Width	700	700	700	700	700
Depth	300	300	300	300	300
Height	830	830	830	830	830
Interior dimensions HxWxD	770 x 695 x 250	770 x 695 x 250	770 x 695 x 250	770 x 695 x 250	770 x 695 x 250
Shelves	4	5	6	3	6
Open-front containers	18 x size 2 red 12 x size 2 blue	24 x size 2 red 8 x size 3 blue	42 x size 2 blue	-	-
CSC	3	3	3	3	3
Order no.	134013-23	134013-24	134013-21	134013-22	134013-20
Price					



Shelving units are cabinets without doors, shelves adjustable in 10 mm steps











Dimensions and design

Width	700	700	700	700	700
Depth	300	300	300	300	300
Height	830	830	830	830	830
Interior dimensions HxWxD	770 x 695 x 250	770 x 695 x 250	770 x 695 x 250	770 x 695 x 250	770 x 695 x 250
Shelves	4	5	6	3	6
Open-front containers	18 x size 2 red 12 x size 2 blue	24 x size 2 red 8 x size 3 blue	42 x size 2 blue	-	-
CSC	2	2	2	2	2
Order no.	134013-03	134013-04	134013-01	134013-02	134013-00
Price					

2. Body and door color

Available in the following colors. Please select

Light gray	Black gray
RAL 7035	RAL 7021

Light blue
RAL 5012

Reseda green	
RAL 6011	



Fire red	
RAL 3000	





Water blue White aluminum RAL 9006





Open-front container cabinets

with three-bolt grip lock Ergo-Lock 4.0, shelves adjustable in 10 mm steps, wall mounting necessary











1	Dimensions	and
	design	

	V	4	4		4
Width	700	700	700	700	700
Depth	300	300	300	300	300
Height	1690	1690	1690	1690	1690
Interior dimensions HxWxD	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250
Shelves	9	9	9	11	13
Open-front containers	20 x size 3 red 20 x size 3 blue	12 x size 3 red 28 x size 3 blue	45 x size 1 red 45 x size 1 blue 24 x size 2 red 24 x size 2 blue	36 x size 2 red 24 x size 3 blue	18 x size 2 red 20 x size 3 blue 18 x size 1 red 18 x size 1 blue
CSC	5	5	5	5	5
Order no. Price	133413-22	133413-28	133413-24	133413-23	133413-27

Occasional cabinets with open-front containers

with doors, incl. three-bolt grip lock **Ergo-Lock 4.0**, shelves adjustable in 10 mm steps











1. Dimensions and design

Width	1000	1000	1000	1000	1000
Depth	420	420	420	420	420
Height	1000	1000	1000	1000	1000
Interior dimensions HxWxD	890 x 995 x 370	890 x 995 x 370	890 x 995 x 370	890 x 995 x 370	890 x 995 x 370
Shelves	4	4	2	6	6
Open-front containers	18 x size 3 red 12 x size 3 blue	12 x size 3 red 12 x size 4 blue	-	36 x size 2 red 27 x size 2 blue	45 x size 2 red 12 x size 3 blue
CSC	4	4	4	4	4
Order no.	133944-22	133944-23	133944-21	133944-24	133944-25



Available in the following colors. Please select Light gray RAL 7035

Black gray RAL 7021

Light blue RAL 5012

Reseda green RAL 6011

Gentian blue RAL 5010

RAL 3000

Fire red

Ruby red RAL 3003 Water blue RAL 5021

White aluminum RAL 9006

- Accessories

Open-front container cabinets



Open-front container sizes (H x W x D):

50 x 102 x 85 mm

75 x 103 x 160 mm

3: 125 x 150 x 230 mm

4: 145 x 210 x 350 mm

5: 200 x 210 x 350 mm

6: 145 x 315 x 500 mm

7: 200 x 315 x 500 mm

Order no. 133944-22



133413-25







300

1690

700	70
300	30
1690	169
1620 x 695 x 250	1620 x 69
14	1!
42 x size 2 red	48 x siz
48 x size 2 blue	48 x size

700	
300	
1690	
1620 x 695 x 250	-
15	
48 x size 2 red	
18 v cizo 2 hluo	

700	
300	
1690	
1620 x 695 x 250	16
17	
30 x size 1 red	
30 x size 1 blue	
24 v cizo 2 rod	

		24 x size 2 re 24 x size 2 bl
5	5	5

133413-29



5	5
133413-210	133413-20



The **Ergo-Lock 4.0** grip lock (three-bolt latch) in an appealing ergonomic design

Corrugated rubber mat for top

for occasional cabinets and shelves, self-adhesive







+ Unit price

700 x 300 + 134013-701

1000 x 420 + 133944-701

Additional shelves

zinc-plated





1000

for cabinet width

Thickness in mm + Order no. + Unit price

+ 130013-81

25 + 130044-81





Open-front container sizes (H x W x D):

50 x 102 x 85 mm

75 x 103 x 160 mm

3: 125 x 150 x 230 mm

4: 145 x 210 x 350 mm

5: 200 x 210 x 350 mm

6: 145 x 315 x 500 mm

7: 200 x 315 x 500 mm

Order no. 133413-010

Open-front container shelving

Shelving units are cabinets without doors, helves adjustable in 10 mm steps, wall mounting necessary









Dimensions and \ design

Width	700	700	700	700
Depth	300	300	300	300
Height	1690	1690	1690	1690
Interior dimensions HxWxD	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250
Shelves	9	9	9	11
Open-front containers	20 x size 3 red 20 x size 3 blue	12 x size 3 red 28 x size 3 blue	45 x size 1 red 45 x size 1 blue 24 x size 2 red 24 x size 2 blue	36 x size 2 red 24 x size 3 blue
CSC	4	4	4	4
Order no.	133413-02	133413-08	133413-04	133413-03
Price				

Occasional shelving with open-front containers

Shelving units are cabinets without doors, shelves adjustable in 10 mm steps











Dimensions and design

Width	1000	1000	1000	1000	1000
Depth	420	420	420	420	420
Height	1000	1000	1000	1000	1000
Interior dimensions HxWxD	890 x 995 x 370	890 x 995 x 370	890 x 995 x 370	890 x 995 x 370	890 x 995 x 370
Shelves	4	4	2	6	6
Open-front containers	18 x size 3 red 12 x size 3 blue	12 x size 3 red 12 x size 4 blue	-	36 x size 2 red 27 x size 2 blue	45 x size 2 red 12 x size 3 blue
CSC	3	3	3	3	3
Order no.	133944-02	133944-03	133944-01	133944-04	133944-05
Price					

Accessories

Open-front container shelving





Order no. 133944-02













700	700	700	700	700
300	300	300	300	300
1690	1690	1690	1690	1690
1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250
13	14	15	17	6
18 x size 2 red 20 x size 3 blue 18 x size 1 red 18 x size 1 blue	42 x size 2 red 48 x size 2 blue	48 x size 2 red 48 x size 2 blue	30 x size 1 red 30 x size 1 blue 24 x size 2 red 24 x size 2 blue	-
4	4	4	4	4
133413-07	133413-05	133413-09	133413-010	133413-00











Order no. 133113-23

Open-front container cabinets

hinged doors incl. three-bolt grip lock **Ergo-Lock 4.0**, shelves adjustable in 10 mm steps, wall mounting necessary











1	Dimensions	and
	design	


Width	700	700	700	700	1000
Depth	300	300	300	300	420
Height	1980	1980	1980	1980	1980
Interior dimensions HxWxD	1910 x 695 x 250	1910 x 695 x 250	1910 x 695 x 250	1910 x 695 x 250	1870 x 995 x 370
Shelves	11	15	18	9	6
Open-front containers	24 x size 3 red 24 x size 3 blue	60 x size 2 red 24 x size 3 blue	60 x size 2 red 54 x size 2 blue	-	16 x size 5 red 12 x size 5 blue
CSC	5	5	5	5	5
Order no.	133113-21	133113-22	133113-23	133113-20	133144-22













1	Dimensions	and
	design	

Width	700	700	700	700	1000
Depth	300	300	300	300	420
Height	1980	1980	1980	1980	1980
Interior dimensions HxWxD	1910 x 695 x 250	1910 x 695 x 250	1910 x 695 x 250	1910 x 695 x 250	1870 x 995 x 370
Shelves	11	15	18	9	6
Open-front containers	24 x size 3 red 24 x size 3 blue	60 x size 2 red 24 x size 3 blue	60 x size 2 red 54 x size 2 blue	-	16 x size 5 red 12 x size 5 blue
CSC	4	4	4	4	4
Order no.	133113-01	133113-02	133113-03	133113-00	133144-02
Price					

2.	Body and door color
	Available in the followi

Available in the following colors.	
Please select	
(see end of catalog)487	

Light gray
RAL 7035

Black gray
RAL 7021

Light blue	
RAL 5012	

Reseda green	Gentian I
RAL 6011	RAL 50



Cabinets and shelving with open-front containers

Open-front container sizes (H x W x D):

50 x 102 x 85 mm

75 x 103 x 160 mm

125 x 150 x 230 mm

145 x 210 x 350 mm 200 x 210 x 350 mm

145 x 315 x 500 mm

200 x 315 x 500 mm

Shelf container sizes (outside dimensions H x W x D):

RK 3109: 90 x 117 x 300 mm

RK 3209: 90 x 234 x 300 mm

RK 3214: 140 x 234 x 300 mm







1000

420



420



1000






1000

420


1980




1000	
420	
1980	
1870 x 995 x 370	1
8	
24 x size 4 red 12 x size 5 blue	



1980	1980
870 x 995 x 370	1870 x 995 x 370
8	9
30 x size 3 red 16 x size 5 blue	20 x size 4 red 20 x size 4 blue



420 1980 1870 x 995 x 370 11 48 x RK 3109 blue 12 x size 4 red 12 x size 4 blue



133144-23

5 133144-25

5 133144-24

5 133144-27


133144-29

133144-28

5 133144-20







420

1980









1000

420

1980



1000
420
1980
1870 x 995 x 370
8
24 x size 4 red 12 x size 5 blue

24 x size 4 red 12 x size 5 blue

133144-03

4
133144-05



870 x 995 x 370	1870 x 995 x 370
8	9
30 x size 3 red 16 x size 5 blue	20 x size 4 red 20 x size 4 blue



420
1980
1870 x 995 x 370
9
30 x size 3 red

20 x size 4 blue

133144-07

420
1980
1870 x 995 x 370
11
18 x RK 3109 blue 12 x size 4 red 12 x size 4 blue

4 133144-09

1000
420
1980
1870 x 995 x 370

.500
1870 x 995 x 370
12
10 x RK 3109 blue

133144-08

870 x 995 x 370	1870 x 995 x 370
12	4
0 x RK 3109 blue 5 x RK 3209 blue 5 x RK 3214 blue	-

-	
4	

133144-00









White aluminum
RAL 9006



Additional shelves.....

Extra-large cabinets

hinged doors on external hinges, opening angle of 180°, incl. three-bolt grip lock **Ergo-Lock 4.0**, shelves adjustable in 10 mm steps, with model 8931-502 in 15 mm steps, wall mounting required









Dimensions and design

Width	1100	1100	1100	1100
Depth	535	535	535	535
Height	1950	1950	1950	1950
Shelves	9	9	11	11
Shorter shelves	7	5	8	11
Mounting rails	5 per door	7 per door	10 per door	10 per door
Open-front containers	40 x size 2 blue 28 x size 3 red 15 x size 4 blue 9 x size 7 red	56 x size 2 red 35 x size 3 blue 6 x size 6 red 9 x size 7 blue	40 x size 1 red 80 x size 2 blue 28 x size 3 red 20 x size 4 blue	40 x size 1 red 90 x size 2 blue 28 x size 3 red 15 x size 4 blue
CSC Order no. Price	6 130276-65	6 130276-66	6 130276-61	6 130276-62

Extra-large cabinets with drawers

hinged doors on external hinges, opening angle of 180°, incl. three-bolt grip lock **Ergo-Lock 4.0**, load capacity of 50 kg per drawer, shelves adjustable in 10 mm steps, with model 8931-501 in 15 mm steps, wall mounting required









Dimensions and design

	~	*	•	Ψ
Width	1100	1100	1100	1100
Depth	535	535	535	535
Height	1950	1950	1950	1950
Shelves	7	7	9	9
Shorter shelves	6	4	8	6
Mounting rails	5 per door	7 per door	10 per door	10 per door
Open-front containers	40 x size 2 blue 28 x size 3 red 15 x size 4 blue	56 x size 2 red 35 x size 3 blue 6 x size 6 red	40 x size 1 red 70 x size 2 blue 21 x size 3 red 15 x size 4 blue	40 x size 1 red 70 x size 2 blue 21 x size 3 red 5 x size 4 blue 6 x size 6 red
Drawers	3	3	3	3
CSC	9	9	9	9
Order no.	130276-67	130276-68	130276-63	130276-64
Price				



2. Body and door color

Available in the following colors. Please select

Light gray	
RAL 7035	

Black gray	
RAL 7021	

Gentian blue

RAL 5010

Light blue	Reseda
RAL 5012	RAL (

Fire red

RAL 3000

a green 6011

Ruby red

RAL 3003

the second
THE RESERVE OF THE PERSON OF T
The same of the sa
THE RESERVE TO SECURE
The second secon

Water blue White aluminum RAL 5021 RAL 9006

Additional drawer tidies229

Extra-large cabinets with open-front containers





1100	
535	
1950	
4	
-	
-	

1200 500 1950 9 7 10 per door each 40 x size 1 red/blue 21 x size 3 blue

6

130276-613

28 x size 3 red 10 x size 4 blue 5 x size 4 red

9 8931-502



Order no. 8931-502



	•
1.	1200
	500
	1950
	10
	9

10 per door each 40 x size 1 red/blue 44 x size 2 red 44 x size 2 blue 7 x size 3 red 5 x size 4 blue


> 9 8931-501



Order no. 130276-64

Plastic boxes for small parts, 63 mm high

Drawer tidies





1100



for cabinet width	
for cabinet depth	
Boxes	

535
8x 162 x 108 mm
8x 108 x 108 mm
16x 54 x 54 mm
20x 108 x 54 mm
+ 130076-5713

1200
500
8x 162 x 108 mm 8x 108 x 108 mm 16x 54 x 54 mm 24x 108 x 54 mm
+ 8931-5713

+ Order no. + Unit price





Space-saving and good for heavy loads


for tools and accessories





The practical

- Sturdy steel construction with high-quality enamel coating
- Zinc-plated shelves
- Ergonomic bow-shaped handles made of metal for easy operation
- Push and turn cylinder lock with 2 keys
- in special rail guide
- occasional cabinets



Sliding-door cabinets

for heavy-duty purposes

with viewing windows





loads of up to **700 kg**


The heavy-duty tool and equipment cabinets for heavy-duty purposes......256

- Sturdy steel construction with high-quality enamel coating
- Zinc-plated shelves
- Complete product line (different dimension variants and interior fittings for every requirement)
- Ergonomic bow-shaped handles made of metal for
- Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- Sliding doors with special casters run in special rail guide



Sliding doors with a view258

- Sturdy steel construction with high-quality enamel coating
- Zinc-plated shelves
- Ergonomic bow-shaped handles made of metal for easy operation
- Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- Sliding doors with special casters run in special rail guide
- Steel doors with viewing windows made of acrylic glass for a direct view



Sliding-door cabinets

The tool cabinets with sliding doors offer:

- Sturdy steel construction with high-quality enamel coating
- Wide range of different dimensions for every application
- Smooth running sliding doors run with special ball bearing rollers in special rail guide
- Ergonomic bow-shaped handles made of metal for easy operation
- Push and turn cylinder lock with 2 keys, exchangeable cylinder
- Very flexible arrangement of the interior fittings thanks to adjustability in 15 mm steps
- High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg)



Sliding-doors running



Shelf load capacity 70 - 110 kg



Zinc-plated shelves



Order no. 2159-00

Tool cabinets with sliding doors

with push and turn cylinder lock









Width	1200	1200	1200
Depth	400	500	600
Height	1950	1950	1950
Interior dimensions HxWxD	1840 x 1197 x 328	1840 x 1197 x 428	1840 x 1197 x 528
Shelves	4	4	4
Center partition	-	-	
CSC	6	6	6
Order no.	2049-00	2059-00	2069-00
Price			





1196 x 327





1196 x 427



1196 x 527

Width x depth

Thickness 24 mm + Order no. + Unit price

+ 2049-80

+ 2059-80

+ 2069-80

zinc-plated Body and door color









1.	1600
	400
	1950
	1840 x 797 x 328*
	8
	1

7 2149-00

1600	
500	
1950	
1840 x 797 x 428*	
8	
1	
7	
2159-00	

1000
600
1950
1840 x 797 x 528*
8
1
7
2169-00

* Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)



796 x 327



796 x 427



796 x 527

+ 2149-80

+ 2159-80

+ 2169-80



Reinforced shelf

Load capacity per shelf

+ Order no.

+ Addtl. charge

1 reinforcement: approx. 90 kg

2 reinforcements: approx. 110 kg +-801

+-802







Top cabinets with sliding doors

with push and turn cylinder lock



1 Dimensions and design







Width	1200	1200	1200
Depth	400	500	400
Height	500	500	790
Interior dimensions HxWxD	450 x 1197 x 328	450 x 1197 x 428	740 x 1197 x 328
Shelves	-	-	1
Center partition	-	-	-
CSC	4	4	5
Order no.	2044-00	2054-00	2045-09
Price			

Wall mounting

Customer must provide wall mounting for top cabinets



Body and door color



made of MCPB, for use as occa





asional	cabinet	

for cabinet width	1200
Depth	400

1200	
F00	

1200	
400	

MCPB

Thickness 25 mm
+ Order no.
+ Unit price




+ 2017-000

+ 2016-000


Top cabinets with sliding doors



Order no. 2145-09



^{*} Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)



Please select (see end of catalog for color overview).....

Top decor



Occasional cabinets with sliding doors

with push and turn cylinder lock, incl. corrugated rubber mat for top







1. Dimensions and design

Width	1200	1200	1200
Depth	400	500	600
Height	1000	1000	1000
Interior dimensions HxWxD	855 x 1197 x 328	855 x 1197 x 428	855 x 1197 x 528
Shelves	1	1	1
CSC	5	5	5
Order no.	2046-09	2056-09	2066-09
Price			








Dimensions and \(\) design

Width	1600	1600	1600
Depth	400	500	600
Height	1000	1000	1000
Interior dimensions HxWxD	855 x 797 x 328*	855 x 797 x 428*	855 x 797 x 528*
Shelves	2	2	2
Center partition	1	1	1
CSC	6	6	6
Order no.	2146-09	2156-09	2166-09
Price			





Body and door color

zinc-plated

Occasional cabinets with sliding doors



Order no. 2146-09







1200
400
1200
1055 x 1197 x 328
2
5
2047-09

1200	
500	
1200	
1055 x 1197 x 428	
2	
5	

2057-09


1200		
600		
1200		
1055 x 1197 x 528		
2		
5		
2067-09		





1600





2147-09

500 600 1200 1200 1055 x 797 x 428* 1055 x 797 x 528* 4 4 6 6 2157-09 2167-09



Order no. 2047-09 + Order no. 2016-000 (top)

* Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)

Tops

made of MCPB, with corrugated rubber mat instead of steel top section

1200

1200



600







600

МСРВ	

Thickness 25	mm
+ Order no.	

+ Addtl. charge

for cabinet width

Depth

+ 2016-000

400

+ 2017-000

500

+ 2020-000

+ 2018-000

400

+ 2019-000

500

+ 2021-000

Top decor

The cabinets for heavy-duty purposes offer:

- Sturdy steel construction with high-quality enamel coating
- Different dimension variants (2 widths, 3 heights)
- Smooth running sliding doors run with special ball bearing rollers in special rail guide
- Ergonomic bow-shaped handles made of metal for easy operation
- Push and turn cylinder lock with 2 keys, exchangeable cylinder
- Very flexible arrangement of the interior fittings thanks to adjustability in 15 mm steps
- High load capacity of each zinc-plated shelf: 110 kg
- Bay load: 700 kg





loads of up to **700 kg**









Bow-shaped handles



Bay load 700 kg



Shelf load capacity 110 kg



Zinc-plated shelves

Heavy-duty tool cabinets with sliding doors

with push and turn cylinder lock





Order no. 2059-002



Width	1200	1600	
Depth	500	500	
Height	1950 1950		
Interior dimensions HxWxD	1840 x 1197 x 428 1840 x 797 x 42		
Shelves	4	8	
Center partition	-	1	
CSC	6 7		
Order no. 2059-002		2159-002	
Price			

^{*} Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)

Additional shelves



	рерип	427	427
	Thickness 24 mm		
	+ Order no.	+ 2059-802	+ 2159-802
zinc-plated	+ Unit price		



Width

Sliding-door cabinets for heavy-duty purposes

Heavy-duty occasional cabinets with sliding doors

with push and turn cylinder lock, incl. corrugated rubber mat for top









1	Dimensions	and
	desian	

Width	1200	1200	1600	1600
Depth	500	500	500	500
Height	1000	1200	1000	1200
Interior dimensions HxWxD	855 x 1197 x 428	1055 x 1197 x 428	855 x 797 x 428*	1055 x 797 x 428*
Shelves	1	2	2	4
Center partition	-	-	1	1
CSC	5	5	5	5
Order no.	2056-092	2057-092	2156-092	2157-092
Price				

^{*} Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)



made of MCPB, with corrugated rubber mat instead of steel top section





for cabinet width	
Depth	

1200 1600 500



Thickness 25 mm + Order no. + Addtl.charge

+ 2017-000

+ 2019-000









loads of up to **700 kg**







The sliding-door cabinets with viewing windows offer:

- Sturdy steel construction with high-quality enamel coating
- Different dimension variants (3 heights, 3 depths)
- Smooth running sliding doors run with special ball bearing rollers in special rail guide
- Ergonomic bow-shaped handles made of metal for easy operation
- Push and turn cylinder lock with 2 keys, exchangeable cylinder

- Very flexible arrangement of the interior fittings thanks to adjustability in 15 mm steps
- Steel doors with viewing window made of acrylic glass (3 mm thick) for a direct view











Bow-shaped handles



Shelf load capacity 70-110 kg



Zinc-plated shelves



The sliding doors rest on smooth running casters

Tool cabinets with viewing windows

in sliding doors, with push and turn cylinder lock









Width	1200	1200	1200
Depth	400	500	600
Height	1950	1950	1950
Interior dimensions HxWxD	1840 x 1197 x 328	1840 x 1197 x 428	1840 x 1197 x 528
Shelves	4	4	4
Center partition	-	-	-
CSC	6	6	6
Order no.	2049-055	2059-055	2069-055
Price			



zinc-plated





Width x depth 1196 x 327 1196 x 527 Thickness 24 mm + Order no. + 2049-80 + 2059-80 + 2069-80



+ Unit price

Sliding-door cabinets with viewing windows





Cabinets that save money

Finding instead of searching = saves time and money!

- Ingeniously simple: The direct view of the cabinet's contents makes tedious searches and elaborate labeling unnecessary. Cabinets with viewing windows also tend to be kept in better order.
- C+P cabinets with viewing windows pay for themselves after just a short period of time - and then they even make you money by saving time and costs!
- They are also perfectly suited for the implementation of modern simplification and improvement concepts such as KAIZEN or CPI.





500 1950 1840 x 797 x 428*



•	1600
	400
	1950
	1840 x 797 x 328*
	8
	1
	7

7	7
2149-055	2159-055

1600	
600	
1950	
1840 x 797 x 528*	
8	
1	
-	

2169-055

* Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)



796 x 327



+ 2149-80

+ 2159-80

+ 2169-80



Reinforced shelf

Load capacity per shelf + Order no. + Addtl. charge

1 reinforcement: approx. 90 kg +-801

2 reinforcements: approx. 110 kg

+-802





Occasional cabinets with viewing windows

in sliding doors, with push and turn cylinder lock, incl. corrugated rubber mat for top







Dimensions and design

Width	1200		
Depth	400		
Height	1000		
Interior dimensions HxWxD	855 x 1197 x 328		
Shelves	1		
CSC	5		
Order no.	2046-055		
Price			

*
1200
500
1000
855 x 1197 x 428
1
5
2056-055

1200	
600	
1000	
855 x 1197 x 528	
1	
5	
2066-055	







Dimensions and design

Width	1600	1600	1600	
Depth	400	500	600	
Height	1000	1000	1000	
Interior dimensions HxWxD	855 x 797 x 328*	855 x 797 x 428*	855 x 797 x 528*	
Shelves	2	2	2	
Center partition	1	1	1	
CSC	6	6	6	
Order no.	2146-055	2156-055	2166-055	
Price				



for cabinet width	1200	1200	1200	1600	1600	1600
Depth	400	500	600	400	500	600



Thickness 24 mm
+ Order no.
+ Unit price

+ 2049-80

+ 2059-80

+ 2069-80

+ 2149-80

+ 2159-80

+ 2169-80

2. Body and door color

Occasional cabinets with viewing windows



Cabinets that save money

Finding instead of searching = saves time and money!

- Ingeniously simple: The direct view of the cabinet's contents makes tedious searches and elaborate labeling unnecessary. Cabinets with viewing windows also tend to be kept in better order.
- C+P cabinets with viewing windows pay for themselves after just a short period of time - and then they even make you money by saving time
- They are also perfectly suited for the implementation of modern simplification and improvement concepts such as KAIZEN or CPI.









	·
1.	1200
	400
	1200
	1055 x 1197 x 328
	2
	5

500 1200 1055 x 1197 x 428 2057-055

600 1200 1055 x 1197 x 528 5 2067-055



2047-055



1600



1600
400
1200
1055 x 797 x 328*
4
1

2147-055

500 1200 1055 x 797 x 428* 4 6 2157-055

	1600
	600
	1200
_	1055 x 797 x 528*
_	4
_	1
_	6
	2167-055

^{*} Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)

Tops

made of MCPB, with corrugated rubber mat instead of steel top section

1200







400





1	-
-	Section 1
MCPB	

Thickness 25 mm

for cabinet width

Depth

+ 2016-000

600

+ Order no.

+ Addtl. charge

+ 2017-000

+ 2020-000

+ 2018-000

+ 2019-000

+ 2021-000

Top decor

Versatility at its best.

Workbenches 45 series

Compact workbenches 87 series



The flexible modular system264

- Sturdy steel construction as a flexible modular system with high-quality enamel coating
- 40 mm thick multiplex worktop
- Drawer handles with plastic labeling plate
- Shelf load capacity: 40 kg
- Central locking system
- Supplied dismantled for easy DIY assembly with predrilled plates

The extra sturdy workbenches for heavy-duty purposes......268

- Sturdy steel construction as a robust cabinet workbench with high-quality enamel coating
- 40 mm thick multiplex worktop
- Drawers with full-width horizontal handle bar that can be labeled
- Shelf load capacity: 75 kg
- Central locking system with secure locking of individual drawers for optimum tilt resistance
- Functional drawer interiors
- Also available with casters for a mobile model

	productine productive	Modulatasistem	Confrontenci	supjed anted	Miliplettop	Heidly glistable	of and load trail	Haugh per page of the page of	>
					40			ABC	
Workbenches 45 series	•	•		•	•		40		
Compact workbenches 87 series	•		•		•	800-1050	75	•	
Cabinet system 87 series	-	-	-	-	-	-	75-200	•	
Workshop trolley Basic	-	-	-	-	-	-	35	•	
Perforated plate systems	•	_	-	-	-	-	-	-	

Workbenches, pedestals, and occasional furniture

Cabinet system 87 series

Workshop trolley Perforated Basic

plate systems



The heavy-duty pros with drawers272

- Drawer cabinets, workshop trolleys, computer cabinets
- Sturdy steel construction with high-quality enamel coating
- Full-width horizontal handle bar, can be labeled
- Shelf load capacity: 75-200 kg
- Central locking system with secure locking of individual drawers for optimum tilt resistance
- Functional drawer interiors



The lightweight mobile helpers280

- Steel housing with 50 mm hanging rails, ergonomic handles
- Plastic top with compartments for small parts, resistant to chemicals and oil
- Central locking via cylinder lock
- Handle bars that are flush with the housing and can be labeled
- Individual anti-tilt mechanism (tilt resistance)
- Drawers guided on steel ball bearings
- Shelf load capacity: 35 kg



The ready-to-hand system for the wall......282

- Perforated plates made of steel with reinforcement profiles
- Seven different colors to choose from
- Silver-colored mounting elements with fastening screws
- Four different hook packs as value sets





■ Drawers on ball-bearing rails (3/4 extensible), load capacity 40 kg respectively

■ Double-walled drawer fronts

The workbenches offer:

- Sturdy steel construction with high-quality enamel coating
- Durable workbench multiplex tops 40 mm thick , joint-free surface made of beech veneer (multi-layer cross-banded and glued according to DIN 68705), untreated, with varnish on request
- Workbench feet made of 50 x 30 mm rectangular tube with crossbars
- Supplied dismantled for easy DIY assembly with plates predrilled at the factory
- Level adjustment from 835 to 855 mm
- Drawer units and utensil compartment centrally lockable through cylinder lock with 2 keys
- Drawer handles with plastic labeling plate









Supplied dismantled




Drawer load capacity 40 kg

Workbenches

Drawer interior dimensions: approx. 58/88/148 (2/3/5 HU, panel height) x 435 x 540 mm






Depth 835-855 Height Description without underbench solutions

2



700





1000	1500	2000		
	700			
835-855				
١	with utensi			
C	ompartmer	nt		



CSC Order no Price

Width

Depth

Height Description

2 4501-01 4502-01 4503-01 4501-14 4502-14 4503-14 4501-11 4502-11 4503-11

2 4 4

3



1000 1500 2000 700 835-855

with drawer block 8 HU, with 1 drawer each 3 + 5 HU



1000 1500 2000 700 835-855

with drawer block 8 HU, with 1 drawer each 3 + 5HU, utensil compartment on the right in addition (can also be mounted on left)



1500

700

1000

835-855 with 1 utensil compartment each on left and right, 1 drawer block 8 HE in between with 4 drawers 2 HU



CSC Order no.

Price

4501-02 4502-02 4503-02

5 5 4502-03 4503-03

6 6 4502-05 4503-05

Body and front color













1000	1300	2000
	700	
	835-855	

with 2 drawer blocks 8 HU, with 1 drawer each 3 + 5 HU

1000 1500 2000 1000 1500 2000 1000

835-855
with one drawer block
8 HE on the left and on
the right respectively,
4 drawers 2 HU
per block

700

1500 2000 700 835

with foot and upright cabinet with 1 drawer, 1 compartment with hinged door (both lockable separately) below it, 1 adjustable shelf inside

1000 1500 2000 700 835

with upright drawer cabinet 23 HU on one side, drawer configuration 1x2/2x3/3x5 HU

-	6	6
-	4502-12	4503-12

6 6 4502-04 4503-04 6

6 6 4501-10 4502-10 4503-10

6 6 6 4501-07 4502-07 4503-07



	Ш	
1000	1500	2000
	700	
	025	

with upright drawer cabinet 23 HU on one side, drawer configuration 2x2/3x3/2x5 HU

6

4502-06 4503-06

6

1000	1500	2000
	700	
	835	

1 upright drawer block 23 HU, drawer configuration 1x2/2x3/3x5 HU, 1 upright cabinet with 1 drawer on the right, 1 compartment with hinged door (both lockable separately) below it, 1 adjustable shelf inside

10

10

4502-13 4503-13



1000	1500	2000
	700	
	835	

with 1 upright drawer cabinet 23 HU on the left and on the right, drawer configuration 2x2/3x3/2x5 HU

10

4502-09 4503-09



Order no. 4502-10

6

4501-06



Storage shelf

for workbenches without upright cabinets 23 HU

made of sheet steel, for mounting on the workbench leg crossbeam or on upright drawer cabinet 23 HU

for workbench width	1000	1500	2000
Width	934	1434	1934
Depth	537	537	537
Depth Height	30	30	30
CSC	1	1	1
Order no.	4570-081	4570-082	4570-083
Price			



for workbenches with 1 upright cabinet 23 HU

for workbench width	1000	1500	2000
Width	447	947	1447
Depth	537	537	537
Depth Height	30	30	30
CSC	1	1	1
Order no.	4570-084	4570-085	4570-087
Price			



for workbenches with 2 upright cabinets

for workbench width	1000	1500	2000
Width	-	460	960
Depth	-	537	537
Depth Height	-	30	30
CSC	-	1	1
Order no.	-	4570-086	4570-088
Price			



Rear raised edge

made of beech veneer top, generally not varnished, additional charge per workbench

Width	1000	1500	2000
Depth	12	12	12
Height	140	140	140
Order no.	4570-111	4570-112	4570-113
+ Addtl. charge			



Plastic boxes for small parts, approx. 63 mm high







Holder for perforated plates

for fastening perforated plates on the workbench, pairs required, see page 282/283

per pair	for 1 perforated plate	for 2 perforated plates on top of one another	
Order no.	4570-091	4570-092	



from 3 HU 4x 162 x 108 mm 8x 108 x 108 mm 8x 108 x 54 mm 8x 54 x 54 mm

Order no.	
Unit price	

4570-12

Foam rubber mat

to be inserted into the drawer



Price

435
4570-13

Single/ spare key

per unit



Connector parts

for connecting two workbenches to one another



surface, particularly suitable for schools, workshops for the disabled, etc. Addtl. charge for all workbenches

Varnished worktop smoother and more durable

Design	varnished
Order no.	4500-01
+ Addtl. charge	



0006-00 Order no. Unit price

HU = height units


Order no. Unit price 4570-14



87 series

The compact workbenches from the 87 series offer:

- Durable beech wood top, multiplex, 40 mm, multi-layer glued, upper edges beveled, sanded and surface-treated on all sides
- Sturdy workbench frame made of 40 x 40 mm square steel profile, max. bay load 1000 kg, self-supporting with height compensation
- Compact workbenches are delivered preassembled
- Central locking system with 2 keys



- High load capacity of each pull-out: 75 kg
- Very flexible due to option of retrofitting drawers, hinged doors or shelves
- Full-width horizontal handle bar, can be labeled across the entire surface
- 2 appealing color combinations available (black gray/light gray and black gray/gentian blue)
- Functional interior fittings
- All drawers fully extensible

Price









can be labeled

Handle bar that Optionally height adjustable







Compact workbenches

Worktop 40 mm multiplex, beech veneer surface





Width	1500
Depth	700
Height	845
Description	2 drawers 150 mm high and 1 drawer 200 mm high on the left, 1 drawer 150 mm high and

Order no.	8798-40	



1 door 350 mm high on the right

Dimensions and design

	•
Width	2000
Depth	700
Height	845
Description	2 drawers 150 mm high and

1 drawer 200 mm high on the left, 1 empty compartment in the center, 1 door 500 mm high on the right

Order no.	8798-43
Price	

Compact workbenches





1500 700 845

1 drawer 150 mm high and 1 door 350 mm high on the left, 1 door 500 mm high on the right



700 845

2 drawers 150 mm high and 1 drawer 200 mm high on the left, 1 door 500 mm high on the right



8798-41

8798-42



2000700
845

1 drawer 150 mm high and 1 door 350 mm high on the left, 1 drawer 150 mm high and 1 door 350 mm high in the center, 1 door 500 mm high on the right

		_
- ']		ı

2000 700 845

2 drawers 150 mm high and 1 drawer 200 mm high on the left, 1 door 500 mm high in the center, 1 door 500 mm high on the right

	-

2000700
845

2 drawers 150 mm high and 1 drawer 200 mm high on the left, 1 drawer 150 mm high and 1 door 350 mm high in the center, 1 door 500 mm high on the right

8798-44 8798-45 8798-46



Please choose:

Body

Black gray RAL 7021

Fronts/doors

Light gray RAL 7035

Body

Black gray RAL 7021

Fronts/doors

Gentian blue RAL 5010

The mobile compact workbenches from the 87 series offer:

- See page 268 for general description
- Secure locking of individual drawers for optimum tilt resistance and safety catch







Drawer load capacity

Handle bar that Mobile can be labeled







Mobile compact workbench

Worktop 40 mm multiplex, rear panel 12 mm multiplex, 140 mm high





1000 700 870

1 drawer 150 mm high and 1 door 350 mm high on the left, 1 door 600 mm high without vice on the right, 4 polypropylene casters Ø 100 mm, with fold-out swivel lever for mobility

Order no. Price 8798-71



Vice with flap lift

> for compact workbench order no. 8798-71

+ Order no. + Addtl. charge + 8798-766



1. Dimensions and design

	•
Width	1500
Depth	700
Height	870
Description	2 drawers 75 mm high,

2 drawers 100 mm high, and 1 drawer 150 mm high on the left, 1 drawer 150 mm high and 1 door 350 mm high on the right, 4 polypropylene casters Ø 100 mm, with fold-out swivel lever for mobility

Order no. **8798-72** Price

2. Body and front/ door color combination

Please choose:

Body

Black gray RAL 7021

Fronts/doors

Light gray RAL 7035

Body

Black gray RAL 7021

Fronts/doors

Gentian blue RAL 5010

Ordering steps:

1. Dimensions and design

2. Body / door color combination

Accessories for compact workbenches 87 series




Horizontal partitions

Packaging unit: 10 units	for drawer height 150 mm				
Width	100	150	200	250	300
Order no. Price	8798-7501	8798-7511	8798-7521	8798-7531	8798-7541
		for d	Irawer height 200) mm	
Width	100	150	200	250	300
Order no. Price	8798-7551	8798-7561	8798-7571	8798-7581	8798-7591



Vertical partitions

Packaging unit: 10 units	for drawer height 150 mm	for drawer height 200 mm
Width	500	500
Depth	600	600
Order no.	8798-7601	8798-7611
Price		



Labels

Packaging unit: 10 units

Width	30	50
Order no.	8798-7621	8798-7631
Price		



Foam rubber inlay

5 mm thick

Order Price

Order no.	8798-764
Depth	600
Width	500

Height adjustment

for compact workbenches from 50 to 250 mm in 50 mm steps, 1500 and 2000 mm widths, 1 set (4 legs)

Order no.	8798-770
Price	



Anti-slip mat

Longer delivery time possible

2 mm thick

Width

Depth

Price

Order no.

for drawer height 150 and 200 mm 500 600 8798-765

for drawer height 150 and 200 mm



87 series

The drawer cabinets from the 87 series offer:

- Sturdy steel construction with high-quality enamel coating
- Different designs for a wide variety of applications
- Central locking system with 2 keys
- Optimum tilt resistance thanks to secure locking of individual drawers
- Drawer slides with heavy-duty rails for tough operational requirements
- High load capacity of each pull-out: 75 kg for full extension 200 kg for full extension on request
- Full-width horizontal handle bar, can be labeled across the entire surface
- 2 appealing color combinations available (black gray/light gray and black gray/ gentian blue)
- Functional interior fittings



Order no. 8798-01



Drawer load capacity



Handle bar that can be labeled



Double anti-tilt mechanism



Handle bar that can be labeled

Appliance cabinet

Central locking with secure locking of individual drawers, load capacity per drawer 75 kg





Width Depth Height Drawer interior dimensions W x D

2 drawers: 2 x 100 mm high FE, 2 pull-out shelves FE, hinged doors 670 mm high,

Order no. Price

140 1.1

Description

raised edge with grooved rubber 8798-00

695 1000

700 x 600



Drawer cabinets

Central locking with secure locking of individual drawers, load capacity per drawer 75 kg












1	Dimensions and
	description

Width	805	805	805	1005
Depth	695	695	695	695
Height	1000	1000	1000	1000
Drawer interior dimensions W x D	700 x 600	700 x 600	700 x 600	900 x 600
Description	7 drawers: 2 x 75 mm high FE, 3 x 100 mm high FE, 1 x 200 mm high FE, 1 x 250 mm high FE	9 drawers: 9 x 100 mm high FE	12 drawers: 12 x 75 mm high FE	7 drawers: 5 x 100 mm high FE, 2 x 200 mm high FE
Order no.	8798-01	8798-02	8798-03	8798-04
Price				



Please choose:

Body

Black gray RAL 7021

Fronts/doors

Light gray RAL 7035

Body

Black gray RAL 7021

Fronts/doors

Gentian blue RAL 5010

Longer delivery time possible









Drawer cabinets





For cabinet width 805 mm



Insert tray sets

consisting of: 4 inserts 100 mm, 16 inserts 150 mm, 20 partitions

for cabinet width	805	805
for FE height	50	75
Order no.	8798-701	8798-702
Price		



Index box sets

consisting of: 18 index boxes 100 x 100 mm , 12 index boxes 100 x 200 mm $\,$


for cabinet width	805	805	805
for FE height	50	75	100
Order no.	8798-705	8798-706	8798-707
Price			



Vertical/horizontal partition sets


consisting of: 4 vertical partitions, 3 horizontal partitions 100 mm, 8 horizontal partitions 150 mm

for cabinet width	805	805	805	805
for FE height	75	100	150	200
Order no.	8798-711	8798-712	8798-713	8798-714
Price				



Labeling sets	for insert tray sets	for index box sets	for vertical/horizontal partition sets
for cabinet width	805	805	805
Dimensions H x W	14 x 30	14 x 50	14 x 50
Set size	20-piece	30-piece	11-piece
Order no.	8798-720	8798-721	8798-722
Price			

for cabinet width 805 mm



Foam rubber inlay

in black, 5 mm thick

Width	700
Depth	600
Order no. Price	8798-726

For cabinet width 1005 mm



Insert tray sets

consisting of: 24 inserts 150 mm, 30 partitions

for cabinet width	1005	1005
for FE height	50	75
Order no.	8798-703	8798-704
Price		



Index box sets

consisting of: 30 index boxes 100 x 100 mm , 12 index boxes 100 x 200 mm

for cabinet width	1005	1005	1005
for FE height	50	75	100
Order no.	8798-708	8798-709	8798-710
Price			



Vertical/horizontal partition sets


consisting of: 6 vertical partitions, 6 horizontal partitions 100 mm, 8 horizontal partitions 150 mm

for cabinet width	1005	1005	1005	1005
for FE height	75	100	150	200
Order no.	8798-715	8798-716	8798-717	8798-718
Price				



Labeling sets	for insert tray sets	for index box sets	for vertical/horizontal partition sets
for cabinet width	1005	1005	1005
Dimensions H x W	14 x 30	14 x 50	14 x 50
Set size	30-piece	42-piece	14-piece
Order no.	8798-723	8798-724	8798-725
Price			

for cabinet width 1005 mm



Foam rubber inlay

in black, 5 mm thick

Width	900
Depth	600
Order no.	8798-727
Price	

The computer cabinets from the 87 series offer:

- Cabinet housing made of sturdy steel structure
- Pull-out shelf with full extension
- High load capacity of each pull-out: 75 kg
- Shelves height adjustable in cabinet
- 2 appealing color combinations available (black gray/light gray and black gray/gentian blue)





Drawer load capacity

Attractive standard colors





Computer cabinet

The compact solution



Width	605
Depth	723
Height	1600
Description	Axial fan with filter mat as protection against dust and overheating,

Axial fan with filter mat as protection against dust and overheating, monitor compartment with 4 mm thick glass pane (interior dimensions H 525 x W 545 x D 660 mm), 1 drawer 100 mm with keyboard insert and extensible mouse tray, lower area of housing hinged on doors at the front, flush left, shelf height adjustable* (fully extensible, load capacity 75 kg), useful dimensions W 430 x D 600 mm

Order no.	
Price	

8798-07

* Shelf height adjustable



Computer cabinet

When more space is needed for CPU and printer

 Dimensions and design

Width
Depth
Height
Description

805	
723	
1600	

Axial fan with filter mat as protection against dust and overheating, monitor door with 3 mm thick plexiglass pane, lockable, monitor compartment with fixed shelf, load capacity 75 kg, supply strip with multiple sockets and main switch, cable duct with strain relief, keyboard drawer with full extension, front height 100 mm, load capacity 75 kg, lockable. Lower area of cabinet housing features hinged doors at front, shelf height adjustable, pull-out shelf with full extension, height adjustable, load capacity 75 kg), useful dimensions:

W 700 x D 600 mm, useful dimensions of tower compartment H 750 x W 250 x D 695 mm

Order no. **8798-06** Price

2. Body and front/ door color combination

Please choose:

Body

Black gray RAL 7021

Fronts/doors

Light gray RAL 7035

Body

Black gray RAL 7021

Fronts/doors

Gentian blue RAL 5010











Workshop trolleys


Central locking system (drawers do not open when the trolley is pushed around thanks to individual locking of drawers), 1 set of casters (2 casters and 2 fixed casters), push bar with raised edge and grooved rubber





1 Dimensions and design

	v -	v -
Width	605	605
Depth	695	695
Height	792	992
Drawer interior dimensions W x D	500 x 600	500 x 600
Load capacity kg	400	400
Description	5 drawers 5 x H 100 mm FE	5 drawers, 2 x H 100 mm FE, 2 x H 150 mm FE, 1 x H 200 mm FE
Order no. Price	8798-51	8798-52



Please choose:

Body

Black gray RAL 7021

Fronts/doors

Light gray RAL 7035

Black gray RAL 7021

Fronts/doors

Gentian blue RAL 5010

Workshop trolleys



Workshop trolley Basic

The Basic workshop trolleys offer:

- Steel housing with 50 mm hanging rails, ergonomic handles
- Plastic top with compartments for small parts, resistant to chemicals and oil
- Central locking via cylinder lock
- Handle bars that are flush with the housing and can be labeled
- Individual anti-tilt mechanism (tilt resistance)
- Drawers guided on steel ball bearings
- Shelf load capacity: 35 kg
- Impact and heel protection all the way round
- 2 fixed casters and 2 casters Ø 100 mm with locking device

- Extensive range of optional accessories
- Available color combinations: Body black gray RAL 7035, fronts/doors gentian blue RAL 5010



Order no. 8798-81

+ Order no. 8798-780 (top tray)

+ order no. 8798-782 (bottle and can holder)





Handle bar that can be labeled



Individual anti-tilt mechanism



Mobile



Functional accessories




Workshop trolley with 2 hinged doors

Inside doors with perforated plate, 1 shelf, 1 semicircular side panel



Dimensions and design



Workshop trolley with drawers

with 1 semicircular side panel, drawers with self-closing system on the last 40 mm



Dimensions and design

Width
Depth
Height
Useful height
Description

VVICE
Depth
Height
Useful height
Description

Drawer interior
dimensions W x D
Order no.
Price



76	
780	
480	
910	
600	
4 drawers: 2 x 100 mm high, 2 x 200 mm high	6 c 2 x 50 2 x 100 2 x 150
600 x 300	600





*	T
780	780
480	480
910	910
600	600
6 drawers: 2 x 50 mm high, 2 x 100 mm high, 2 x 150 mm high	6 drawers: 6 x 100 mm high
600 x 300	600 x 300

8798-82 8798-83







Top tray with paper towel holder Order no. 8798-780



Waste container Order no. 8798-781

2. Body and door color combination

Body

Light gray RAL 7035

Fronts/doors

Gentian blue RAL 5010

+ Waste container

mounted on the side

Width	380
Depth	170
Height	150
+ Order no. + Addtl.charge	+ 8798-781

1 additional side panel

semicircular, mounted (please indicate color)

+ Order no. + Addtl. charge

Divider elements

+ 8798-783

del rio.

Top tray

with paper towel holder, mounted on the side

Width	240
Depth	435
+ Order no. + Addtl. charge	+ 8798-780

Bottle and can holder

mounted on the side

90
85
+ 8798-782

Perforated side wall

mounted on the side, for optional hook packs see the next page

+ Order no. + Addtl. charge + 8798-784



Perforated side wall Order no. 8798-784

as drawer tidies for drawer 50 100 150 height Insert trays and slot-in Metal divider elements Metal divider elements walls: steps 50:50 mm, steps 50:50 mm, 2 IT with 2 inserts, pack includes: 3 CR, pack includes: 2 CR, 4 IT with 3 inserts, 8 P 150 mm 6 P 200 mm 2 IT with 4 inserts + Order no. + 8798-792 +8798-790 + 8798-791



Divider elements Order no. 8798-792




www.cp-furniture.com

+ Addtl. charge

The perforated plates offer:

- Perforated plates made of steel with reinforcement profiles
- Seven different standard colors to choose from
- Silver-colored mounting elements
- with fastening screws
- Four different hook packs as value sets
- Square perforation 10 x 10 mm



Aluminum coating:

Durable thanks to multi-layer surface

l l





pack

Single perforated plates

with square holes, beveled and reinforced on all sides, for easy wall mounting, available in the colors:



	Color no.*	Color	RAI
	56	Light gray	7035
********	55	Gentian blue	5010
	74	Light blue	5012
	75	Sky blue	5015
	53	Traffic red	3020
	61	Reseda green	6011
	51	Black	9005

Height x width	Order no.	Price
450 x 500	4571-01	
450 x 1000	4571-02	
450 x 1500	4571-03	
450 x 2000	4571-04	

Slanted hook



Length	Order no.	Price
14/40 mm	4572-028	

Tool holder (single)



Length	Order no.	Price
50 mm	4572-001	
100 mm	4572-002	
150 mm	4572-003	
200 mm	4572-004	

Tool holder (single) with vertical hook end

Length	Order no.	Price
35 mm	4572-009	
75 mm	4572-010	
125 mm	4572-011	

Tool holder (single)

with single straight pin



Length	Order no.	Price
50 mm	4572-047	
100 mm	4572-048	
150 mm	4572-049	

Screwdriver holder



Height x width	Order no.	Price
for 6 pieces 200 x 40 mm	4572-033	
for 12 pieces 390 x 40 mm	4572-034	

Tube holder

(also for cables and the like)



Diameter	Order no.	Price
inside 60 mm	4572-023	
inside 100 mm	4572-024	

Tool clip (single)



Diameter	Order no.	Price
6 mm	4572-012	
10 mm	4572-013	
13 mm	4572-014	
16 mm	4572-015	
19 mm	4572-016	

Holder for pliers



Height x width	Order no.	Price
35 x 35	4572-025	
55 x 35	4572-026	
75 x 35	4572-027	

Wrench holder



Height x width	Order no.	Price
for 8 wrenches 130 x 150 mm	4572-032	
for 10 wrenches 220 x 145 mm	4572-050	

Holder for drills and Allen wrenches



Height x width	Order no.	Price
for 14 pieces 200 x 35 mm	4572-035	
for 28 pieces 390 x 35 mm	4572-036	

Tool holder (double)

with slanted hook end



Length	Order no.	Price
35 mm	4572-005	
50 mm	4572-006	
75 mm	4572-007	
150 mm	4572-008	

Tool clip (double)



Order no.	Price
4572-017	
4572-018	
4572-019	
4572-020	
4572-021	
	4572-017 4572-018 4572-019 4572-020

Appliance holder



Order no.	Price
4572-029	
4572-030	
4572-031	
	4572-029 4572-030

Perforated plate systems



cable holder



Single perforated plates



Mounting elements for perforated plates



Perforated wall rail

for mounting on the wall above the workbench







Width x depth	Order no.	Price
230 x 125 mm	4572-022	

Storage tray



Height x width	Order no.	Price
350 x 125 mm	4572-037	

Base plate

construction of

Design	Order no.	Price
small	4572-044	
large	4572-045	

for do-it-yourself customized solutions

Design	Order no.	Price
small	4572-044	
large	4572-045	

Round holder



Length x width	Order no.	Price
65 x 25 mm	4572-038	

Magnetic holder

Can holder

Design

single, 150 mm

triple, 150 mm



Diameter	Order no.	Price
40 mm	4572-052	

Tool holder



Length	Order no.	Price
3 hooks, 150 mm	4572-039	

6 hooks,	
140 mm	4572-040

4572-041

Saw holder

for 4 saws (must be ordered in pairs)



Combination holder (2-piece)

150 x 55 mm



Order no. Price 4572-053

Length x width

4572-042

4572-054

Hook packs as value sets

practical assortment (for exact contents please see list below)

Order no. 4573-006 (28-piece)

3 x tool holder	order no.	4572-001
3 x tool holder	order no.	4572-002
4 x tool holder	order no.	4572-009
2 x tool holder	order no.	4572-010
2 x tool holder	order no.	4572-011
6 x tool holder	order no.	4572-005
2 x holder for pliers	order no.	4572-025
1 x appliance holder	order no.	4572-029
1 x wrench holder	order no.	4572-032
1 x screwdriver holder	order no.	4572-033
1 x drill holder	order no.	4572-035
2 x saw holder	order no.	4572-041

Order no. 4573-005 (18-piece)

5 x tool holder	order no.	4572-001
2 x tool holder	order no.	4572-010
2 x tool holder	order no.	4572-005
1 x tool holder	order no.	4572-006
2 x tool clip	order no.	4572-013
1 x tool clip	order no.	4572-014
2 x holder for pliers	order no.	4572-026
1 x drill holder	order no.	4572-035
1 x wrench holder	order no.	4572-032
1 x screwdriver holder	order no.	4572-033

Order no. 4573-004 (19-piece)

5 x tool holder	order no.	4572-001
5 x tool holder	order no.	4572-002
5 x tool holder	order no.	4572-006
2 x saw holder	order no.	4572-041
1 x wrench holder	order no.	4572-032
1 x drill holder	order no.	4572-036

Order no. 4573-003 (15-piece)

5 x tool holder	order no.	4572-002
1 x tool holder	order no.	4572-040
1 x appliance holder	order no.	4572-030
1 x appliance holder	order no.	4572-031
1 x tool holder	order no.	4572-039
1 x screwdriver holder	order no.	4572-034
1 x tool clip	order no.	4572-012
1 x tool clip	order no.	4572-013
1 x tool clip	order no.	4572-014
1 x tool clip	order no.	4572-015
1 x tool clip	order no.	4572-016

Boltless shelving (parcel shipmentready)



The boltless shelving: prompt delivery, quick to assemble286

- Fast and easy to assemble, boltless system
- Shelves adjustable in 25 mm steps
- High load capacity per shelf: 100 or 150 kg
- Maximum bay load: 1100 kg
- Surfaces: Zinc-plated
- Particularly quick delivery time possible

File shelving



The bolted or boltless shelving for the binder archive288_

- Alternatively as bolted or boltless shelving
- Shelves adjustable in 25 mm steps
- Load capacity per shelf: 80 kg
- Maximum bay load: 600 kg
- Surfaces: Available as zinc-plated or in light gray RAL 7035

Boltless shelving



The quick-assembly shelving for standard loads292

- Fast and easy to assemble, boltless system
- Maximum bay load: 1100 kg (height 2000 mm) 1380 kg (height 2500 + 3000 mm)
- Shelves adjustable in 25 mm steps
- Load capacity per shelf: 100 kg
- Surfaces: Available as zinc-plated or in light gray RAL 7035

Pair Mayor Meter	Conglete unit	Bolted Relinds Steem	Bolles Windstein	Productine	Productive	
				$\overline{\hat{\mathbf{y}}}$		
•			•	•		
•	-	•	•	-	-	
•	-	-	•	•	•	
•	-	-	•	•	•	
-	•	-	•	•	•	
	•	• -	•	• - • •		

Boltless shelving for heavy-duty purposes

Long boltless shelving systems



The strong shelving for heavy-duty purposes 294

- Fast and easy to assemble, boltless system
- Maximum bay load: 1560 kg (height 2000 mm) 2400 kg (height 2500 mm) 2020 kg (height 3000 mm)
- Load capacity per shelf: 230 kg
- Shelves adjustable in 25 mm steps
- Surfaces: Available as zinc-plated or in light gray RAL 7035



The specialists for large and heavy stored goods296

- Fast and easy to assemble, boltless system
- Shelves adjustable in 50 mm steps
- Load capacity per shelf: 500/400 kg (shelf unit width 1700 + 2000 mm/2500 mm)
- Maximum bay load: 3000 kg
- Surfaces: Zinc-plated, shelves alternatively available as particle board or steel panels shelves





The advantages of our parcel shipment-ready boltless shelving:

- Shelving packed in handy boxes, ideal for shipment via parcel service
- Additional protection of the product by safe cardboard packaging
- Easy-to-install boltless system, can be assembled and repositioned easily and without tools
- Universally usable, e.g. for warehouse, workshop, storeroom, salesroom, basement, office, etc.
- Zinc-plated shelves height-adjustable in 25 mm steps
- High load capacity per shelf with evenly distributed load: 100 or 150 kg
- Bay load: 1100 kg







Basic and add-on system



Shelf load capacity 100 or 150 kg

Height



Basic boltless shelving with 100 kg shelf load capacity

consisting of

- 2 side frames,
- 4 shelves,
- 2 diagonal braces with tightener and installation accessories






2000



1. Dimensions and design

Depth	400	500
Width	1000	1000
Shelves	4	4
Order no.	78820-042	78820-052
Price		



Add-on boltless shelving with 100 kg shelf load capacity

consisting of

zinc-plated

- 1 side frame,
- 4 shelves,
- 1 diagonal brace with tightener and installation accessories (for all other dimensions, please see basic boltless shelving)







zinc-plated	

Height
+ Order no.
+ Unit price

'	
2000	
+ 78820-043	

2000
+ 78820-053

2000	
+ 78820-063	

Additional shelves, zinc-plated, draagvermogen 100 kg



500	600
+ 78852-80	+ 78862-80

Boltless shelving (parcel shipment-ready)



Order no. 78820-152 + 78820-153 (add-on shelving)

Planning dimensions

Basic shelving:

Depth + 36 mm Width + 56 mm

Add-on shelving:

Depth + 36 mm

Width + 6 mm



The two boxes are ideal for shipment via parcel service (see page 19 for shipment conditions).

Basic boltless shelving with 150 kg shelf load capacity

consisting of

2 side frames,

4 shelves,

2 diagonal braces with tightener and installation accessories









Height
Depth
Width
Shelves
Order no.
Price

V	
2000	
400	
1000	
4	

78820-142

2000 500 1000 4

78820-152

2000	
600	
1000	
4	
78820-162	



Add-on bo	oltless sh	nelving	

with 150 kg shelf load capacity consisting of

1 side frame,

4 shelves, 1 diagonal brace with tightener and installation accessories (for all other dimensions, please see basic boltless shelving)





2000



zinc-plated	

Height	
+ Order no.	
+ Unit price	

2000	
+ 78820-143	

+ 78820-153

2000 + 78820-163

Additional shelves, zinc-plated, draagvermogen 150 kg



for shelving depth	400	500	600
+ Order no.	+ 788142-80	+ 788152-80	+ 788162-80
+ Unit price			

The bolted file shelving offers:

- Bolted assembly using individual angle profiles with fixing brackets, shelves, and assembly hardware
- More cost-effective solution than the boltless shelving, but more assembly work required
- Shelves height adjustable in 25 mm steps
- High load capacity of 80 kg per shelf with evenly distributed load
- Bay load: 600 kg
- Available in light gray RAL 7035 coating or zinc-plated







Basic and add-on system



Shelf load capacity 80 kg



Planning dimensions

Basic Depth + 4 mm shelving: Width + 4 mm Add-on Depth + 4 mm shelving: Width + 2 mm



Single basic bolted file shelving

consisting of 4 angle profiles with feet and fixing brackets, 6 shelves for 6 binder heights, 1 cover shelf, assembly hardware







Height	2200	2200	
Depth	300	300	
Width	1000	1000	
Design	zinc-plated	coated	
Capacity	approx. 72 standard binders		
Order no. Price	78220-32	78220-30	

Single add-on bolted file shelving

consisting of 2 angle profiles with feet and fixing brackets, 6 shelves for 6 binder heights, 1 cover shelf, assembly hardware





	•	*
Height	2200	2200
Depth	300	300
Width	1000	1000
Design	zinc-plated	coated
Capacity	approx. 72 standard binders	
+ Order no. + Unit price	+ 78220-33	+ 78220-31

Order no. 78220-30

Bolted file shelving



Safety information:

A shelf unit must be secured against tipping when the shelving height is more than 5 times greater than the shelving depth (Wall or floor mount).



Bolted connection

Order no. 78220-30 + 78220-31 (add-on shelving)

Order no. 78220-322

Double basic bolted file shelving

consisting of 4 angle profiles with feet and fixing brackets, center stop, 6 shelves for 6 binder heights, 1 cover shelf, assembly hardware







for wall

for floor fastening

+ 78300-704 + 78300-706



Height	2200	2200
Depth	600	600
Width	1000	1000
Design	zinc-plated	coated
Capacity	approx. 144 st	andard binders
Order no. Price	78220-322	78220-302



+ Unit price

with assembly hardware

Haluwale
for shelving depth
Width



600 1000

+ Order no. + Unit price

1000 + 78320-80 + 78320-8002

zinc-plated

Double add-on bolted file shelving

consisting of 2 angle profiles with feet and fixing brackets, center stop, 6 shelves for 6 binder heights, 1 cover shelf, assembly hardware





	~	~
Height	2200	2200
Depth	600	600
Width	1000	1000
Design	zinc-plated	coated
Capacity	approx. 144 st	andard binders
+ Order no. + Unit price	+ 78220-332	+ 78220-312

Fastening sets for add-on

for wall shelving

mounting

for floor fastening

+ Order no. + Unit price + 78300-705

+ 78300-707

Additional shelves

with assembly hardware

for shelving depth	
Width	

+ Order no. + Unit price

COL	ica
300	600
1000	1000

+ 78300-80

The boltless file shelving offers:

- $\hfill\blacksquare$ Boltless assembly using frames with diagonal braces or longitudinal braces, shelves, and assembly hardware
- Set up very quickly and easily
- Shelves height adjustable in 25 mm steps
- High load capacity of 80 kg per shelf with evenly distributed load
- Bay load: 600 kg
- Available in light gray RAL 7035 coating or zinc-plated

- Zinc-plated design: Shelving frames are supplied dismantled
- Coated design: Shelving frames are supplied preassembled







Shelf bracket









Basic and add-on system



Shelf load capacity 80 kg

Planning dimensions

Basic Depth + 36 mm Width + 56 mm shelving: Add-on Depth + 36 mm Width + 6 mm shelving:



Single/double basic boltless file shelving

consisting of 2 side frames, 6 shelves for 6 binder heights, 1 cover shelf, 2 diagonal braces with tightener. The double basic shelving system has 2 pairs of longitudinal braces.














	•	· ·	•	-
Height	2200	2200	2200	2200
Depth	300	300	600	600
Width	1000	1000	1000	1000
Design	zinc-plated	coated	zinc-plated	coated
Capacity	72 binders	72 binders	144 binders	144 binders
Order no.	7822-32	7822-30	7822-322	7822-302
Drico				




consisting of 1 side frames, 6 shelves for 6 binder heights, 1 cover shelf, 1 diagonal brace with tightener. The double add-on shelving system has 2 pairs of longitudinal braces.









Height	2200	2200	2200	2200
Depth	300	300	600	600
Width	1000	1000	1000	1000
Design	zinc-plated	coated	zinc-plated	coated
Capacity	72 binders	72 binders	144 binders	144 binders
+ Order no.	+ 7822-33	+ 7822-31	+ 7822-332	+ 7822-312
+ Unit price				

Boltless file shelving systems





Order no. 7822-322





Safety information:

A shelf unit must be secured against tipping when the shelving height is more than 5 times greater than the shelving depth (wall or floor mount).

Ð	Additional shelves	zinc-plated		coated	
	with assembly accessories				
	for shelving depth	300	600	300	600
	Width	1000	1000	1000	1000
	+ Order no. + Unit price	+ 7832-80	+ 7832-8002	+ 7830-80	+ 7830-8002

-	Fastening sets	for wall mounting	for floor fastening
	basic shelving		
	+ Order no. + Unit price	+ 7830-704	+ 7830-706
	for add-on shelv i	ing	
	+ Order no. + Unit price	+ 7830-705	+ 7830-707

788 series

The 788 series offers:

- Reasonably priced shelving for standard loads
- Fast, easy and boltless assembly
- High load capacity per shelf: max. 100 kg
- Bay load:1100 kg (height 2000 mm) max. 1380 kg (height 2500 + 3000 mm)
- Shelves height adjustable in 25 mm steps
- Available surfaces: zinc-plated or in light gray RAL 7035 coating

All load specifications apply to shelving loaded manually and with evenly distributed load.







Basic and add-on system




Shelf load capacity 100 kg



Diagonal brace with tightener



Side braces, zinc-plated



Shelving frames are supplied dismantled and can be easily fitted together Example: 2500 mm

Planning dimensions

Depth + 36 mm <u>Basic</u> Width + 56 mm shelving: Depth + 36 mm Add-on shelving: Width + 6 mm

Basic boltless shelving

consisting of 2 side frames, shelves (for quantity see below), 2 diagonal braces with tightener for 2000 mm heights, 4 diagonal braces with tightener for 2500 + 3000 mm heights









1	Dimensions	and
	design	

Height	2000	2000	2000	2500
Depth	400	500	600	400
Width	1000	1000	1000	1000
Shelves	5	5	5	6



olated	Price
	ı

78820-42	78820-52

78820-62

78825-42



Order no. Price

Order no.

78820-50

78820-60

78825-40

Add-on boltless shelving

consisting of 1 side frames, shelves (for quantity see top), 1 diagonal brace with tightener for 2000 mm heights, 2 diagonal braces with tightener for 2500 + 3000 mm heights (for all other dimensions see basic boltless shelving)




2000

+ 78820-43

78820-40







zinc-plated	-

łeight	
- Order no.	

+ 78820-53

+ 78820-63

+ 78825-43

coated

+ Order no. + Unit price

+ Unit price

Н

+ 78820-41

+ 78820-51

+ 78820-61

+ 78825-41

Additional shelves, zinc-plated






Boltless shelving for standard loads



High load capacity thanks to multiple edainas



Shelf bracket



Floor fastening for shelves with a height/depth ratio of ≥ 5:1. This type of shelving must be secured against tipping (wall or foot fastening).

for	for wall mounting	for floor fastening
+ Order no. + Unit price	+ 7830-704	+ 7830-706
for add-on shelvi	ng	
+ Order no. + Unit price	+ 7830-705	+ 7830-707

Order no. 78825-52 + 78825-53 (add-on shelving)











1.	Height Depth
	Width
	Shelves

2500	
500	
1000	
6	





3000
500
1000
7

3000
600
1000
7

Price

Order no.

78825-52

78825-62

78830-42

78830-52

78830-62


Order no. Price 78825-50


78825-60

78830-40


78830-50


78830-60











+ Height

+ Order no.

+ 78825-53

+ 78825-63

+ 78830-43

+ 78830-53

+ 78830-63

+ Order no. + Unit price

+ Unit price

+ 78825-51

+ 78825-61

+ 78830-41

+ 78830-51

+ 78830-61

Additional shelves, coated



for	shelving	depth

+ Order no. + Unit price

+ 78840-80

500

+ 78850-80

600 + 78860-80

7800 series

The 7800 series offers:

- Fast, easy, and boltless assembly
- Sturdy T-frames for shelves
- Bay load: max. 1560 kg (height 2000 mm) max. 2400 kg (height 2500 mm) max. 2020 kg (height 3000 mm)
- High load capacity per shelf: max. 230 kg
- Shelves height adjustable in 25 mm steps
- Shelves with system perforations in 50 mm steps for retroactive fitting of system accessories (e.g. compartment dividers)
- Available surfaces: zinc-plated or in light gray RAL 7035 coating

All load specifications apply to shelving loaded manually and with evenly distributed load.









Basic and add-on system

Shelf load capacity 230 kg

Planning dimensions


Depth + 36 mm Basic shelving: Width + 56 mm Depth + 36 mm Add-on shelving: Width + 6 mm

Basic boltless shelving

consisting of 2 side frames, 4 shelves, 2 diagonal braces with tightener for 2000 mm heights, 4 diagonal braces with tightener for 2500 + 3000 mm heights









Dimensions and design

Height	2000	2000
	400	E 0 0

Depth 400 500 Width 1000 1000

7820-42

7820-40

2000 600 1000

2500 400 1000



Order no. Price

7820-52

7820-50

7820-62

7825-42



Order no. Price

7820-60

7825-40

Add-on boltless shelving

consisting of 1 side frame, 4 shelves, 1 diagonal brace with tightener for 2000 mm heights, 2 diagonal braces with tightener for 2500 + 3000 mm heights (for all other dimensions see basic boltless shelving)



2000

+ 7820-41







zinc-plated	

Height + Order no. + Unit price

+ 7820-43 + 7820-53 + 7820-63

+ 7825-43

2500

coated

+ Order no. + Unit price

+ 7820-51

+ 7820-61

+ 7825-41

Additional shelves, zinc-plated





Boltless shelving for heavy-duty purposes





Fastening sets

+ Order no. + Unit price

+ Order no.

+ Unit price

for basic shelving

for add-on shelving



for wall

mounting

+ 7830-704

+ 7830-705

Shelf bracket



Diagonal brace with tightener

for floor

fastening

+ 7830-706


+ 7830-707




Floor fastening for shelves with a height/depth ratio of ≥ 5.1 . This type of shelving must be secured against tipping (wall or foot fastening).











1.	

Height	2500
Depth	500
Width	1000

2500	
600	
1000	



3000 500 1000

3000	
600	
1000	

Order	no.
Price	

02	Э-	Э	_		

7825-62

7830-42

7830-52

7830-62

Order no. Price

7825-50

7825-60

7830-40


7830-50


7830-60





2500

+ 7825-53









+	Height

+ Order no.	

+	7825-63

+ 7830-43

+ 7830-53

3000

+ Order no.

+ Unit price

+ 7825-51

400

+ 7830-63

+ Unit price

+ 7825-61

+ 7830-41

+ 7830-51

+ 7830-61

Additional shelves, coated



for shelving depth
+ Order no.

+ Order no.	+ 7840-80
+ Unit price	

	500

+ 7850-80

	600
+	7860-80

The long boltless shelving offers:

- Fast, easy and boltless assembly
- Complete shelving unit with 4 particle board shelves or with 4 zinc-plated steel panel shelves
- Basic design allows for variable positioning options
- Shelf levels height adjustable in 50 mm steps
- Shelf load capacity with shelf widths of 1700 + 2000 = up to 500 kg, 2500 mm = up to 400 kg
- Bay load up to max. 3000 kg
- Horizontal and vertical stepped beams
- Circumferential edge protection

- 2 binding beams under every shelf
- Surface of profiles and beams zinc-plated
- Metal foot
- Fastening to the floor possible

All load specifications apply to shelving loaded manually and with evenly distributed load.



Steel panel shelf



Particle board shelf



Boltless shelving system



Shelf load



Bay load up to max. 3000 kg

Safety information:

A shelf unit must be secured against tipping when the shelving height is more than 5 times greater than the shelving depth.

Long boltless shelving with particle board shelves

consisting of 4 support profiles, 8 horizontal stepped beams, 8 vertical stepped beams, 8 A binding beams, 4 feet, 4 shims, 4 particle board shelves, 19 mm







1	Dimensions
	and design



Height		1970			1970			1970	
Depth	400	600	800	400	600	800	400	600	800
Width	1700	1700	1700	2000	2000	2000	2500	2500	2500
Order no. Price	781120-40	781120-60	781120-80	781220-40	781220-60	781220-80	781320-40	781320-60	781320-80



Height	2470			2470			2470		
Order no. Price	781125-40	781125-60	781125-80	781225-40	781225-60	781225-80	781325-40	781325-60	781325-80



Height	2970			2970			2970		
Order no. Price	781130-40	781130-60	781130-80	781230-40	781230-60	781230-80	781330-40	781330-60	781330-80

Additional untreated particle boards



- + Order no.
- +781140-80 +781160-80 +781180-80 +781240-80 +781260-80 +781280-80 +781340-80 +781360-80 +781380-80
- + Unit price

Long boltless shelving systems





Order no. 781120-40

Order no. 780220-60

Long boltless shelving with steel panel shelves

consisting of 4 support profiles, 8 horizontal stepped beams, 8 vertical stepped beams, 8 A binding beams, 4 feet, 4 shims, 4 zinc-plated steel panel shelves












Order no.	780120-40	780120-60	780120-80	780220-40	780220-60	780220-80	780320-40	780320-60	780320-80
Width	1700	1700	1700	2000	2000	2000	2500	2500	2500
Depth	400	600	800	400	600	800	400	600	800
Height		1970			1970			1970	



Height	2470			2470			2470		
Order no.	780125-40	780125-60	780125-80	780225-40	780225-60	780225-80	780325-40	780325-60	780325-80
Price									



Height	2970			2970			2970		
Order no.	780130-40	780130-60	780130-80	780230-40	780230-60	780230-80	780330-40	780330-60	780330-80
Price									





- + Order no.
- + Unit price
- $+780140-80 \\ +780160-80 \\ +780180-80 \\ +780240-80 \\ +780260-80 \\ +780280-80 \\ +780340-80 \\ +780340-80 \\ +780360-80 \\ +780380-80 \\ +780$

Cabinet and filing systems

At C+P, you can find the right cabinet for any application. Choose from a wide selection of cabinet types ranging from hinged-door, sliding-door, and tambour cabinets to glass door cabinets and cabinets with drawers, for filing, or for drawing storage.

With a variety of practical interior options, your C+P cabinet can be individually designed for new storage and organization needs at any time.








Flame-resistant
hinged-door cabinets
C 4000 Certos.......378









Hinged-door cabinets



- Sturdy steel construction with high-quality enamel coating
- Ergo-Lock 4.0 grip lock or alternatively design handle grip lock (both three-bolt) with 2 keys and optional exchangeable cylinder
- Doors on bolt hinges, door opening angle of approx. 110°, optionally available with external hinges and a convenient door opening angle of approx. 180°
- Complete product line (different dimension variants and interior fittings for any requirement)
- Extensive range of top and counter solutions
- Also as shelves with or without rear panel
- Shelf load capacity 70 to 110 kg

Sliding-door cabinets with steel doors



- Sturdy steel construction with high-quality enamel coating
- Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- Sliding doors with special casters run in a special rail guide
- Standard with gliders (floor protection)
- Different dimension variants and interior fittings
- Range of top and counter solutions

	Dog 18 to 10 gr	Ood 18 to 186	die chique pook se	siding door to	Productime	Poductine unin	productine productine	fida dia lay	Seight de dio
	110°	180°	>>>);		111	, , , ,	11		
Hinged-door cabinets C 2000 Acurado	•	optional	-	-	•	400-600	•	•	optional
Sliding-door cabinets C 2000 Acurado	-	-	•	•	•	400-500	•	-	-
Drawer and filing cabinets C 2000 Acurado	-	-	-	-	•	-	•	-	-

Sliding-door cabinets with glass doors



- Body in sturdy steel construction with high-quality enamel coating
- Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- Sliding doors with special casters run in a special rail guide
- Glass sliding doors made of TSG (toughened safety glass) with ground-in recessed grip
- Standard with gliders (floor protection)
- Different dimension variants and interior fittings
- Range of top and counter solutions

Drawer and filing cabinets



- Sturdy steel construction with folded-in drawer fronts and high-quality enamel coating
- Standard with gliders (floor protection)
- Integrated full-width handle bar
- Central locking system with 2 keys and exchangeable cylinder
- Anti-tilt mechanism
- 5 year guarantee on the rail guide
- Maximum shelf load capacity up to 50 kg
- For DIN A4 suspension files and DIN A5/A4 index cards
- Available in light gray RAL 7035, black gray RAL 7021, white aluminum RAL 9006, or traffic white RAL 9016



The new Ergo-Lock 4.0

Making a good solution even better!



Outstanding operating safety, wear resistance, and an attractive appearance have always characterized the patent-pending "Ergo-Lock" grip lock from C+P. The "simply push shut to close" feature in particular has already made the work of hundreds of thousands of users easier. But that wasn't enough for us.

We're going one better with the new Ergo-Lock 4.0!

The new Ergo-Lock 4.0 offers:

- An even higher-quality appearance - current and contemporary Fits in with any room and gives your cabinet a distinctive look.
- "Simply push shut to close" mechanism (patent-pending) Only with a C+P solution can you still close the cabinet when your hands are full.
- Removable core cylinder, subsequent replacement, simultaneous locking - everything is possible! Remain open to future change and safeguard the security of your investment.
- Matching locking systems with PIN codes or matching-look transponders Depending on your security requirements, you can opt for PIN codes or transponders with the same design instead of keys. As a complete,

electronic offline lock, the Ergo-Lock 4.0 offers full state-of-the-art features.



Whether you use it as a key lock or with PIN codes or transponders – the Ergo-Lock 4.0 product range offers the right system to suit every requirement.









Opt for security and access control to suit your particular needs:



Mechanical locking system

- 2 keys per lock
- Standard design for all Acurado hinged-door cabinets
- Frame in black as standard
- Silver frame available for an additional charge



Additional charge for silver lock frames

- + Order no.
- + Addtl. charge





PIN code lock

- Motor locking bolt
- 4 digits
- 4 to 8-digit codes possible
- Visual functional feedback (green / red)
- Main key code

- Range of application from +5 to +40°C
- Battery suitable for 30,000 openings or approx. 3 years
- Available from the middle of 2019
- Silver frame as standard



Transponder lock

- Motor locking bolt
- MIFARE® DESFire® transponder model
- Can be integrated in existing access control systems
- USB programming interface
- Visual functional feedback (green / red)
- Master code transponder card

- Management software optionally available
- Range of application from +5 to +40°C
- Battery suitable for 30,000 openings or approx. 3 years
- Available from the middle of 2019
- Silver frame as standard

Basic office range: The strength of steel

The C 2000 Acurado series offers:

- Wide range of different dimensions for every application
- Sturdy steel construction with high-quality enamel coating
- Standard with gliders (floor protection)
- Hinged doors with a door opening angle of approx. 110°, optionally available with external hinges and a convenient door opening angle of approx. 180°
- Door reinforcement for high stability
- Very flexible arrangement of the interior fittings thanks to adjustability in 15 mm steps
- Interesting range of counter and top solutions as well as bookcases with/without rear panel
- MCPB top, 25 mm, on all counter cabinets
- High load capacity of 70 kg per shelf, reinforced shelf can bear loads up to 110 kg, for reinforcements see page 313

Steel cabinets for the office need to meet an extremely wide range of requirements: they need to be functional, variable, flexible, and have a linear design – and of course they must be attractive both in terms of looks and price.

Acurado office cabinets offer added value that has the strength of steel and that you can get only from C+P. Further advantages include the wide range of dimensions and models, various constructive versions (hinged doors, sliding doors, or drawers), and extensive compatibility among one another. Acurado by C+P, the market leader in steel furniture, sets standards in the basic class.









www.cp.de/ergo-lock





Improved operating safety, wear resistance, and an attractive appearance thanks to the grip lock (3-bolt latch) in black with 2 keys – the door can be closed simply by pressing the grip lock





Door mounted on external hinges, convenient opening angle of approx. 180°, optionally available



Three-bolt cylinder locks with design handle grip, matt nickel-plated, for improved appearance, optionally available



Alternative shelves in MCPB wood decor, 25 mm thick, optionally available



Reinforced shelf with a load capacity of up to 90 kg with one reinforcement or up to 110 kg with two reinforcements



Hinged-door cabinets

The hinged-door cabinets offer:

- Wide range of different dimensions for every application
- Sturdy steel construction with high-quality enamel coating
- Standard with gliders (floor protection)
- Door mounting bracket with approx. 110° opening angle
- External hinges on request, door opening angle of approx. 180°
- Central door reinforcement for high stability
- Very flexible arrangement of the interior fittings thanks to adjustability in 15 mm steps
- Interesting range of counter and top solutions as well as bookcases with/without rear panel
- High load capacity of 70 kg per shelf, reinforced shelf can bear loads up to 110 kg, for reinforcements see page 313





opening





Ergo-Lock 4.0 grip lock 302

Improved operating safety, wear resistance, and an attractive appearance thanks to the grip lock (3-bolt latch) in black with 2 keys

Order no. 9260-000

Hinged-door cabinets

with three-bolt grip lock "Ergo-Lock"












Width	500	500	700	700
Depth	400	500	400	500
Height	1950	1950	1950	1950
Interior dimensions HxWxD	1840 x 498 x 353	1840 x 498 x 453	1840 x 698 x 353	1840 x 698 x 453
Shelves	4	4	4	4
CSC	4	4	5	5
Order no.	9234-000	9235-000	9236-000	9237-000
Price				









Please choose (see end of catalog for color overview) ... 491 Design handle grip

matt Design nickel-plated

+ Order no. + 1128-5502 + Addtl. charge



Additional shelves

Coated steel, 24 mm thick, MCPB wood decor, 25 mm thick











Width x depth
+ Order no.
+ Unit price

497 x 352 + 1034-80







MCPB, 25 mm

+ Order no. + Unit price + 1034-280

+ 1035-280

+ 1036-280

+ 1037-280

Reinforced shelf















1	930
	400
	1950

1840 x 928 x 353

5 9260-000

5

9280-000



4 5

9290-000

1200 400 1950 1840 x 1198 x 353

6 9460-000 1200

9480-000

1200 500 600 1950 1950 1840 x 1198 x 453 1840 x 1198 x 553

6 6

External door hinges Door opening angle

+ Order no.

180°











9490-000

925 x 352 + 1040-80 925 x 452 + 1050-80 925 x 552 + 1051-80 1195 x 352 + 9360-80

1195 x 452 + 1060-80

1195 x 552

+ 1040-280

+ 1061-80

+ 1050-280

Accessories



Office bookcases

Office bookcases are cabinets without doors and with shelves the color of the body











Width	500	500	700	700
Depth	400	500	400	500
Height	1950	1950	1950	1950
Interior dimensions HxWxD	1840 x 498 x 353	1840 x 498 x 453	1840 x 698 x 353	1840 x 698 x 453
Shelves	4	4	4	4
CSC	4	4	5	5
Order no.	9134-000	9135-000	9136-000	9137-000
Price				





+ Additional shelves

Coated steel, 24 mm thick, MCPB wood decor, 25 mm thick



+ 1034-80







Steel shelves	
MCPR shalvas	

thick	
Width x depth	497 x 352

497 x 452 + 1035-80



697 x 452 + 1037-80

+ Unit price MCPB, 25 mm

+ Order no.

+ Order no.

+ Unit price

+ 1034-280

+ 1035-280

+ 1036-280

+ 1037-280

Reinforced shelf 313

Ordering steps:







C 2000 ACURADO

Office bookcases





Additional file shelving

see from page 288



Order no. 9160-000













930	930	930	1200	1200	1200
400	500	600	400	500	600
1950	1950	1950	1950	1950	1950
1840 x 928 x 353	1840 x 928 x 453	1840 x 928 x 553	1840 x 1198 x 353	1840 x 1198 x 453	1840 x 1198 x 553
4	4	4	4	4	4
5	5	5	6	6	6
9160-000	9180-000	9190-000	9360-000	9380-000	9390-000













925 x 352 + 1040-80 925 x 452 + 1050-80 925 x 552 + 1051-80 1195 x 352 + 9360-80

1195 x 452 + 1060-80

1195 x 552 + 1061-80

+ 1040-280

+ 1050-280

Accessories

Hanging frames, binder supports, locks.

C 2000 ACURADO





Order no. 9280-30

Hinged-door cabinets

with different interior fittings with three-bolt grip lock Ergo-Lock 4.0











Width
Depth
Height
Interior dimensions HxWxD
Two-door secrity compartment HxWxD
Shelves
Description

400
1950
1840 x 928 x 353
1 335×755×335
3
Security compartment with cylinder lock

500
1950
1840 x 928 x 453
1 335 x 755 x 435
3
Security compartment with cylinder lock

400
1950
1840 x 375 x 350
-
4
Storage shelf

(fully extendable, without

coat hangers), wardrobe part approx. 550 mm wide

CSC	5	5	5
Order no.	9260-100	9280-100	9260-30
Prico			





925 x 352







Steel shelves

Width x depth

Thickness 24 mm + Order no. + Unit price

+ 1040-80

+ 1050-80

+ 1040-38

+ 1050-38

Hinged-door cabinets





Order no. 9260-425







930

500





930
500
1950
1840 x 459 x 450
-
4
Storage shelf on the left with

1950 1840 x 928 x 453 Storage shelf on the inside with wardrobe rail

(without coat hangers)

Depth Height Interior dimensions HxWxD Two-door security compartment HxWxD Shelves Extensible tray Hanging frame	Width	
Interior dimensions HxWxD Two-door security compartment HxWxD Shelves Extensible tray	Depth	
Two-door security compartment HxWxD Shelves Extensible tray	Height	
compartment HxWxD Shelves Extensible tray	Interior dimensions HxWxD	
Extensible tray	,	
	Shelves	
Hanging frame	Extensible tray	
	Hanging frame	

V
930
400
1950
1840 x 928 x 353
-
2
1
1

5 9280-30

wardrobe rail

(without coat hangers)

5 9280-088 CSC Order no. Price

9260-425

1950

1840 x 928 x 353

2

3

5 9260-430

Design handle grip

Design + Order no. + Addtl. charge matt nickel-plated + 1128-5502



External door hinges

Door opening angle 180° + Order no. +-...5 + Addtl. charge





Reinforced shelf

Load capacity per shelf + Order no. + Addtl. charge

1 reinforcement: 90 kg + ...-801

2 reinforcements: 110 kg + ...-802



Hanging frames, binder supports, locks



C 2000 ACURADO

Office cabinets and bookcases








Order no. 9060-000

Office cabinets

with suspension bars and compartments

with three-bolt grip lock Ergo-Lock 4.0





	ν.	
Vidth	930	
Depth	400	
Height	1950	
nterior dimensions HxWxD	1840 x 928 x 353	
Description (dimen- ions HxWxD)	6 suspension bars (for Elba / Leitz)	

CSC Order no. 9260-600 Price



930
500
1950
1840 x 928 x 453
6 suspension bars (for Elba / Leitz)

9280-600



930	
400	
1950	
1840 x 928 x 353	
30 compartments (170 x 280 x 352)	

9260-400




930	
400	
1950	
1840 x 928 x 353	
21 compartments	
(240 x 280 x 352)	

9260-410

Office bookcases

with suspension bars and compartments

Office bookcases are cabinets without doors and with shelves the color of the body




930

5









1	Dimensions	and
_	desian	

Width	า
Depth	า
Heigh	nt
Interior	dimensions HxWxD
Descr	iption (dimen-
sions	HxWxD)

CSC

oth	400	
ght	1950	
rior dimensions HxWxD	1840 x 928 x 353	
scription (dimen- ns HxWxD)	6 suspension bars (for Elba / Leitz)	

4 9160-600

930
500
1950
1840 x 928 x 453
6 suspension bars (for Elba / Leitz)

400
1950
1840 x 928 x 353
30 compartments (170 x 280 x 352)

930
400
1950
1840 x 928 x 353
21 compartments (240 x 280 x 352)

with rear panel

l	Order	no.
	Price	

3

9180-600

8 9160-400

8
9160-410


without rear panel

CSC Order no. Price

9060-600

3 9080-600

Body and door color









930

500



1950 1840 x 928 x 353 1840 x 928 x 453 4 adjustable shelves 4 adjustable shelves

> 5 9260-000 9280-000



930

400

1950

1840 x 928 x 353

4 adjustable

9160-000



4 adjustable

5

9180-000

5

9060-000 9080-000 Design handle grip

Design + Order no. + Addtl. charge matt nickel-plated + 1128-5502



External door hinges

Door opening angle + Order no. + Addtl. charge

180° +-...5



Additional shelves

Load capacity per shelf + Order no. + Addtl. charge

Reinforced shelf

1 reinforcement: 90 kg + ...-801

2 reinforcements: 110 kg + ...-802



..... 318

C 2000 ACURADO



Top cabinets

with three-bolt grip lock

Ergo-Lock 4.0, incl. accessories
for mounting to base cabinet












Width	930	930	1200	1200
Depth	400	500	400	500
Height	500	500	500	500
Interior dimensions HxWxD	440 x 928 x 353	440 x 928 x 453	440 x 1198 x 353	440 x 1198 x 453
Shelves	-	-	-	-
Binder heights	1	1	1	1
CSC	3	3	3	3
Order no.	9264-000	9284-000	9464-000	9484-000
Price				



- + Order no.
- + Addtl. charge

+ 8900-7211

Top bookcases

incl. accessories for mounting to base cabinet









1	Dimensions	and
	design	

Width	930	930	1200	1200	
Depth	400	500	400	500	
Height	500	500	500	500	
Interior dimensions HxWxD	440 x 928 x 353	440 x 928 x 453	440 x 1198 x 353	440 x 1198 x 453	
Shelves	-	-	-	-	
Binder heights	1	1	1	1	
CSC	3	3	3	3	
Order no.	9164-000	9184-000	9364-000	9384-000	
Price					



Wall mounting

Customer must provide wall mounting for top cabinets and bookcases

- Accessories



Top cabinets and bookcases









Ш

930	930	1200	1200
400	500	400	500
790	790	790	790
730 x 928 x 353	730 x 928 x 453	730 x 1198 x 353	730 x 1198 x 453
1	1	1	1
2	2	2	2
3 9265-000	3 9285-000	3 9465-000	3 9485-000



+ 8900-7211











930	930
400	500
790	790
730 x 928 x 353	730 x 928 x 453
1	1
2	2
3	3
9165-000	9185-000



1200	1200
400	500
790	790
730 x 1198 x 353	730 x 1198 x 453
1	1
2	2
3 9365-000	3 9385-000



Order no. 9165-000

Additional shelves

Steel coated (standard), only possible for cabinet/shelf height of 790 mm



930 x 400

925 x 352







leight of	790 111111	
		fo
		٧

15.00	
Steel shelves	-

for cabinets (W x D)	
Width x depth	
Thickness 24 mm	

930 x 500	
925 x 452	

1200 x 400	
1195 x 352	



1195 x 452

16			
Steel shelv	/es	9	-

Thickness 24 mm	
+ Order no.	
+ Unit price	

+ 1040-80	
-----------	--

+ 1050-8

+	9360-8

+ 1060-80

Occasional and counter cabinets





Occasional and counter cabinets

with MCPB top 25 mm thick, with three-bolt grip lock **Ergo-Lock 4.0**









1. Dimensions and design

Width	930	930	1200	1200
Depth	400	500	400	500
Height	1000	1000	1000	1000
Interior dimensions HxWxD	855 x 928 x 353	855 x 928 x 453	855 x 1198 x 353	855 x 1198 x 453
Shelves	1	1	1	1
Binder heights	2	2	2	2
CSC	3	3	3	3
Order no.	9266-1200	9286-1200	9466-1200	9486-1200
Price				



Please choose (see end of catalog for color overview) ... |491



Please choose (see end of catalog for color overview) ... |491

Alternative tops
instead of the MCPB top









1200

500

 Width
 930
 930
 1200

 Depth
 400
 500
 400



Thickness 25 mm + Order no.

+ Addtl. charge

+ 1124-110

+ 1125-110

+ 2016-110

+ 2017-110













930	930	1200	1200
400	500	400	500
1200	1200	1200	1200
1055 x 928 x 353	1055 x 928 x 453	1055 x 1198 x 353	1055 x 1198 x 453
2	2	2	2
3	3	3	3
3	3	3	3
9267-1200	9287-1200	9467-1200	9487-1200

+ Additional accessories

Underframes

made of square profile, 150 mm high, standard color black gray RAL 7021, for other coatings see end of catalog for color overview

CSC = color surcharge code number









Dimensions

Width	930	930	1200	1200
Depth	400	500	400	500
CSC	3	3	3	3
+ Order no.	+ 9964-00	+ 9984-00	+ 2027-00	+ 2028-00
ı Prico				

Additional shelves











9280-30

for cabinets

Order no.

Price

Cabinet dimensions W x D

91/9260-400 **930 x 400**

1040-48

91/9260-410 **930 x 400**

The vertical partitions of the

cabinets are mounted permanently.

The horizontal intermediate

shelves support one another and can

only be adjusted in height as a unit.

Additional shelves are supplied

separately.

9260-30 **930 x 400**

Wardrobe part Storage shelf for left side with fully

Filing section Shelf for right side

9260-30 **930 x 400**

400 930 x 500
ection Filing section
for Shelf for right side

support zinc-plated,

Shelf



<u>without</u> front edging <u>with</u> front edging

1040-49

1040-39

extendable

wardrobe rail

1040-38


1050-38

1118-00

Hanging frame

fully extensible, ball bearings, with adjustable dividers, including anti-tilt mechanism, Color light gray RAL 7035





for cabinet width	930	930	930	1200	1200	1200
For cabinet depth	400	500	500	400	500	500
Inner useful depth	328	328	400	328	328	400
Tracks	2-1	row	1-row and 1 extra compartment	3-1	row	2-row and 1 extra compartment
for files	DIN A4	DIN A4	EDP	DIN A4	DIN A4	EDP
Order no.	1040-811	1050-811	1050-812	9360-811	1060-811	1060-812
Price						

Divider

single unit, for hanging frame

Inner useful depth	
for files	
Order no.	
Price	



328	400
DIN A4	EDP
1000-841	1000-842



Suspension bars

(Suspension rods from other systems on request)



Elba/Leitz

Zippel	

for cabinet width	930	930	1200	930	930	1200
For cabinet depth	400	500	500	400	500	500
inner useful width	848	848	1118	848	848	1118
Order no.	1040-82	1050-82	1060-82	1040-83	1050-83	1060-83
Price						

Accessories for hinged-door cabinets

Binder supports

Depth / Width x depth

Slot-in binder support only for slotted shelves

Attachable binder support with 2-fold edging, suitable for all shelves



452


1050-8901

180	180

552

1051-8901







Shelf

Height

Price

Order no.

slotted,

for slot-in binder supports (addtl. charge, plus price of the shelf)



Slots	every 50 mm
Order no.	89
+ Addtl. charge	

180

352

1040-8901

Wardrobe rail

including holder below the storage shelf (including storage shelf, possible from 500 mm exterior cabinet depth only), without coat hangers

Order no.

Price

...-88

double the price of the respective shelf



Keys and locks: Ergo-Lock



Order no.

Unit price + Addtl. charge Ergo-Lock 4.0 lock with 2 keys

8900-721

Ergo-Lock 4.0 with master kev system without security certificate

8900-723

Matching master key

8900-7131

Ergo-Lock 4.0 with simultaneous locking

8900-7211

Single/spare key

0004-11

Further additional charges

Additional charge for silver lock frames

Additional charge for lock with lock no. upon request (longer delive-

ry times) ...-...99

key for security compartment

Single/spare

....-73..

0006-50

Keys and locks: Design handle grip



Order no. Unit price + Addtl. charge

Design handle grip with exchangeable cylinder and 2 keys

1128-5502

grip as previous. but with master key system without security certificate

Design handle

1128-5503

Matching master key

2025-031

Design handle grip with exchangeable cylinder and 2 keys, with simultaneous locking

1128-55021

Single exchangeable cylinder, with 2 keys, for design handle grip and

top cabinets 2025-02

Removal key for exchangeable

cylinder

grip and top cabinets

2025-026

0005-10

Single/spare key for design handle



^{*} when ordered with cabinet

^{*} when ordered with cabinet

Sliding-door cabinets

The sliding-door cabinets with steel doors offer:

- Sturdy steel construction with high-quality enamel coating
- Smooth-running steel sliding doors with special casters run in a special rail guide
- Ergonomic bow-shaped handles made of metal for easy operation
- Standard with gliders (floor protection)
- Top cabinets available as simultaneously locking with basic cabinet
- Push and turn cylinder lock with 2 keys, optionally available with exchangeable cylinder
- Very flexible arrangement of the interior fittings thanks to height adjustability in 15 mm steps
- High load capacity of 70 kg per shelf, reinforcements see page 328
- Extensive cabinet accessories




Sample visualization of the functional floor space required by space-saving cabinet types

(The example does not take into account the possibility of overlapping traffic areas according to regulations)

= functional area = user area

= traffic area

Sliding-door cabinet



For comparison: Hinged-door cabinet

Sliding-door cabinets with steel doors

Shelves adjustable









Dimensions and design

Width	1200	1200	1200	1200
Depth	400	500	400	500
Height	1950	1950	1950	1950
Interior dimensions HxWxD	1840 x 1197 x 328	1840 x 1197 x 428	1840 x 1197 x 328	1840 x 1197 x 428
Security compartments single-door (per side)	-	-	2 400 x 595 x 290	2 400 x 595 x 390
Shelves	4	4	3	3
Suspension bars	-	-	-	-
Center partition	-	-	-	-
CSC	6	6	6	6
Order no.	2040-00	2050-00	2040-200	2050-200
Price				

















	Ь
ш.	

)	4	4	•	4	4
	1200	1600	1600	1600	1600	1600
	500	400	500	400	500	500
	1950	1950	1950	1950	1950	1950
18	40 x 1197 x 428	1840 x 1596 x 328	1840 x 1596 x 428	1840 x 1596 x 328	1840 x 1596 x 428	1840 x 1596 x 428
	-	-	-	2 400 x 795 x 290	2 400 x 795 x 390	-
	-	2 x 4	2 x 4	2 x 3	2 x 3	
	6 (Elba/Leitz)					2 x 6 (Elba/Leitz)
	-	1	1	1	11	1
	6	7	7	7	7	7
	2050-60	2140-00	2150-00	2140-100	2150-100	2150-60



Ergonomic bowshaped handles: made of metal for easy operation



Top cabinets with steel sliding doors

incl. accessories for mounting to base cabinet, requires tops for use as occasional cabinets







1. Dimensions and design

Width	1200	1200	1200
Depth	400	500	400
Height	500	500	790
Interior dimensions HxWxD	450 x 1197 x 328	450 x 1197 x 428	740 x 1197 x 328
Shelves	-	-	1
Binder heights	1	1	2
CSC	4	4	5
Order no.	2044-00	2054-00	2045-00
Price			



Customer must provide wall mounting for top cabinets

Tops

made of MCPB, for use as occasional cabinet







for	cabinet	wic
Dαr	nth	

1200 400



1200	
400	



Thickness 25 mm + Order no. + Unit price

+ 2016-000

+ 2017-000

+ 2016-000



Please select (see end of catalog for color overview)...........|491



Top cabinets with sliding doors












1	1200
	500
	790
	740 x 1197 x 428
	1
	2
	5

2055-00

1600
400
500
450 x 1597 x 328
-
1
5
2144-00

•			
1600			
500			
500			
450 x 1597 x 428			
-			
1			
5			
2154-00			

V	
1600	
400	
790	
740 x 1597 x 328	740
2 x 1	
2	
6	
2145-00	










1600	
500	







1600 500

+ 2017-000

+ 2018-000

1600

400

+ 2019-000

+ 2018-000

+ 2019-000

Rear panel reinforcement for moun-ting the cabinet on the wall

+ Order no. + Addtl. charge + 1000-53

Accessories



Ordering steps:

1. Dimensions and design

Top decor

2. Body / door color

Options

Order no. 2044-00 (top cabinet)

C 2000 ACURADO



Order no. 2048-1200



Occasional cabinets with steel sliding doors

incl. MCPB tops 25 mm thick













1.	Dimensions		
	and design		

	4	Ψ.	4	4	*	Ψ
Width	1200	1200	1200	1200	1200	1200
Depth	400	500	400	500	400	500
Height	1000	1000	1200	1200	1600	1600
Interior dimensions HxWxD	855 x 1197 x 328	855 x 1197 x 428	1055 x 1197 x 328	1055 x 1197 x 428	1455 x 1197 x 328	1455 x 1197 x 428
Shelves	2	2	2	2	3	3
Binder heights	2 1/2	2 1/2	3	3	4	4
CSC	5	5	5	5	6	6
Order no.	2046-1200	2056-1200	2047-1200	2057-1200	2048-1200	2058-1200
Price						













Dimensions and design

Width	1600	1600	1600	1600	1600	1600
Depth	400	500	400	500	400	500
Height	1000	1000	1200	1200	1600	1600
Interior dimensions HxWxD	855 x 1596 x 328	855 x 1596 x 428	1055 x1596 x 328	1055 x 1596 x 428	1455 x 1596 x 328	1455 x 1596 x 428
Shelves	2 x 2	2 x 2	2 x 2	2 x 2	2 x 3	2 x 3
Binder heights	2 1/2	2 1/2	3	3	4	4
Center partition	1	1	1	1	1	1
CSC	5	5	5	5	6	6
Order no. Price	2146-1200	2156-1200	2147-1200	2157-1200	2148-1200	2158-1200

Body and door color

Top decor

Accessories 328



Occasional cabinets with sliding doors

Desk-high cabinets with steel sliding doors

level adjustable, shelves adjustable, 1200 or 1600 mm wide with center partition, with MCPB top 25 mm thick












Width	800	1000	1200	1600
Depth	400	400	400	400
Height	720	720	720	720
Interior dimensions HxWxD	675 x 740 x 340	675 x 940 x 340	675 x 564 x 340	675 x 764 x 340
Shelves	1	1	2 (1 per side)	2 (1 per side)
Binder heights	2	2	2	2
CSC	3	3	4	6
Order no.	5722-00	5725-00	5723-00	5724-00
Price				



for cabinet width + Order no. + Addtl. charge

800 + 5005-60

1000 + 5005-60

1200 + 5005-60

1600 + 5005-61



	<
cabinet width	







1200 1600 for o 800 1000 Width x depth 940 x 340 563 x 340 740 x 340 740 x 340 Center partition



Thickness 11 mm + Order no.

for cabinet width

+ Order no. + Unit price + 5722-80

+ 5725-80

+ 5723-80

+ 5724-80

Underframes

made from square profile, 150 mm high, standard color black gray RAL 7021







1000 + 2031-00



1200 + 2027-00



1600 + 2029-00

C 2000 ACURADO

The sliding-door cabinets with glass doors offer:

- Body in sturdy steel construction with high-quality enamel coating
- Smooth-running sliding doors run with special casters in special rail guide
- Glass sliding doors made of TSG (toughened safety glass), with ground-in recessed grip
- Standard with gliders (floor protection
- Top cabinets available as simultaneously locking with basic cabinet
- Slewing/pressure cylinder lock with 2 keys
- Very flexible arrangement of the interior fittings thanks to height adjustability in 15 mm steps
- Extensive range of cabinet accessories
- Steel shelves in color of the body









TSG glass



Sliding-door cabinets with glass doors

Load capacity of 40 kg per shelf with evenly distributed load











Steel shelves

	•	•	·	·
Width	1200	1200	1200	1200
Depth	400	500	400	500
Height	790	790	1950	1950
Interior dimensions HxWxD	740 x 1197 x 328	740 x 1197 x 428	1840 x 1197 x 328	1840 x 1197 x 428
Shelves	1	1	4	4
Center partition	-	-	-	-
CSC	5	5	6	6
Order no.	2045-07*	2055-07*	2040-07	2050-07
Price				



CSC Order no. Price

Width x depth

Steel, 24 mm + Order no.

2045-073*

2055-073*

6 2040-073*

2050-073*

Additional shelves



1196 x 427

1196 x 427

Steel shelves

+ Unit price + Order no.

+ 2040-80

+ 2050-80

1196 x 327 + 2040-80

+ 2050-80

Glass shelves

Glass, 6 mm

+ Unit price

+ 2040-380

+ 2050-380

+ 2040-380

+ 2050-380

Body and door color



Top decor



326

1. Dimensions and shelf material



3. Top decor

Options

Sliding-door cabinets with glass doors



Order no. 2145-07 (top cabinet)



Order no. 2140-07 + 2140-80 (4 additional shelves)







1600

400



1600	1600	
400	500	
790	790	
740 x 1596 x 328	740 x 1596 x 428	
2 (1 per side)	2 (1 per side)	
1	1	
6	6	

2155-07* 2140-07

1600 500 1950 1950 1840 x 1596 x 328 1840 x 1596 x 428 8 (4 per side) 8 (4 per side)

2145-073*

2145-07*

2155-073*

2140-073*

2150-073*

2150-07





+ 2140-80

+ 2150-80

+ 2140-80

796 x 427 + 2150-80

+ 2140-380

+ 2150-380

+ 2140-380

+ 2150-380



Order no. 2040-073

Tops

MCPB, 25 mm thick, required if using the 790 mm height cabinets as counter cabinets

for cabinet width	1200	1200	1600	1600
Depth	400	500	400	500
+ Order no.	+ 2016-000	+ 2017-000	+ 2018-000	+ 2019-000
+ Price				

Underframes...

^{*}Longer delivery time possible.

Additional shelves

Coated steel, 24 mm thick (standard)









for cabinet width	1200	1200	1600	1600
Width x depth	1196 x 327	1196 x 427	796 x 327	796 x 427
Center partition	<u>-</u>	-	1	1



Thickness 24 mm
Order no.
Unit price

2040-80

2050-80

2140-80

2150-80

Reinforced shelf

Order no.

+ Addtl. charge

Standard load capacity of approx. 70 kg per shelf with evenly distributed load

Load capacity per shelf

1 additional 2 additional reinforcement under reinforcements under the shelf the shelf

0			

90 kg	110 kg
801	802

Shelf slotted

Addtl. charge, plus price of the shelf, longer delivery time



for slot-in

binder supports

Slots
Order no.
+ Addtl charge

every 50 mm ...-89



Binder supports

Height Depth / Width x Order no. Price

Slot-in binder support only for slotted shelves



	2040-8901	2050-8901
depth	352	452
	180	180

Attachable binder support with 2-fold edging, suitable for all shelves





100	2
100 x 230	100
4221-25	422

200				
100 x 270				
4222-25				



Suspension bars Elba/Leitz system, (order no. 2050-82,)

Suspension bars

Elba/Leitz

Zippel





for cabinet width	1200	1600	1200	1600
for cabinet depth	500	500	500	500
inner useful width	1111	731	1111	731
Order no.	2050-82	2150-82	2050-83	2150-83
Price				

Accessories for sliding-door cabinets

Rack

extensible, addtl. charge, plus price of the shelf

Positioned below the shelf, for model 2140-00



approx. 670 mm

...-871

Width

Order no. + Addtl. charge

Wardrobe rail

including storage shelf, possible from 500 mm exterior cabinet depth only, without coat hangers

Positioned below the storage shelf along with the holder



double the price of

the respective shelf

Order no.



Wardrobe rail (order no. ...-88)



Extensible rack (order no. ...-871) Shelf support zinc-plated, per unit



Order no. 1118-00 Price

Wardrobe rail extensible

Price



for cabinet width Order no. Unit price

without coat hangers, for model 2140-00



2140-39



Fully extendable wardrobe rail (order no. 1040-39, see page 318)


Underframes

made from square profile, 150 mm high, standard color black gray RAL 7021











for cabinet width	1200	1200	1600	1600
for cabinet depth	400	500	400	500
CSC	3	3	3	3
Order no.	2027-00	2028-00	2029-00	2030-00
Price				

Keys and locks

not suitable for glass sliding doors



Locking simultaneously

Exchangeable for master key system

Master key for exchangeable cylinder

Removal key for exchangeable cylinder

Single/spare key for C 2000 Acurado series

Lock with lock no. upon request (longer delivery times)

Order no. Unit price 2025-021

2025-03

2025-031

2025-026

0005-10

....-...99

+ Addtl. charge*



^{*} when ordered with cabinet

C 2000 ACURADO

The suspension file and index card cabinets offer:

- Economical solution for "classic" office tasks
- Sturdy steel construction with high-quality enamel coating
- 5 year guarantee on the telescopic rail guide
- For suspension files or index cards
- Three widths, three heights
- Standard with gliders (floor protection)
- Exchangeable lock cylinder with 2 keys and central locking
- Fully extensible drawers on durable telescopic ball-bearing rails
- Anti-tilt mechanism
- Flush folded in, closed steel drawers with integrated full-width handle bar
- Every card file row with two suspension plates
- Load capacity of 50 kg per drawer

•





50 kg drawer load capacity



5 year guarantee

Available at no additional charge in the standard colors:



Light gray RAL 7035



Black gi



White aluminum



Traffic white

Filing cabinets

with hanging frame and **closed drawer bottom**, for hanging frames **DIN A4**, fully extensible















Width	433	433	433	787	787	787
Depth	590	590	590	590	590	590
Height	733	1045	1357	733	1045	1357
Interior dimensions HxWxD	250 x 330 x 528					
Tracks	1-row	1-row	1-row	2-row	2-row	2-row
Drawers	2	3	4	2	3	4
Order no.	12412-311	12423-311	12434-311	12912-312	12923-312	12934-312
Price						





Our interior dimension specifications generally indicate the **usable dimensions** (e.g. from the suspension point of the DIN A4 size suspension file to the next lower panel or drawer bottom).

The usable dimensions from the suspension point to the next **higher** panel are indicated in the drawing above.

Filing and card-index cabinets



Card-index cabinets

for **DIN A5** and **DIN A4** index cards, drawers fully extensible















Width	433	433	787	787	553	787
Depth	590	590	590	590	590	590
Height	1045	1357	1045	1357	1357	1357
Interior dimensions HxWxD	285x 300 x 528	285 x 300 x 528	285 x 300 x 528	285 x 300 x 528	185 x 214 x 518	185 x 214 x 518
Tracks	1-row	1-row	2-row	2-row	2-row	3-row
Drawers	3	4	3	4	6	6
for index cards	DIN A4 landscape	DIN A4 landscape	DIN A4 landscape	DIN A4 landscape	DIN A5 landscape	DIN A5 landscape
Order no.	12423-321	12434-321	12923-322	12934-322	12736-322	12936-323
Prico						



Please choose: light gray,

black gray, white aluminum, traffic whitesee left page




Accessories

Based on applicable standards and guidelines (e.g. EN 14073-2), cabinets must be secured against tipping. There are two convenient options for this:

1 Using a wall mounting* option or

2 with additional counterweight





Additional counterweight

if wall mounting is not possible, cannot be fitted retroactively

for cabinet width	433	553	787
load capacity per drawer	35 kg	40 kg	50 kg
+ Order no.	+ 6400-01	+ 6700-01	+ 6900-01
+ Addtl. charge			

2. Body color









Label holder made of plastic, per unit

Standard

for supplementing the supplied labeling plates (1 per drawer is standard). Color black, incl. label and transparent cover

Comfort

for alternative additional drawer labeling. Color black, incl. label and transparent cover







Design
HxWxD
Window H x W
Order no.
Price

17 x 67	self-adhesive 26 x 76 x 4	
17 X 07		 _
6103-13	., ,, ,,	

6103-11	
30 x 105	
39 x 114 x 5	39
self-adhesive	1

6103-12	
30 x 105	
39 x 114 x 5	
magnetic	

Underframes

Standard color black gray RAL 7021

made of square profile







Width	433	553	787
Height	150	150	150
CSC	3	3	3
Order no.	64020-00	67020-00	69020-00
Price			



Filing cabinets with closed drawer bottoms

Suspension plates







Design
Panel height
Order no.
Unit price

for DIN **A4** size landscape format index cards 6 HU

6494-10

for DIN A5 size landscape format index cards

4 HU **6495-10**





Exchangeable lock cylinder with 2 keys, nickel-plated

Order no.

Price



2025-02

Single/spare key

integrated full-width handle bar

per unit



Order no. Price 0005-10

Accessories for drawer and filing cabinets



Hinged-door cabinets



- Body in sturdy steel construction with high-quality enamel coating, doors standard with wood decor fronts
- Appealing design thanks to narrow edges
- Metal cabinet handle, matt nickel-plated
- Hinged doors with an opening angle of approx. 225°
- Safety lock with exchangeable cylinder and 2 keys
- Level adjustment
- Various fronts, tops, and shelves possible
- Highly flexible interior (15 mm steps)
- Variety of upgrades available

Sliding-door cabinets



The practical

- Sliding doors with smooth-running casters
- Safety lock (push and turn cylinder lock) with exchangeable cylinder and 2 keys
- Shelves made of steel in black gray RAL 7021
- Level adjustment
- For the exchangeable door-front concept, please see page 348
- Occasional and top sliding-door cabinets see page 352ff

	Dod de juga	gle productine	productine	product line	tritangeable fil	Rousi Red Not	konting Method	cide wall with	Nation Section	
	225°					Trio Trio				
Hinged-door cabinets C 3000 Asisto	•	•	435	•	•	•	optional	optional	•	
Sliding-door cabinets C 3000 Asisto	-	•	435	•	•	•	optional	optional	•	
Tambour cabinets C 3000 Asisto	-	•	435	•	•	•	optional	optional	•	
Drawer and filing cabinets C 3000 Asisto	-	•	435 600	•	•	•	•	•	•	



The complete elegant tambour

- Sturdy steel construction with high-quality enamel coating
- Plastic tambour doors stopping on the left, with matt nickel-plated bow-shaped handle
- Smooth and quiet functioning
- Standard with gliders (floor protection)
- Hook bolt lock with 2 keys
- When the doors are open, the entire interior is accessible
- Entire product line (different dimension variants and interior fittings for any requirement)
- Range of top and counter solutions

Drawer and filing cabinets



The comfort range for all filing needs364

- Sturdy steel construction with body sound absorption and high-quality enamel coating
- Optional wood decor fronts and tops
- Central locking system with 2 keys, exchangeable cylinder, and anti-tilt mechanism
- Elegant and ergonomic bow-shaped handles, matt nickel-plated
- 15 year guarantee on the rail guide
- Complete modular system for different filing materials



txt.ginder	Leve adjustnent	top and counted	srell load capacit	orang logd ki	d white stance are the stantist of the stantis	soft-stop	nterofithings	Supersionalles	kriistiile kaldodos
	\$<_<>								
 •	•	•	up to 70				optional	optional	•
•	•	•	up to 70				optional		•
•	•	•	up to 70				optional	optional	•
•	•	-	-	up to 100	•	•	optional	•	•

Steel strength and flexibility in the office

The C 3000 Asisto series offers:

- Body in sturdy steel construction with high-quality enamel coating, hinged and sliding doors standard with wood decor
- Hinged doors with an opening angle of approx. 225° and adjustable, exterior hinges
- Safety lock (3-bolt cylinder lock with push rods) with exchangeable cylinder and 2 keys
- MCPB tops (melamine coated particle board), 25 mm thick, with edge band for occasional and counter cabinets (Height 915-1635 mm)
- Appealing design thanks to narrow edges (which can generally only be achieved with steel bodies)
- Integrated base (height 90 mm)

- Standard level adjustment, adjustable from the inside
- Different fronts (steel, wood, Clear glass, etc.) and tops can be matched to the steel body
- Highly flexible interior thanks to adjustability in 15 mm steps
- Shelves made of steel in black gray RAL 7021 (also available in MCPB, phenolic HPL, or clear glass)
- High load capacity per shelf up to 70 kg
- Metal cabinet handle, matt nickel-plated
- Excellent stability and suitability for moving thanks to Asisto steel body (with useful magnetic surfaces on the side)
- Various additional equipment options, for example body sound absorption on the side

Asisto by C+P is a leading product in all areas of modern office furniture and also offers added value that has the strength of steel and that you can only get from C+P. For the Asisto cabinets with the innovative steel body stand out due to their technology, design, and price-performance ratio.

Asisto is the intelligent complete range from the market leader in steel furniture.







Whether it is hinged-door, sliding-door, or tambour cabinets - they all feature the narrow 6 mm edge that is characteristic for Asisto cabinet systems





The standard Asisto handles are matt nickel-plated and continue the elegant style of this product line



The adjustable hinges (opening angle of approx. 225°) are extra flat, thus allowing even better access to the cabinet interior



The Asisto level adjustment can be easily adjusted from the inside with easy access to the adjusting screw through a guide sleeve



C 3000 ASISTO

The hinged-door cabinets offer:

- For a general description, see page 336
- Exchangeable door-front concept
- MCPB tops 25 mm thick for cabinets up to 1635 mm in height
- for additional or alternative shelves, please see page 342



Hinged door cabinets with exchangeable door fronts

incl. MCPB tops 25 mm thick for cabinets up to 1635 mm in height












1.	Dimensions and	Width	800	1000	800	1000	1200
	door material	Depth	435	435	435	435	435
		Height	915	915	1310	1310	1310
		Interior dimensions HxWxD	745 x 795 x 352	745 x 995 x 352	1140 x 795 x 352	1140 x 995 x 352	1140 x 1195 x 352
		Shelves	1	1	2	2	2
		Binder heights	2	2	3	3	3
	NAVe ed deser	CSC	4	4	4	5	5
	Wood decor doors	Order no.	141053-000	141052-000	141033-000	141032-000	141031-000
	(standard)	Price					
Ð		Optional:					
	Steel	+ Order no.	+ 141053-710	+ 141052-710	+ 141033-710	+ 141032-710	+ 141031-710
	doors	+ Addtl. charge					
	1 120	Optional:	144052.750	144052.750	141022.750	141022 750	144024 750
	Clear glass	+ Order no.	+ 141053-750	+ 141052-750	+ 141033-750	+ 141032-750	+ 141031-750
	doors	+ Addtl. charge					





Hinged-door cabinets



MCPB wood decor doors are standard for all Asisto cabinets (19 mm thick)



and feature double-wall insulation (19 mm thick)



and consist of safety glass (TSG) with a thickness of 6 mm



Optional for all cabinets:


SonicWall Steel acoustic fronts featuring a nearly invisible, acoustically highly effective perforation. We would be happy to provide you with more information.

Order no. 141002-000 + 141002-710 (steel doors)









1200

435









П	4		
ı	ш		7
۰		_	

800	1000
435	435
1635	1635
1465 x 795 x 352	1465 x 995 x 352
3	3
4	4
5	6
141013-000	141012-000



1465 X 1195 X 352	
3	
4	
6	

141011-000



141003-000

435
1980
1825 x 995 x 352
4
5

6

141002-000

1200
435
1980
1825 x 1195 x 352
4
5





+ 141012-710

+ 141011-710

+ 141003-710

+ 141002-710

+ 141001-710

6

141001-000

+ 141013-750

+ 141012-750

+ 141011-750

+ 141003-750

+ 141002-750

+ 141001-750



Sound absorption in all side walls

for all cabinet and shelf widths, for a more pleasant sound behavior of the cabinet









+ Addtl. charge



915	
2	

+ 141050-701





1980

+ 141030-701

+ 141010-701

+ 141000-701



Office bookcases

The bookcases offer:

- For a general description, see page 336
- Standard shelves made of steel in color of the body, additional or alternative shelves, see page 342







Level adjustment



Shelf load capacity 70 kg



Office bookcases

incl. MCPB tops 25 mm thick for shelves up to 1635 mm in height











Dimensions and design

Width	800	1000	800	1000	1200
Depth	435	435	435	435	435
Height	915	915	1310	1310	1310
Interior dimensions HxWxD	745 x 795 x 352	745 x 995 x 352	1140 x 795 x 352	1140 x 995 x 352	1140 x 1195 x 352
Shelves	1	1	2	2	2
Binder heights	2	2	3	3	3
CSC	4	4	4	5	5
Order no.	140053-000	140052-000	140033-000	140032-000	140031-000
Price					





















800	1000	1200	800	1000	1200
435	435	435	435	435	435
1635	1635	1635	1980	1980	1980
1465 x 795 x 352	1465 x 995 x 352	1465 x 1195 x 352	1825 x 795 x 352	1825 x 995 x 352	1825 x 1195 x 352
3	3	3	4	4	4
4	4	4	5	5	5
5	6	6	5	6	6
140013-000	140012-000	140011-000	140003-000	140002-000	140001-000

Additional accessories 342



Attachable binder supports



Fully extendable wardrobe rail



Divider box order no. 140000-708, customized combinations





Steel shelves, black gray for hinged-door cabinets, color of the body for bookcases 24 mm thick (standard), load capacity 70 kg Order no.-80



Glass shelves made of safety glass (TSG) with a thickness of 6 mm, load capacity 40 kg Order no.-580

Additional shelves

Coated steel, 24 mm thick (standard), black gray for hinged-door cabinets, color of the body for bookcases







Dim	ensions
and	material

for cabinet width	
Width x depth	

800 794 x 352

1000 994 x 352

1200 1194 x 352



Thickness 24 mm Order no. Unit price

140003-80

140002-80

140001-80

Alternative design



Thickness 6 mm Order no. Unit price + Addtl. charge

140002-580

140001-580

* when ordered with cabinet

Alternative tops

as solid core/phenolic HPL or steel top instead of the MCPB top



140003-580





Тор



for cabinet width Depth

800 435 1000 435

1200 435

Phenolic HPL

Thickness 13 mm Order no. + Addtl. charge

140003-130

140002-130

140001-130

Steel

Thickness 7 mm Order no. + Addtl. charge

140003-110


140002-110

140001-110

Shelf

extensible, with divider boxes, plastic boxes in black, box height 48 mm





for cabinet width Inside dimensions H x W x D

800 4 boxes each 240 x 96, 192 x 144, 144 x 96 mm + 1 box 192 x 96 mm

1000 4 boxes each 240 x 96, 192 x 144, 144 x 96 mm + 5 boxes 192 x 96 mm

1200 4 boxes each 240 x 96, 192 x 144, 144 x 96 mm + 9 boxes 192 x 96 mm

Order no. Price

140000-709

140000-708

140000-707

and office bookcases



Binder support

attachable,

for steel shelves, black gray



Width	100
Depth	270
Height	200
Order no.	140000-701
Price	

Wardrobe rail

extensible,

below a steel storage shelf, without coat hangers



for cabinet width	800
Dimensions H x W x D	24 x 759 x 352
Internal dimensions W x D	759 x 363
Order no.	140003-88
Price	


Elba/Leitz Zippel Elba/Leitz Zippel Elba/Leitz Zippel Suspension bars Unit prices for cabinet width 800 800 1000 1000 1200 1200 inner useful width 719 719 919 919 1119 1119 Order no. 140003-82 140003-83 140002-82 140002-83 140001-82 140001-83

Hanging frame

Price

fully extensible, on ball bearings,

with 2/4 adjustable vertical fixed links, incl. double anti-tilt mechanism, for DIN A4 suspension files.









for cabinet width	800	1000	1200
Inner useful depth	330	330	330
Tracks	2-row	2-row	3-row
Order no.	140003-811	140002-811	140001-811
Price			

Collection tray for hanging frames

made of coated sheet steel, for retroactive placement with the hanging frame



800	
1/10002-7/10	





for cabinet width	800	1000	1200
Order no.	140003-740	140002-740	140001-740
Prico			

Top cabinets with hinged doors

The top cabinets with hinged doors offer:

- Body in sturdy steel construction with high-quality enamel coating, hinged doors standard with wood decor
- Hinged doors with an opening angle of approx. 225° and adjustable, exterior hinges
- Safety lock (3-bolt cylinder lock with push rods) with exchangeable cylinder and 2 keys
- Appealing design thanks to narrow edges (which can generally only be achieved with steel bodies)
- Different fronts (steel, wood, etc.) can be matched to the steel body

- Highly flexible interior thanks to adjustability in 15 mm steps
- Shelves made of steel in SLIM design, black gray RAL 7021, for additional shelves see right side
- Load capacity of 30 kg per shelf
- Metal cabinet handle, matt nickel-plated
- Various additional equipment options, for example body sound absorption on the side















2 binder heights



Exchangeable door fronts

Top cabinets with exchangeable door fronts


Shelf adjustable, except for cabinet width 1200 mm

Wall mounting is necessary for top cabinets









Wood decor doors

Width	800	1000	1200
Depth	435	435	435
Height	701	701	701
Interior dimensions HxWxD	660 x 795 x 352	660 x 995 x 352	660 x 1195 x 352
Shelves	1	1	1
Binder heights	2	2	2
CSC	3	4	5
Order no.	141083-000	141082-000	141081-000





Optional: + Order no. + Addtl. charge

+ 141083-710

+ 141082-710

+ 141081-710





Additional shelves

in SLIM design, coated steel, black gray, shelf load capacity

30 kg	
or cahinet width	800

>	
)	1000

1200	

Width x depth	794 x 352	994 x 352
Thickness 10 mm		
. Order no	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	140062 90

+	140062-80



1194 x 352



+ Order no. + Unit price

+ 140063-80

MCPB = melamine coated particle board

0

Desk-high occasional bookcases

The Asisto occasional bookcases offer:

- For a general description, see page 344
- Always delivered with standard MCPB top
- Shelves made of steel in SLIM design in color of body
- Load capacity of 30 kg per shelf
- 720 mm high for 2 binder heights





Occasional bookcases

incl. MCPB tops 25 mm thick, shelf adjustable





Dimensions and design

Width	800	1000
Depth	435	435
Height	720	720
Interior dimensions HxWxD	660 x 795 x 352	660 x 995 x 352
Shelves	1	1
Binder heights	2	2
CSC	3	4
Order no.	140063-000	140062-000
Price		





Please choose



in SLIM design, coated steel, in color of body, shelf load capacity 30 kg

-



1000

for width	800	1000
Width x depth	794 x 352	994 x 352
Thickness 10 mm		

+ 140063-80

+ 140062-80

Sound absorption in all side walls

for all bookcase widths, for a more pleasant sound behavior of the bookcase

+ Order no. + Unit price



Sandwich construction (steel-absorption layer-steel)

for cabinet height	720
Binder height	2



per occasional bookcase

+ Order no. + Addtl. charge + 141060-701



2. Body color





Top bookcases

The Asisto top bookcases offer:

- For a general description, see page 344
- Bookcases available in widths of1000 and 1200 mm
- Shelves made of steel in SLIM design in color of body
- Load capacity of 30 kg per shelf
- For 2 binder heights

The small bottom without a base and the identical lateral edges allow any top bookcase to adapt perfectly to a basic cabinet. This makes the ensemble appear as if it is a single item.



Top bookcases

Shelf adjustable, except for shelf width 1200 mm





Dimensions and design


1000	1200
435	435
701	701
660 x 995 x 352	660 x 1195 x 352
1	1
2	2
4	5 140081-000
140062-000	140061-000
	435 701 660 x 995 x 352 1 2



Body color



Please choose





Wall mounting

Wall mounting is necessary for top bookcases

Accessories

Additional shelves

in SLIM design, coated steel, in color of body, shelf load capacity 30 kg

capacity 30 kg		
for width	1000	1200
Width x depth	994 x 352	1194 x 352
Thickness 10 mm		

Th

+ Order no.

+ Unit price

+ 140062-80

+ 140061-80

Order no. 140082-000 (top cabinet)



Sliding-door cabinets

The sliding-door cabinets offer:

- For a general description, see page 336
- Sliding doors with smooth-running casters
- Safety lock (push and turn cylinder lock) with exchangeable cylinder and 2 keys
- Shelves made of steel in black gray RAL 7021 (standard)
- Exchangeable door-front concept
- Occasional and top sliding-door cabinets see page 352ff
- High load capacity per shelf up to 70 kg









Order no. 142002-000 + 142002-710 (steel doors)

Top sliding-door cabinets with exchangeable door fronts

incl. MCPB tops 25 mm thick for cabinets up to 1635 mm in height, **without** center partition, shelves adjustable









1200

1.	Dimensions and
	door material

Depth	435	435	435	435
Height	915	915	1310	1310
Interior dimensions HxWxD	745 x 995 x 352	745 x 1195 x 352	1140 x 995 x 352	1140 x 1195 x 352
Shelves	1	1	2	2
Binder heights	2	2	3	3
CSC	4	5	5	5
Order no.	142052-000	142051-000	142032-000	142031-000
Price				



Steel doors	=	

Optional:
+ Order no.
, Addtl charge


+ 142052-710

+ 142051-710

+ 142032-710

+ 142031-710

2. Body color



3. Door decor (top decor if applicable) or door color (for steel doors)

H












1000	
435	
1635	
1465 x 995 x 352	
3	
4	

1200	
435	
1635	
1465 x 1195 x 352	
3	
4	



1200
435
1980
1825 x 1195 x 352
4
5
6



6 142011-000

142002-000

5 6



+ 142012-710

142012-000

+ 142011-710


+ 142002-710

+ 142001-710

142001-000



Accessories







Good acoustics:

You can find sound absorption

solutions in our SonicWall product series brochure and on our website www.cp.de/sonicwall

SonicWall Steel acoustic fronts featuring a nearly invisible, acoustically highly effective perforation.

We would be happy to provide you with more information.



C 3000 ASISTO





Additional shelves

Coated steel, 24 mm thick, color black gray (standard), load capacity 70 kg





Dimensions and material	
-------------------------	--

for cabinet width
Width x depth

1000		
994	x 352	



Steel	

Thickness 24 mm
Order no.
Unit price

140002-80

140001-80

Accessories for sliding-door cabinets


Sound absorption

in the side walls, for all cabinet widths, for a more pleasant sound behavior of the cabinet









Sandwich construction

(steel-absorption layer-steel)

for cabinet height Binder heights

+ Addtl. charge

per cabinet Order no.

141050-701 141030-701 141010-701

141000-701



Alternative tops

as solid core/phenolic HPL or steel top,

instead of the MCPB top





Тор

398

for	cabinet	width
Der	oth	

1000 435

1200 435



Thickness 13 mm Order no.

140002-130

140001-130



Thickness 7 mm Order no. + Addtl. charge

+ Addtl. charge

140002-110

140001-110



Binder support

attachable,

for steel shelves, black gray



Width	
Depth	
Height	
Order no.	
Price	

100		
270		
200		
140000-701		



C 3000 ASISTO

Occasional cabinets with sliding doors




Desk-high occasional cabinets

adjustment

incl. MCPB tops 25 mm thick, shelf adjustable








Steel doors

Width	800	1000
Depth	435	435
Height	720	720
Interior dimensions HxWxD	660 x 795 x 352	660 x 995 x 352
Shelves	1	1
Binder heights	2	2
CSC	3	4
Order no.	142063-000	142062-000
Price		



3	Optional:		
	+ Order no.	+ 142063-710	+ 142062-710
7	+ Addtl. charge		

2.	Body color	Please select (see end of catalog for color overview)	
	Door docor (top docor if an	applicable) or deer color (for steel deers)	





Additional shelves

in SLIM design, coated steel, black gray, shelf load capacity 30 kg





for cabinet width Width x depth **800** 794 x 352 **1000** 994 x 352



Thickness 10 mm

+ Order no.

+ Unit price

+ 140063-80

+ 140062-80

Sound absorption in all side walls

for all cabinet widths, for a more pleasant sound behavior of the cabinet



Sandwich construction (steel-absorption layer-steel)

for cabinet height Binder heights **72** 2



per cabinet

+ Order no. + Addtl. charge + 141060-701

Alternative top cover as solid core/phenolic HPL or steel top

Accessories



CSC = color surcharge code number MCPB = Melamine coated particle board

Top cabinets with sliding doors



The top cabinets offer:

- Body in sturdy steel construction with high-quality enamel coating, sliding doors standard with wood decor
- Sliding doors with super smooth-running casters
- Exchangeable door-front concept
- Cabinets available in widths of 1000 and 1200 mm
- Safety lock with exchangeable cylinder and 2 keys
- Shelves made of steel in SLIM design, black gray RAL 7021, for additional shelves see right side
- Load capacity of 30 kg per shelf
- Metal cabinet handle, matt nickel-plated











Sliding doors

Product line

Top cabinets with exchangeable door fronts

Shelf adjustable, except for cabinet width 1200 mm

Wall mounting is necessary for top cabinets



4

+ 142082-710





Width
Depth
Height
Interior dimension:
Chalvac

рерип
Height
Interior dimensions HxWxD
Shelves
Binder heights
CSC

	435	435
	701	701
)	660 x 995 x 352	660 x 1195 x 352
	1	1
	2	2

Wood decor doors (standard)

Order no. Price

4	5
142082-000	142081-000




Optional:

+ Order no.

+ Addtl. charge

+ 142081-710

Ordering steps:











Additional shelves

in SLIM design, coated steel, black gray, shelf load capacity 30 kg





for cabinet width	1000	1200
Width x depth	994 x 352	1194 x 352

Steel	

Thickness 10 mm

+ Order no.

+ Unit price

+ 140062-80

+ 140061-80

C 3000 ASISTO





The tambour cabinets offer:

- Widths: 800, 1000, and 1200 mm
- Tambour doors consist of full-length, flexible plastic mats (polypropylene) with aluminum locking bars and metal cabinet handle, matt nickel-plated, for easy operation
- Acoustically effective tambour doors (optional)
- Smooth and quiet tambours
- No assembly required tambour cabinets are delivered pre-assembled
- Load capacity of 50 kg per shelf
- Hook bolt lock with exchangeable cylinder and 2 keys
- Very flexible arrangement of the interior fittings thanks to height adjustability in 15 mm steps
- Body and internal walls have the same color
- Shelves always in black gray RAL 7021
- Standard level adjustment



Door hinged on left

356



Acoustic tambour doors (optional)



Product line Width

Ordering steps:



Product line Height



Full access to the interior

Patented acoustic tambour:

Absorbs sound, improves acoustics - and looks good at the same time: The smooth-running special tambour is patented and has an awardwinning design. It absorbs the majority of the sounds occurring in everyday work situations. In some frequency ranges, it "swallows" nearly seven times as much noise as a traditional






Tambour cabinets - use office space sufficiently

When open, tambour cabinets always provide unobstructed access without the hindrance of doors extending into the room. This allows you to

- fit more workstations and storage space in the room
- or achieve a more generous appearance of your furnishings while using the same amount of space,
- and to utilize valuable office areas more efficiently!



of overlapping traffic areas according to regulations)


+ Optional for all cabinets:

Make the office an area of tranquility!

Especially in open-concept office spaces, everyday work routines result in a number of "typical" noises: Speaking, rattling, or ringing draw your focus away from your work. All the better if you can solve this problem by utilizing the office storage that you need anyway and create a healthy, pleasant working atmosphere for the employees at the same time.









Order no. 143002-000

Tambour cabinets

Shelves adjustable





1000



1200

Dimensions and tambour material

Depth	435	435	435
Height	1980	1980	1980
Interior dimensions HxWxD	1865 x 695 x 365	1865 x 895 x 365	1865 x 1095 x 365
Shelves	4	4	4
Binder heights	5	5	5
CSC	5	6	6
Order no.	143003-000	143002-000	143001-000
D :			



ard	Order n
our	Price
	 Optiona

Optional:
. Order no

+ Addtl. charge

Width

+ 143001-716

2	Вос	dv c	olor		
۷.					

Please select	(see end	l of catalog	for color	overview)



Accessories

Acoustic tambour

Please choose: white, light gray, black, white aluminum



incl. MCPB tops 25 mm thick, shelves adjustable









Width	800	1000	1200
Depth	435	435	435
Height	915	915	915
Interior dimensions HxWxD	785 x 695 x 365	785 x 895 x 365	785 x 1095 x 365
Shelves	1	1	1
Binder heights	2	2	2
CSC	4	5	5
Order no.	143053-000	143052-000	143051-000
Price			



Optional:

+ Order no. + Addtl. charge

+ 143051-716

2. Body color

Acoustic

tambour



3. Tambour fronts

Please choose: white, light gray, black, white aluminum





















ш	4	
		•

~	~	*	~	4	~
800	1000	1200	800	1000	1200
435	435	435	435	435	435
1310	1310	1310	1635	1635	1635
1176 x 695 x 365	1176 x 895 x 365	1176 x 1095 x 365	1505 x 695 x 365	1505 x 895 x 365	1505 x 1095 x 365
2	2	2	3	3	3
3	3	3	4	4	4
4	5	5	5	6	6
143033-000	143032-000	143031-000	143013-000	143012-000	143011-000



- + 143031-716 - + 143011-716

Accessories

+ Asisto cabinets

C 3000 ASISTO



Desk-high occasional tambour cabinets

incl. 25 mm MCPB top, shelf adjustable, except for cabinet width 1200 mm







1. Dimensions and tambour material

Width	800	1000	1200
Depth	435	435	435
Height	720	720	720
Interior dimensions HxWxD	660 x 695 x 365	660 x 895 x 365	660 x 1095 x 365
Shelves	1	1	1
Binder heights	2	2	2
CSC	3	4	5
Order no.	143063-000	143062-000	143061-000
Price			



Acoustic tambour

Optional: + Order no. + Addtl.charge

-

+ 143061-716

2.	Body color	Please select (see end of catalog for color overview)	491
3.	Tambour fronts	Please choose: white, light gray, black, white aluminum (acoustic tambour only in white and white aluminum)	363
Ð	Alternative tops	Solid-core/phenolic HPL or steel	362
Ð	Accessories	Additional shelves	361

Occasional and top cabinets with tambour







Order no. 143082-000 (top cabinet) + 143002-000 (basic cabinet)

Top tambour cabinets

Shelf adjustable, except for cabinet width 1200 mm







Dimensions and tambour material

vviutii	000	1000	1200
Depth	435	435	435
Height	701	701	701
Interior dimensions HxWxD	660 x 695 x 365	660 x 895 x 365	660 x 1095 x 365
Shelves	1	1	1
Binder heights	2	2	2
CSC	3	4	5
Order no.	143083-000	143082-000	143081-000
Price			



Optional: + Order no.

+ Addtl. charge

Width

+ 143081-716

Wall mounting

Acoustic tambour

Wall mounting is necessary for top cabinets



3 Tambour fronts

Please choose: white, light gray, black, white aluminum

+ Additional shelves

in SLIM design, coated steel, black gray, shelf load capacity 30 k

$\overline{}$

 $\overline{}$



fo W

r cabinet width	800
/idth x depth	724 x 363

1000	
924 x 363	





Thickness 10 mm

+ Order no. + Unit price + 143063-80

+ 143062-80

+ 143061-80

Alternative tops

as solid-core/phenolic HPL or steel top

instead of the MCPB top





1000



Top design	 398

8	for	C
	De	ot

for cabinet width	
Depth	

800	
435	

435

1200 435



Thickness 13 mm Order no. + Addtl. charge

140003-130

140002-130

140001-130



Thickness 7 mm Order no. + Addtl. charge

140003-110

140002-110

140001-110

Additional shelves

Coated steel, 24 mm thick, color black gray (standard)







for cabinet width
Width x depth

800	
724 x 363	

1000	
924 x 36	3



Thickness 24 mm Order no. Price

143003-80

143002-80

143001-80

Hanging frame

fully extensible, on ball bearings, with 2/4 adjustable vertical fixed links, incl. double anti-tilt mechanism, for DIN A4 suspension files.

Cannot be retrofitted







1200

for cabinet width	
Inner useful depth	
Tracks	
Order no.	
Price	

800
330
1-row
143003-811

1000
330
2-row
143002-811

442004 044	
3-row	
330	

Collection tray for hanging frames

made of coated sheet steel, for retroactive placement with the hanging frame







for cabinet width	
Order no.	

Order no. Price

800
143003-740

1000 143002-740 1200 143001-740

Binder support

attachable, for steel shelves,

black gray



Wardrobe rail

extensible,

below a steel storage shelf, without coat hangers



Width	100
Depth	270
Height	200
Order no.	140000-701
Price	

	•
for cabinet width	800
Dimensions H x W x D	24 x 695 x 355
Internal dimensions W x D	695 x 365
Order no.	143003-88
Price	

Accessories for tambour cabinets



Available colors for tambours

The smooth-running plastic tambour mats are available for all cabinet heights at no extra cost in the following colors:

Standard tambour:











Black



White aluminum

Additional charge for varnished body

in white aluminum RAL 9006 or traffic white RAL 9016

CSC 3:	
CSC 4:	
CSC 5:	
CSC 6:	

Acoustic tambour:





White



White aluminum



The drawer and filing cabinets offer:

- 435 mm deep, includes MCPB panels and tops as a standard, 25 mm thick
- Body with body sound absorption for pleasant sound levels
- 5 year guarantee on the telescopic rail guide
- Full extension with parallel control, self-closing system and anti-tilt mechanism. Optional soft-close silencers can be
- Load capacity of 50 kg per drawer
- Central locking system
- Exchangeable lock cylinder with 2 keys
- For suspension files, index cards, or special filing materials
- Each index row with 2 suspension plates
- Bow-shaped handles, matt nickel-plated
- Standard level adjustment

- Different fronts (wood decor, steel) and tops can be matched to the steel body
- High-quality, self-adhesive plastic label holder with labeling plate (1 supplied for each drawer)
- Drawers and hanging frames in black gray RAL 7021









Bow-shaped handles, matt nickel-plated



Side walls 50 kg drawer load with sound capacity absorption



435 mm

Filing cabinets 435 mm deep


with **closed** hanging frame for DIN A4 suspension files, fully extensible, incl. MCPB top 25 mm thick











Width	800	800	1200	1200
Depth	435	435	435	435
Height	1010	1310	1010	1310
Interior dimensions HxWxD	240 x 330 x 320			
Tracks	2-row	2-row	3-row	3-row
Drawers	3 x 6 HU	4 x 6 HU	3 x 6 HU	4 x 6 HU
Hanging frame	1	1	1	1
CSC	6	6	7	7



C Order no. Price

146043-312

146023-412

146041-313

146021-413



Optional:

+ Order no. + Addtl. charge + 6900-401

+ 6900-402

+ 6400-401

+ 6400-402






Panel decor (top decor if applicable) or panel color (for steel panels)





Ordering steps:



3> Panel color



Drawer and filing cabinets 435 mm deep



Card-index cabinets 435 mm deep

for **DIN A4** and **DIN A5** index cards, drawers fully extensible, incl. MCPB top 25 mm thick














	V	V	~	V	V
Width	800	800	800	800	800
Depth	435	435	435	435	435
Height	1010	1310	1310	1010	1310
Interior dimensions HxWxD	260 x 303 x 320	260 x 303 x 320	160 x 213 x 320	260 x 153 x 320	260 x 153 x 320
Tracks	2-row	2-row	3-row	4-row	4-row
Drawers	3 x 6 HU	4 x 6 HU	6 x 4 HU	3 x 6 HU	4 x 6 HU
for index cards	DIN A4 landscape	DIN A4 landscape	DIN A5 landscape	DIN A5 portrait	DIN A5 portrait
CSC	6	6	6	6	6
Order no.	146043-322	146023-422	146023-623	146043-324	146023-424
Price					
Optional:					
'	. 6000 401	. 6000 403	. 6000 402	. 6000 401	. 6000 403
+ Order no.	+ 6900-401	+ 6900-402	+ 6900-402	+ 6900-401	+ 6900-402



Wood decor panels


Steel panels


Our interior dimension specifications generally indicate the **usable dimensions** (e.g. from the suspension point of the DIN A4 size suspension file to the next lower panel or drawer bottom).

+ Addtl. charge

The usable dimensions from the suspension point to the next **higher** panel are indicated in the drawing above.

Based on applicable standards and guidelines (e.g. EN 14073-2), cabinets must be secured against tipping. There are two convenient options for this:








Additional counterweight

if wall mounting is not possible, cannot be fitted retroactively

for cabinet width	800	1200	800	1200
for cabinet height	1010	1010	1310	1310
load capacity per drawer	50 kg	50 kg	50 kg	50 kg
+ Order no.	+ 6700-01	+ 6700-01	+ 6900-01	+ 6900-01
+ Addtl charge				

The drawer and filing cabinets offer:


- 600 mm deep, includes panels and tops as a standard, made of steel, 7 mm thick
- Sturdy steel construction with high-quality enamel coating
- Body with double-walled drawer fronts, housing with body sound absorption for pleasant sound behavior
- Fully extensible pull-outs on sturdy telescopic rails (5 year guarantee), with anti-tilt mechanism and self-closing system
- Central locking system and exchangeable lock cylinder with 2 keys
- For suspension files, index cards, or special filing materials
- Each index row with 3 suspension plates
- Different fronts (steel, wood) and tops can be matched to the steel body
- Bow-shaped handles, matt nickel-plated
- Standard level adjustment



- Drawers and hanging frames in black gray RAL 7021
- Standard with gliders (floor protection)
- Load capacity per drawer: 60 kg with standard rails 100 kg with HD rails (heavy duty, see page 375)


















Filing cabinets 600 mm deep

nickel-plated

with closed hanging frame for **DIN A4 suspension files**, fully extensible, incl. steel top 7 mm thick









Dimensions and panel material

Width	440	440	440	562
Depth	600	600	600	600
Height	698	998	1298	1298
Interior dimensions HxWxD	240 x 330 x 498	240 x 330 x 498	240 x 330 x 498	345 x 451 x 518
Tracks	1-row	1-row	1-row	1-row
Drawers	2 x 6 HU	3 x 6 HU	4 x 6 HU	3 x 8 HU
for suspension files	DIN A4	DIN A4	DIN A4	DIN A3
	_	_	_	_



CSC 4 5 5 Order no. 146275-211 146245-311 146225-411 146224-301 Price



Optional:


+ Order no. + 6400-410 + Addtl. charge

+ 6400-411

+ 6400-412


+ 6700-412

Body and panel color (for steel panels)



Panel/top decor (for wood decor panels)

Accessories Based on applicable standards and guidelines (e.g. EN 14073-2) cabinets must be secured against tipping. There are two convenient options for this:



2 with additional counterweight

Drawer and filing cabinets 600 mm deep











a	
	,

V	~	\checkmark	V
562	800	800	800
600	600	600	600
1298	698	998	1298
345 x 402 x 518	240 x 330 x 498	240 x 330 x 498	240 x 330 x 498
1-row	2-row	2-row	2-row
3 x 8 HU	2 x 6 HU	3 x 6 HU	4 x 6 HU
EDP 12"	DIN A4	DIN A4	DIN A4
5	5	6	6
146224-331	146273-212	146243-312	146223-412

Cabinet heights

for tops in

Steel (standard)	
1298 mm	
998 mm	
698 mm	
	_

or

MCPB (see page 375)
1310 mm
1010 mm
710 mm

+ 6700-412

+ 6900-410

+ 6900-411

+ 6900-412




for cabinets with standard runners if wall mounting is not possible, cannot be fitted retroactively

for cabinet width	440	562	800	440	800	440	562	800
for cabinet height	698	698	698	998	998	1298	1298	1298
load capacity per drawer	35 kg	35 kg	50 kg	35 kg	50 kg	50 kg	50 kg	50 kg
+ Order no.	+ 6400-01	+ 6700-01	+ 6900-01	+ 6400-01	+ 6900-01	+ 6400-01	+ 6700-01	+ 6900-01
+ Addtl. charge								

^{*}The fastening method depends on the wall material. Please use screws and dowels that are suitable for the respective type of wall (not included).



C 3000 ASISTO



Card-index cabinets 600 mm deep

for DIN A4 and DIN A3 index cards, drawers fully extensible, incl. steel top 7 mm thick







Dimensions and panel material

	*	*	*
Width	440	440	440
Depth	600	600	600
Height	698	998	1298
Interior dimensions HxWxD	285 x 300 x 518	285 x 300 x 518	285 x 300 x 518
Tracks	1-row	1-row	1-row
Drawers	2 x 6 HU	3 x 6 HU	4 x 6 HU
for index cards	DIN A4 landscape	DIN A4 landscape	DIN A4 landscape
CSC	4	4	5
Order no.	146275-221	146245-321	146225-421



Price



Optional:

+ Order no. + Addtl. charge + 6400-410

+ 6400-411

+ 6400-412

Body and panel color (for steel panels)

3. Panel/top decor (for wood decor panels)

3. Panel color

Options

368







Order no. 146243-322 + 69011-000 (MCPB top, optional)











800
600
698
285 x 300 x 518
2-row
2 x 6 HU
DIN A4 landscape

146273-222

|--|

800 600 998 285 x 300 x 518 2-row 3 x 6 HU DIN A4 landscape

6 146243-322

800 600 1298 285 x 300 x 518 2-row 4 x 6 HU DIN A4 landscape

6 146223-422

562 600 1298 390 x 429 x 518 1-row 3 x 8 HU DIN A3 landscape

5 146224-321

600 1298 390 x 214 x 518 2-row 3 x 8 HU DIN A4 portrait

> 5 146224-322

+ 6900-410

+ 6900-411

+ 6900-412

+ 6700-412

+ 6700-412





Central locking system with exchangeable cylinder...... 374



Central locking system with exchangeable cylinder:
Compatible with many other pieces of C+P furniture. Perfect for organizing lock groups at a later time.

Card-index cabinets 600 mm deep

for **DIN A5 index cards**, drawers fully extensible, incl. steel top 7 mm thick









1	Dimensions and
	panel material

Width	562	562	800	800
Depth	600	600	600	600
Height	698	1298	698	1298
Interior dimensions HxWxD	185 x 214 x 518	185 x 214 x 518	185 x 214 x 518	185 x 214 x 518
Tracks	2-row	2-row	3-row	3-row
Drawers	3 x 4 HU	6 x 4 HU	3 x 4 HU	6 x 4 HU
for index cards	DIN A5 landscape	DIN A5 landscape	DIN A5 landscape	DIN A5 landscape
CSC	4	5	5	6
Order no.	146274-322	146224-622	146273-323	146223-623
Price				
Ontional:				



Steel panels (standard)

Optional:

+ Order no. + Addtl. charge + 6700-410

+ 6700-412

+ 6900-410

+ 6900-412

Card-index cabinets 600 mm deep

for DIN A6 index cards, drawers fully extensible, also for microfilm jackets/microfiches, incl. steel top 7 mm thick











Width	440	440	440	800
vviatn	440	440	440	800
Depth	600	600	600	600
Height	698	998	1298	698
Interior dimensions HxWxD	130 x 155 x 518			
Tracks	2-row	2-row	2-row	4-row
Drawers	4 x 3 HU	6 x 3 HU	8 x 3 HU	4 x 3 HU
for index cards	DIN A6 landscape	DIN A6 landscape	DIN A6 landscape	DIN A6 landscape
CSC	4	4	5	5
Order no.	146275-422	146245-622	146225-822	146273-424
Price				
Optional: + Order no.	+ 6400-410	+ 6400-411	+ 6400-412	+ 6900-410
+ Addtl. charge				



Steel panels (standard)

Body and panel color (for steel panels)

Panel/top decor (for wood decor panels)

* Cabinet heights incl. MCPB tops each + 12 mm



tops*


Drawer cabinets 600 mm deep







1.	800
	600
	698
	205 / 155 / 5





800

600 600 998 1298 285 x 155 x 518 285 x 155 x 518 4-row 4-row 3 x 6 HU 4 x 6 HU DIN A5 portrait DIN A5 portrait

5 146273-224

6 146243-324

6 146223-424

+

+ 6900-410

+ 6900-411

+ 6900-412





800	800
600	600
998	1298
130 x 155 x 518	130 x 155 x 518
4-row	4-row
6 x 3 HU	8 x 3 HU
DIN A6 landscape	DIN A6 landscape

6

6

146243-624

146223-824

+ 6900-411

+ 6900-412



Central locking system with exchangeable cylinder:
Compatible with many

other pieces of C+P furniture. Perfect for organizing lock groups at a later time.



Central locking system



Order no. 146243-324 + 69011-000 (MCPB top, optional)



Order no. 146224-622





Interior of cabinet for CDs / DVDs in jewel case

Drawer cabinets 600 mm deep for CDs and DVDs

Drawers fully extensible, suitable for CDs/DVDs in W 142 x D 10 x H 125 mm format (jewel case) or W 142 x D 5 x H 125 mm format (slim case), incl. steel top 7 mm thick





Dimensions and panel material

Width	800	800
Depth	600	600
Height	698	1298
Interior dimensions HxWxD	185 x 154 x 514	185 x 154 x 514
Tracks	4-row	4-row
Drawers	3 x 4 HU	6 x 4 HU
holds	360 units in jewel case or 720 units in slim case	720 units in jewel case or 1440 units in slim case



CSC 5 6 146273-324 Order no. 146223-624 Price



Optional: + Order no.

+ Addtl. charge

+ 6900-410

+ 6900-412

Please specify your project requirements when inquiring about cabinets with interior fittings for DVDs in W 135 x D 14 x H 190 mm!



Tray for microfilm roll boxes

Drawer cabinets 600 mm deep for microfilm roll boxes*

Drawers fully extensible, for microfilm roll boxes 16 or 35 mm, incl. steel top 7 mm thick

Number of boxes per drawer: 16 mm roll film: 108 boxes 35 mm roll film: 60 boxes





Dimensions and panel material

Width	800	800
Depth	600	600
Height	998	1298
Interior dimensions HxWxD	135 x 100 x 485	135 x 100 x 485
Tracks	6-row	6-row
Drawers	6 x 3 HU	8 x 3 HU
CSC	6	6
Order no.	146243-600	146223-800

+ 6900-411



Price

+ 6900-412

Wood decor panels

Optional: + Order no.

+ Addtl. charge


* For drawer cabinets for microfilm roll boxes

Drawer cabinets with special fittings 600 mm deep





* Cabinet heights incl. MCPB top each + 12 mm





Our interior dimension specifications generally indicate the **usable dimensions** (e.g. from the suspension point of the DIN A4 size suspension file to the next lower panel or drawer bottom).

The usable dimensions from the suspension point to the next **higher** panel are indicated in the drawing above.



for 435 mm deep cabinets





for 435 and 600 mm deep cabinets



Label frames made of plastic, per unit

Standard

for supplementing the supplied labeling plates (1 per drawer is standard). Color black, incl. label and transparent cover

Comfort

for alternative additional drawer labeling. Color black, incl. label and transparent cover



Design
$H \times W \times D$
Window H x W
Order no.
Price

self-adhesive
26 x 76 x 4
17 x 67
6103-13

6103-11	
30 x 105	
39 x 114 x 5	
self-adhesive	

magnetic	
39 x 114 x 5	
30 x 105	
6103-12	



Exchangeable cylinder with 2 keys, nickel-plated Order no. Price



Single/spare key
per unit



individual

for 600 mm deep cabinets





DIN A6 landscape index cards 3 HU 6496-10



DIN A5 landscape index cards 4 HU 6495-10



DIN A5 portrait index cards 6 HU 6495-20



for DIN **A4 landscape** index cards 6 HU 6494-10



for DIN **A4 portrait** index cards 8 HU 6494-20



for DIN **A3 landscape** index cards 8 HU 6493-10

Alternative MCPB tops

Panel height

Order no.

Price

instead of the 7 mm thick steel top, for top decor see end of catalog, please specify with order

	\Diamond	\Diamond	
Width	440	562	800
Depth	600	600	600
Thickness 25 mm			

Order no. + Addtl. charge 64011-000

67011-000

69011-000

Dividers

Vertical fixed link for reducing the track width of the hanging frame

1 set (2 units), suitable for all models with full drawer bottoms

Index row plates



Length Order no. Price

520 146200-710



527 6492-00

Underframes

made of square profile

Standard black gray RAL 7021 (for alternative coatings according to CSC, see end of catalog)

Width	440	562	800
Height	150	150	150
CSC	3	3	3
Order no.	146200-700	146200-701	146200-702



Dimension HxWxD Order no.

Price

for retrofitting drawers

130 x 155 x 518 146200-720



Soft-stop

for an even softer self-closing system

Design	per drawer
Order no.	146000-705
+ Addtl charge	





per drawer incl. Soft-stop 146000-703

HD rail guide (heavy duty)

for an even higher load capacity

Design	per drawer
Order no.	146000-704
+ Addtl. charge	





For special requirements.



C 4000 CERTOS



- Double-walled, sturdy steel construction with special insulating plates between the walls and high-quality enamel coating
- Double-bit safety lock with five-bolt bolt lock system, with 2 keys
- Doors on sturdy exterior bolt hinges, convenient door opening angle of approx. 180°
- Protection against minor fires and attempted burglary
- Improved burglar-proof design thanks to to over-extended metal frame covering the lock bolts
- Shelf load capacity 70 to 110 kg
- Optional electronic code lock
- Different dimension variants, designs, and interior fittings

	klanerlesistant	Ooille walled	Taribout stopping	gat-dosino	szakable	site lot	tlectionic code	
	- Lat		»»» «««	aa uu u	*			
Flame-resistant cabinets C 4000 Certos	•	•	-	-	-	•	optional	
Tambour cabinets Omnispace	-	-	•	-	-	-	-	
Multi-drawer cabinets 7100 and 7200 series	-	-	-	•	•	-	-	

Fire protection, tambour, and multi-drawer cabinets

OMNISPACE



Multi-drawer cabinets 7100 and 7200 series




The complete cost-effective tambour cabinet range for more room when space is limited......382

- Body in sturdy steel construction with high-quality enamel coating
- Hook bolt lock with 2 keys
- Plastic tambour doors made of polypropylene with recessed grip, smooth and quiet functioning
- When the doors are open, the entire interior is accessible
- Standard with gliders (floor protection)
- Complete product line (different dimension variants and interior fittings for any requirement)
- Range of top and counter solutions

The universal drawer cabinets

- Sturdy steel construction with overlay drawer fronts and high-quality enamel coating
- Elegant and ergonomic bow-shaped handles, matt nickel-plated
- Central locking system with 2 keys
- Anti-tilt mechanism and standard with gliders (floor protection)
- 10 year guarantee on the rail guide
- Drawer bottoms are stepped and can be divided, thus suitable for different applications
- Maximum shelf load capacity up to 40 kg
- Available in two standard sizes (DIN A1 and DIN A0) and two heights



C 4000 CERTOS

The C 4000 Certos offers:

- Double-walled on all sides (25 mm thick special insulating plates between the walls, category A1, non-flammable according to DIN 4102)
- Protection against minor fires and attempted burglary
- Hinged doors on sturdy bolt hinges at top and bottom, convenient door opening angle of approx. 180°
- Improved burglar-proof design thanks to sturdy door locks that snap into the side panels on the left and right
- Five-bolt bolt lock system (3 on the sides, 1 respectively at the top/bottom)
- Double-bit safety lock with 2 keys
- High load capacity of 70 kg per shelf, reinforcements see page 313
- Cabinet handles in black, also available silver anodized for an additional charge
- Lightweight cabinet for easier transport and rooms with limited floor load capacity
- For delivery see page 18 and 19



Flame-resistant













Double-walled Safe lock design

Flame-resistant

Hinged-door cabinets

Flame-resistant, incl. MCPB tops 19 mm thick for cabinets up to 1226 mm in height









Width	650	930
Depth	500	500
Height	1226	1226
Interior dimensions HxWxD	1060 x 598 x 429	1060 x 878 x 429
Security compartment dimensions H x W x D	-	-
Shelves	2	2
Binder heights	3	3
Weight	approx. 64 kg	approx. 84 kg
CSC	7	7
Order no.	1160-000	1171-00



Order no. 1160-000





Additional shelves Coated steel, 24 mm thick



Width x depth
Order no.
Unit price

Price





+ 1160-80 + 1170-80

Flame-resistant cabinets





Bolt hinges at door in color of door



















1.	1200
	500
	1226
	1060 x 1148 x 429
	-
	2

8	
1181-00	

500	
1950	
1810 x 598 x 429	1810
-	
4	

4	
5	
approx. 92 kg	

8	
1161-000	

650	930	

500	
1950	
1810 x 878 x 429	
-	
4	

5	
approx. 115 kg	

8 1170-00

1200			

1200
500
1950
1810 x 1148 x 429
-

4	
5	
approx. 140 kg	

8 1180-00

000

500	
1950	
1810 x 878 x 429	
1 (two-door) 335 x 758 x 400	
3	

3	
4	
approx. 120 kg	

8 1170-100



2 (single-door) 335 x 370 x 400 4

500 1950 1810 x 878 x 429

approx. 123 kg

8 1170-200



Please choose (see end of catalog for color overview) 491









+ 1180-80



597 x 428

+ 1160-80





1147 x 428 + 1180-80



877 x 428 + 1170-80



877 x 428 + 1170-80



Hinged-door cabinet

Flame-resistant, 8 sturdy plastic boxes in the center compartment, (data modules) with telescopic pull-outs for CDs/DVDs in jewel cases





Width	930
Depth	500
Height	1950
Interior dimensions HxWxD	1810 x 878 x 429
Security compartment	-
Shelves	4
Binder heights	4
Weight	approx. 123 kg
CSC	8
Order no.	1170-504
Price	





Width x depth 877 x 428 Thickness 24 mm Order no. + 1170-80 Steel shelves Unit price



Please choose (see end of catalog for color overview) ... 491



Please choose (see end of catalog for color overview) ... 491





Capacity per module 26 CDs/DVDs in jewel case

Data modules*

Color gray, with chrome-plated lock and 2 keys, separators and inscription fields

Capacity per module
Dimensions of data carriers H x W x D
Order no.
Price



26 CDs/DVDs in jewel case 165 x 195 x 325

1050-7010



208 CDs/DVDs in jewel case 335 x 780 x 325 1050-7011

* The data modules can be connected vertically and horizontally.









Accessories for flame-resistant cabinets

Suspension bars

Elba/Leitz

Zippel





for cabinet width	930	1200	930	1200
inner useful width	825	1095	825	1095
Order no.	1170-82	1180-82	1170-83	1180-83
Price				




Hanging frame

fully extensible, on ball bearings, color black gray, with 2 adjustable dividers, including anti-tilt mechanism, cannot be retrofitted





for cabinet width	930	1200	
For cabinet depth	500	500	
Inner useful depth	328	328	
Tracks	2-row	2-row and 1 extra compartment	1
for files	DIN A4	DIN A4	
Order no.	1170-8110	1180-8110	
Price			





Rack extensible





for cabinet width	
Order no.	
Price	

930 1170-871 1200 1180-871



Additional accessories







1170-701



Design	Electronic lock
	in black (instead of double-bit lock)

in black (when order with the cabi buble-bit lock)

1131-02

1128-34

Lock with third key

(when ordered with the cabinet)

Single key

(when placing a repeat order)

anodized
en placing (instead of black standard design)

(longer delivery times possible)

www.cp-furniture.com

1128-3399



Order no.

+ Addtl. charge

OMNISPACE

The Omnispace series offers:

- Body in sturdy steel construction with high-quality enamel coating
- Planning dimensions 600, 800, 1000, and 1200 mm
- Tambour doors consist of full-length, flexible plastic mats (polypropylene) with a practical recessed grip for easy operation
- Smooth and quiet functioning











Product line Height



to the

- No assembly required tambour cabinets are delivered pre-assembled
- Standard with gliders (floor protection)
- Load capacity of 50 kg per shelf
- Hook bolt lock with 2 keys
- Very flexible arrangement of the interior fittings thanks to height adjustability in 15 mm steps
- Color of body and interior walls generally the same
- Shelves always in black gray RAL 7021
- Standard level adjustment








Tambour cabinets





Sample visualization of the functional floor space required by space-saving cabinet types

(The example does not take into account the possibility of overlapping traffic areas according to regulations)

Tambour cabinets



600



600





1000



1200

420

1980 1836 x 1051 x 385

> 6 3203-00

design	

Dimensions and

Depth	420	420	420	420
Height	1980	1980	1980	1980
Interior dimensions HxWxD	1836 x 493 x 385	1836 x 493 x 385	1836 x 651 x 385	1836 x 851 x 385
Shelves	4	4	4	4
Binder heights	5	5	5	5
Description	Tambour door stopping on left	Tambour door stopping on right	-	-
CSC	5	5	5	6
Order no.	3200-00L	3200-00R	3201-00	3202-00
Price				



Please choose:

Width

+	Top cabinets	6



2. Body color

Please choose:

White, light gray, black gray, white aluminum............ 386

Ŧ	Accessories	387
	Fully extendable wardrobe rail	

Ordering steps:

1 Dimensions and design

Body color

3. Tambour fronts

Options

Tambour cabinets







1	Dimensions	and
	design	

Width
Depth
Height
Interior dimensions HxWxD
Shelves
Binder heights

800	
420	
1030	
886 x 651 x 385	
2	
2 + extra compartment	2

420 1030 886 x 851 x 385 2 2 + extra compartment

1200
420
1030
886 x 1051 x 385
2
2 + extra compartment



CSC Order no. Price

4 3241-00

5 3242-00

5 3243-00



420





Dimensions and design

Width
Depth
Height
Interior dimensions HxWxD
Shelves
Binder heights

	1343		
D	1201 x 651 x 385		
	3		
	3 + extra compartment		

420 1345 1201 x 851 x 385 3 3 + extra compartment

1200		
420		
1345		
1201 x 1051 x 385		
3		
3 + extra compartment		



CSC Order no. Price

4

3221-00

5 3222-00

5 3223-00



МСРВ,

please specify top decor

abinet width	800







for c Depth Thickness 25 mm

800	
420	

1000	
420	



 MCPB

+ Order no. + Addtl. charge

+ 3212-0800

+ 3212-1000

+ 3212-1200







Please choose:

White decor, royal maple decor,

Standard level adjustment:

For Omnispace tambour cabinets, height adjustable up to 10 mm

- easy to access
- easy to adjust

Accessories

Top decor

Suspension bars.....

CSC = color surcharge code number MCPB = Melamine coated particle board

384



1230

1086 x 651 x 385

2

3

4

3231-00



3232-00





1000	1200
420	420
1230	1230
1086 x 851 x 385	1086 x 1051 x 385
2	2
3	3
5	5







3233-00

•		
800		
420		
1660		
1516 x 651 x 385		
3		
4		
5		
3211-00		

1000
420
1660
1516 x 851 x 385
3
4
6
3212-00

1200			
420			
1660			
1516 x 1051 x 385			
3			
4			
6			
3213-00			





Order no. 3213-00



Order no. 3222-00 + 3212-1000 (top)



Order no. 3233-00 + 3212-1200 (top)



Top cabinets with tambours













Ш	

Width	600
Depth	420
Height	450
Interior dimensions HxWxD	356 x 493 x 385
Description	Tambour door

stopping on left

420 450 356 x 493 x 385 Tambour door stopping on right

800 420 420 450 450 356 x 651 x 385 356 x 851 x 385

420 450 356 x 1051 x 385

CSC Order no Price

3 3260-00L

3 3260-00R

3 3261-00

3 3262-00

3 3263-00

Wall mounting

Customer must provide wall mounting for top cabinets

Desk-high cabinets

incl. MCPB tops 25 mm thick







Width	800	1200
Depth	420	420
Height	720	720
Interior dimensions HxWxD	596 x 651 x 385	596 x 1051 x 385
Shelves	1	1
Binder heights	1 + extra compartment	1 + extra compartment
CSC	3	4
Order no.	3251-00	3253-00





Please choose: White, Light gray, Black gray, white aluminumsee below Top decor

Please choose: White decor, royal maple decor, light gray decorsee below



Body color

Please choose: White, Light gray, Black gray, white aluminum.....see below Accessories

Binder support.....see right

Available colors and materials

Available body colors (Please note: addtl. charge for body in traffic white and white aluminum*, see table on bottom right)



Traffic white



Light gray



Black gray



White aluminum







The smooth-running plastic tambour mats are made of polypropylene and are available for all cabinet heights in the following colors at no extra cost:



White

Light gray

Black gray

White aluminum

25 mm thick with 3 mm edge band available in 4 decors:



*Addtl. charge for varnished body

in traffic white RAL 9016 and white aluminum RAL 9006

CSC 3:	_
CSC 4:	
CSC 5:	
CSC 6:	














Accessories for tambour cabinets


Additional shelves

Steel coated, black gray (standard)



3201-80






Suspension bars (Suspension bars from other systems on request)

Order no

Price

for cabinet width	
Order no.	
Price	



3202-80



Hanging frame


fully extensible, max. 4 hanging frames per cabinet possible, Color black gray RAL 7021

For cabinet width	
Tracks	
Order no.	
Price	



3200-80

800	
1-row	
3201-811	







1200

1051 x 360

3203-80

1000	1200
2-row	3-row
3202-811	3203-811



Wardrobe rail

extensible, below the storage shelf

for cabinet width
Order no.
Price

without coat hangers



600 3200-88



800 3201-88

Binder support attachable, suitable for all shelves

Order no. Price



3200-701

Single/ spare key

3200-7027 Order no. Price*

* when ordered with cabinet

Lock

simultaneous locking



3200-7021

Order no. Price*

* when ordered with cabinet

388



Drawing storage for watches (with C+P foam rubber mat)

Multi-drawer cabinets



C+P multi-drawer cabinets inspire. They can be used for almost any imaginable solution thanks to the stepped horizontal and vertical dividers. They are only available from C+P.



Drawing storage for coins



Drawing storage for sample collections (with C+P divider)



Drawing storage for office supplies (with C+P divider)



Drawing storage for collections




7100 and 7200 series

The multi-drawer cabinet offers:

The universal drawer cabinets for everything that is flat

- e.g. for posters, graphic prints (studios), etc.
- All drawers with pressure device at the front and with cover strip at the back
- Sturdy steel construction with overlay drawer fronts and high-quality enamel coating
- Many combination options thanks to optional base and tops
- Elegant and ergonomic bow-shaped handles, matt nickel-plated
- Central locking system with 2 keys
- Anti-tilt mechanism and standard gliders (floor protection)
- 10 year guarantee on the rail guide
- Drawers with self-closing system, in DIN A1 size fully extensible
- Drawer bottoms are stepped and can be divided, thus suitable for different applications
- Maximum shelf load capacity up to 40 kg
- Available in two standard sizes (DIN A1 and DIN A0) and two heights



Explanation of the inside dimensions:

Standard design

45 mm = Height of the drawer <u>pan</u>

43 mm = Internal height of the drawer pan

66 mm = Exterior panel height

55 mm = Interior height of the drawer

<u>Design with tall drawer</u> <u>pan and double panel height</u>

(addtl. charge model 7000-80, see bottom of page 392)

100 mm = Height of the drawer pan

98 mm = Internal height of the drawer <u>pan</u>

134 mm = Exterior panel height

120 mm = Interior height of the drawer



10 year guar-



Self-closing system



40 kg drawer load capacity



Full extension T for DIN A1 a



Tilt resistance (anti-tilt mechanism)



Stackable



Usable size



Interior and accessories



Multi-drawer cabinets



Order no. 7100-000 + 7101-000 + 7105-000 (top) + 7103-000 (base)

Order no. 7101-000 + 7105-000 (top) + 7103-000 (base)



Multi-drawer cabinets 7100 series

for formats up to **DIN A1**, central locking, with **fully** extensible drawers













Width	1100	1100	1100	1100	1100
Depth	765	765	765	765	765
Height	420	420	760	760	760
Drawer interior dimensions HxWxD	45/55 x 1005 x 710	45/55/120 x 1005 x 710	45/55 x 1005 x 710	45/120 x 1005 x 710	45/55/120 x 1005 x 710
Description	5 drawers with regular panel height	3 drawers, 1 with regular, 2 with double panel height	10 drawers with regular panel height	5 drawers with double panel height	8 drawers, 6 with regular, 2 with double panel height
CSC	7	7	10	10	10
Order no. Price	7100-000	7100-100	7101-000	7101-100	7101-200

Multi-drawer cabinets 7200 series

for formats up to **DIN A0**, central locking, with **4/5** extensible drawers











1.	Dimensions
	and design

	•	*	•	*	*
Width	1350	1350	1350	1350	1350
Depth	960	960	960	960	960
Height	420	420	760	760	760
Drawer interior dimensions HxWxD	45/55 x 1255 x 905	45/55/120 x 1255 x 905	45/55 x 1255 x 905	45/120 x 1255 x 905	45/55/120 x 1255 x 905
Description	5 drawers with regular panel height	3 drawers, 1 with regular, 2 with double panel height	10 drawers with regular panel height	5 drawers with double panel height	8 drawers, 6 with regular, 2 with double panel height
CSC	9	9	12	12	12
Order no. Price	7200-000	7200-100	7201-000	7201-100	7201-200












Options





Tops, bases, and underframes

for 7100 series

MCPB top

approx. 25 mm thick (please specify decor, see end of catalog for decor overview)

Base

for cabinet section with drawers, locks into the cabinet base on all sides, recessed approx. 15 mm at the front, please specify color

Base

made of square profile without an intermediate shelf, please specify color

Underframe

made of square profile with an intermediate shelf, please specify color



7105-000



7103-000



150 x 1100 x 750

7106-000



x 1100 x 750

7104-000

Tops, bases, and underframes for 7200 series

Dimensions HxWxD

CSC

Order no. Price

MCPB top

approx. 25 mm thick (please specify decor, see end of catalog for decor overview)

Base

for cabinet section with drawers, locks into the cabinet base on all sides, recessed approx. 15 mm at the front. please specify color

Base

made of square profile without an intermediate shelf, please specify color

Underframe

made of square profile with an intermediate shelf, please specify color



Dimensions HxWxD **25 x 1350 x 960**

7205-000

CSC Order no.

Price



7203-000



7206-000



x 1350 x 945 5

7204-000

Compartment dividers for DIN A0 size drawers



Number of compartments

Maximum compartment dimensions per divider W x D Order no.

Price

 $\textbf{2} \times \text{DIN} \ \textbf{A1}$

620 x 890 0202-00



4 x DIN A2

620 x 440 0204-00



305 x 440 0208-00



16 x DIN **A4**

305 x 220 0216-00



Order no. 0108-00 (compartment dividers)

Compartment dividers for DIN A1 size drawers



Number of compartments Maximum compartment dimensions per divider W x D

Order no. Price



2 x DIN A2

500 x 690 0102-00



0104-00

500 x 340

8 x DIN A4

245 x 340 0108-00

Drawer pan

Height 100 mm* for drawers with double panel height in models 7100/7200-100 and 7101/7201-100/200.

Additional charge per drawer (for explanation of the interior dimensions see page 390)

Order no. Price

7000-80

Compartment dividers

Application

Order no.

Price

individual, max, fill height up to pressure device approx. 4 cm



used vertically, without pressure device

7000-10



used horizontally, with pressure device

7000-20

Accessories for multi-drawer cabinets

Drawer dividers

made of sturdy plastic, color gray, with approx. 20 mm steps

Vertical divider for insertion into

horizontal divider

Horizontal divider for insertion into vertical divider





Dimensions H x W x D

Order no. Price

40 x 5 x 702 7100-704

40 x 1003 x 5 7100-705



Order no. 7100-704 + 7100-705

Drawer tidies

(plastic boxes for small parts) for model 7100/7101

with 7 vertical aluminum rails, 5 transparent horizontal dividers per rail, each row steplessly **adjustable**, for quick and flexible reconfiguration



Order no. 7100-5051





for drawer

Order no.

Price

Description

DIN A1 20 boxes each: 198 x 99 mm 99 x 99 mm 49 x 49 mm 10 boxes: 99 x 49 mm all 40 mm tall

7100-5051



DIN A1

7 horizontal rows 6 x 145 mm row width 1 x 90 mm row width Height 35 mm

7100-709



Order no. 7100-709

Foam rubber mat

for drawer



DIN A1

1005 x 710

7100-706

3 mm thick





1255 x 905

7200-706

Singl	e/spare
kev	

per unit



Order no. Price

0005-00

Dimensions W x D Order no. Price

Label holder

made of plastic, per unit

Label holder transparent, incl. white label,

(1 per drawer is standard)

Standard

for supplementing the supplied labeling plates. Color black, incl. label and transparent cover

Comfort

for alternative additional drawer labeling. Color black, incl. label and transparent cover









Design	self-adhesive
$H \times W \times D$	32 x 100 x 2
Window H x W	26 x 98
Order no.	6103-10
Price	

6103-13	
17 x 67	
26 x 76 x 4	
sen-adnesive	





Desks, pedestals, and chairs

Ergonomics, comfort, and well-being: This is what the C+P office furniture range represents. Our steel furniture – sometimes also paired with other high-quality materials – meets the highest quality and design requirements.

The furniture owes its success to its functionality and durability. You can choose from a variety of colors and surfaces, thus creating your own personal, harmonious work environment.







Desks Cegano404



Sit/stand tables
Cegano410











Conference and meeting tables 420





Swivel and task chairs 452



One idea. Three series.



T 3300 ASISTO sit / stand



The affordable sit / stand tables

- T-foot frame made of sturdy steel square tube, motorized height adjustment capability (40 mm per second), with overload protection
- Double telescope with sit / stand height of 625-1285 mm, T-foot also with level adjustment at the bottom
- Table load capacity up to max. 100 kg
- Available in 3 attractive frame colors
- Tabletops in MCPB, with Syncro decor as an option
- Delivered completely assembled!
- Economical and ergonomic sit / stand table, encourages movement and cuts downtime costs

	Kall Floor	trante state	Square tube	Rectandular Libe	Heidy lingupe	Attacial colors	
T 3300 Asisto sit / stand	-	•	-	•	625-1285	•	
T 4400 Cegano	•	-	•	-	650-850	•	
T 4400 Cegano sit / stand	•	-	•	-	645-1275	•	

T 4400 CEGANO

T 4400 CEGANO sit / stand



Appealing C-foot tables with height adjustment 404

- Attractive chrome designer runners
- C-foot frame made of sturdy square tube
- Available in 3 attractive frame colors
- Tabletops in MCPB, with Syncro decor as an option
- Delivered completely assembled!
- Quick and easy electrification thanks to the optional, foldable cable trough and other accessories
- Infinitely adjustable height between 650 and 850 mm, can be conveniently operated by one person



The economical sit/stand workstation with height adjustment 410

- Attractive chrome designer runners
- C-foot frame made of sturdy square tube, motorized height adjustment capability (50 mm per second), with overload protection
- Sit / stand table height between 645 and 1275 mm with double telescope, also with level adjustment at the bottom
- Available in 3 attractive frame colors
- Tabletops in MCPB, with Syncro decor as an option
- Delivered completely assembled!
- Quick and easy electrification thanks to the optional, foldable cable trough
- Ergonomic sit / stand solution, promotes good health due to movement, cuts downtime costs



Material

The tabletops are available in different designs. Please also note the respective pages with tables.

MCPB plate 25 mm thick

Melamine coated particle board (MCPB), with melamine resin surface on both sides.

For:

T 3300 Asisto sit / stand

T 4400 Cegano

T 4400 Cegano sit / stand

Tops for desks and sit / stand tables

Width	1600	1800	2000
Depth	800	800	800
	08	1800	\$ 2000 > \$
Top no.	1.1	1.10	1.8
for desk series	ASS C CSS K	ASS C CSS	ASS C CSS

Width	1600	1800	2000	2000
Depth	900	900	900	1000
	88	1800	2000	0001
Тор по.	1.20	1.7	1.22	1.4
for desk series	ASS C CSS	ASS C CSS	ASS C CSS	C CSS



25-mm-thick MCPB top with Syncro decor

Like MCPB, but with surface structure that runs concurrently with the grain. Almost indistinguishable from real wood.

For

T 3300 Asisto sit / stand

T 4400 Cegano

T 4400 Cegano sit / stand


Solid-core panel 15 mm thick

Top made of phenolic HPL (High Pressure Laminate) with decor surface on both sides.

For:

T 4400 Cegano Meeting


Tops for occasional tables and conference tables




Desk series

Series in which you can obtain the top shapes:









4.17

Κ

Top no. for desk series





Sit / stand tables with motorized height adjustment

The T 3300 Asisto sit / stand tables offer:


- T-foot frame made of sturdy steel square tube, motorized height adjustment capability (40 mm per second), with overload protection
- Double telescope with sit / stand height of 625-1285 mm, T-foot also with level adjustment at the bottom
- Table load capacity up to max. 100 kg
- Available in 3 attractive frame colors
- Tabletops in MCPB
- Delivered completely assembled!
- Frame collapsible for easier transport
- Economical and ergonomic sit / stand table, encourages movement and cuts downtime costs










Motorized comfort-height adjustment with 40 mm per second









Traffic white, white aluminum or metallic anthracite









1.

1600	
900	
540490-1.20	


1800 900 540490-1.7

2000 900 540490-1.22

+ 540708-1.20

+ 540708-1.7

+ 540708-1.22



with memory control and height display

Design

Height adjustment + 540700-735

+ Order no. + Addtl. charge







Cable trough

made of steel

For table width

Order no.

Price

can be folded down at the front and back, can be locked at two heights, central recess for 3-way socket (order no. 540700-713), mounting holes on the left and right for cable chain, can be retrofitted



3-way socket strips, without supply cable


540700-7086

We supply the cable trough in white, silver and black respectively for the frame colors traffic white, white aluminum and metallic anthracite. When placing a single or repeat order, please specify the color white, silver or black.

Sockets

(see notes on safe electrification on this page





For socket strips to be used outside of Germany, please indicate the country of use (e.g. CH / Switzerland).





Wiring

Supply line incl. GST-18 connector

Connecting cable incl. plug





Length	3 m	4,5 m	3 m
Order no.	540700-715	540700-719	540700-717
Price			

Important note on safe electrification:

Wiring of office workstations must follow the "Guideline for Electrical Installation in Office Furniture". All parts must be installed in accordance with the required local codes.

The use of simple socket strips with fixed supply cables as well as linking (cascading) of the socket strips via their safety plugs is therefore prohibited!

Admissible installation material is equipped with connectors and bears the following label:

■ For assembly in hollow spaces



Cable outlet boxes

Ø 80 mm in diameter, integrated in tabletop ex-works







- 14				
- 61			1	
- 74			1	
	-	4		
				P



Installation position	Design	White plastic	Black plastic	Metal with stainless steel finish and brush seal
	Order no.	540700-721L	540700-722L	540700-707L
left	Price			
	Order no.	540700-721M	540700-722M	540700-707M
center	Price			
	Order no.	540700-721R	540700-722R	540700-707R
right	Price			

Accessories for sit / stand tables

Cable chain

flexible, rectangular, silver, for simple assembly by the customer for table heights of up to 1290 mm



540700-723

Color	
Order	no.
Price	

PC holder

made of steel, for attachment under the tabletop, can be used for both the left and right side


	-	
3		
200		

90-250 mm width-adjustable, 300-600 mm height-adjustable

Color	Black	White	Silver
Order no.	540700-7121	540700-7122	540700-7123
Price			

Holder for Thin- Client computers

made of steel, for attachment under the tabletop, can be used for both the left and right side 30-100 mm width-adjustable, 175-310 mm height-adjustable




Netboxes with various power, data and communication ports upon request



Netbox Point - nickel



Netbox Point - matt chrome



Netbox Point - gloss chrome



Netbox Point - black

















Netbox Combi





T 4400 CEGANO

Refreshingly different.



The chrome-plated Cegano designer runners give the table its distinctive character.




The infinitely variable height adjustment is quick, easy and convenient to use at the touch of a button.

Desks











Fixable PC holder for installation at the side of the table.



For further accessories, see page 412



Appealing C-foot tables with height adjustment

The T 4400 Cegano desk series offers:

- Attractive chrome designer runners (inner core always anthracite)
- C-foot frame made of sturdy square tube
- Available frame colors: traffic white, white aluminum, metallic anthracite
- Tabletops in MCPB, with Syncro decor as an option
- Delivered completely assembled!
- Quick and easy electrification thanks to the optional, foldable cable trough and other accessories such as sockets, etc.
- Infinitely variable height adjustment between 650 and 850 mm, can be conveniently operated by one person

Cegano - a distinctive and pleasant style that stands out. This intelligent table system combines a modern, narrow design with practical function for the challenges of modern office life.

The unmistakable narrow form is also sturdy and durable.





All Cegano desk systems are available with the sturdy square-tube frame.



Height adjustment




The infinitely variable height adjustment is particularly easy to use, offers an adjustable height of 650 – 850 mm and can be quickly and easily operated by one person at the touch of a button.

Frame colors



The Cegano table frames are available in the colors traffic white, white aluminum and metallic anthracite. The runners are chrome-plated as standard.





Desks with rectangular tops

Square-tube frame, Height adjustment in steps 650-850 mm









1	Size and
_	top material

........... 398 Width

1600 Depth 800

1800 800

2000 800

MCPB, 25 mm (standard)

Order no. 520410-1.1 Price

520410-1.10

520410-1.8

With square-tube frame





Optional: + Order no.

+ Addtl. charge

+ 520708-1.1

+ 520708-1.10

+ 520708-1.8

Top decor

Please select (see end

Frame color

Please select (runners always in gloss chrome) traffic white, white aluminum or metallic anthracite



Designer runners in gloss **chrome:** For all Cegano tables as standard











1600
900

520410-1.20

1800 900 **520410-1.7** **2000** 900 **520410-1.22** **2000** 1000

520410-1.4

+

+ 520708-1.20 + 520708-1.7

+ 520708-1.22

+ 520708-1.4









Sit/stand tables with electric height adjustment

The T 4400 Cegano sit/stand tables offer:

- Attractive chrome designer runners (inner core always anthracite)
- C-foot frame made of sturdy square tube, motorized height adjustment capability (50 mm per second), with overload protection
- Sit / stand table height of 645 1275 mm with double telescope, also with level adjustment at the bottom
- Available in 3 pleasant frame colors
- Tabletops in MCPB, with Syncro decor as an option
- Delivered completely assembled!
- Quick and easy electrification thanks to optional, foldable cable trough
- Ergonomic sit/stand solution, promotes health through movement, lowers downtime costs



Electric comfort height adjustment



Sit / stand height adjustment with double telescope and adjustment height of 645 - 1275 mm



Frame shape C-foot



Sit/stand work- Electric motor station system drive

Sit / stand tables with rectangular tops

Square tube foot frame, motorized height adjustment capability









top material

Width Depth 1600 800

1800 800

2000 800

MCPB, 25 mm (standard)

Order no. Price

520490-1.1 520490-1.10 520490-1.8



Optional: + Order no.

+ Addtl. charge

+ 520708-1.1

+ 520708-1.10

+ 520708-1.8

Top decor



Please select (see end

Frame color

Please select (runners always in gloss chrom traffic white, white aluminum or metallic anthracite



Designer runners in gloss chrome: For all Cegano tables as standard











900

1800 900

900

1000

520490-1.20

520490-1.7

520490-1.22

2000

520490-1.4

2000

+

+ 520708-1.20

+ 520708-1.7

+ 520708-1.22

+ 520708-1.4

Exclusive height adjustment with memory control, height display and safety shutdown thanks to sensor technology

Design + Order no. + Addtl. charge Height adjustment + 520700-705

Cable trough

made of steel

For table width Order no.

can be folded down at the front and back, can be locked at two heights, central recess for 3-way socket (order no. 520700-713), mounting holes on the left and right for cable chain, can be retrofitted





520700-7085



520700-7086



We supply the cable trough in white, silver and black respectively for the frame colors traffic white, white aluminum and metallic anthracite. When placing a single or repeat order, please specify the color white, silver or black.

Sockets

Price

(see notes on safe electrification on this page)



3-way socket strips, without supply cable






For installation Design in the cable trough recess 520700-713 Order no

Loose 520700-714

Price

For socket strips to be used outside of Germany, please indicate the country of use (e.g. CH / Switzerland).



Wiring of office workstations must follow the "Guideline for Electrical Installation in Office Furniture". All parts must be installed in accordance with the required local codes.

The use of simple socket strips with fixed supply cables as well as linking (cascading) of the socket strips via their safety plugs is therefore prohibited!

Admissible installation material is equipped with connectors and bears the following label:

■ For assembly in hollow spaces



Wiring

Supply line incl. GST-18 connector Connecting cable incl. plug





Length	
Order no.	
Price	

3 m 4,5 m 520700-715 520700-719

3 m 520700-717

Cable outlet boxes

Ø 80 mm in diameter, integrated in tabletop ex-works









Installation position
position

Design
Order no.
Price

White plastic 520700-721L



Black plastic 520700-722L



center

left



Price



520700-722M

520700-707M

right

Order no. 520700-721R 520700-722R

520700-707R

Accessories for desks and sit / stand tables

Cable chain

flexible, rectangular, silver, for table heights of up to 1290 mm, for simple assembly by the customer



Color Silver 520700-723 Order no. Price

PC holder

made of steel, for attachment under the top on the side part, incl. fastening strap

Color

Price



Black Order no. 520700-7121

White Silver 520700-7122 520700-7123

Metallic anthracite 520700-7124

Magnetic cable chain

magnetically attaches to the square tube, creates a perfect combination with sit / stand tables



Color Order no. Price

Schwarz Weiß 520700-7241 520700-7242

Base

for magnetic cable chai



Color Schwarz 520700-7251 Order no. Price

Weiß 520700-7252

Netboxes with various power, data and communication ports upon request



Netbox Point is available in the colors nickel, matt chrome, gloss chrome or black













- Netbox Turn
- Netbox Axial
- Netbox Combi

Steel or MCPB modesty panels

For table width	1600
Panel width	1380
Panel height	500

1800	
1580	
500	

2000	
1780	
500	

With so	quare perforation	ı
МСРВ		

	Order no.
	Price
Ξ	

520712-1.		

52	071	10-	1.4

	_
o 1	

Order no. Price

520712-1.1	ı

520710-1.1

520712-1.7

520712-1.4

MCPB with Syncro decor

Order no. Price

520718-1.1

520718-1.7

520718-1.4

Panel color

Please select: traffic white, white aluminum or metallic anthracite



Please select (see end of catalog for decor overview) 491



Variety and dynamics at their best



Premio gets management moving because good health is important on all levels.

The ergonomic sit/stand philosophy of C+P is an integral part of this workstation. The two independent work surfaces promote change. Because those who don't move won't move anything. The integrated conference solution eliminates the need for separate conference tables. This allows for relaxed meetings in a manageable space.

If any of your needs go beyond what is offered in the brochure, Premio has a wide range of representative conference solutions.

People with a distinguished taste focus on individuality and value retention. Premio meets these requirements by offering versatility and a good selection of materials. Fine real-wood surfaces in high-gloss finish in combination with the pure appearance of the aluminum frame have an interesting appeal.



Sitting and standing: The stepless height adjustment from 720 to 1160 mm allows the desk to be adapted to any user.



Easy to access: The pivoting cover of the technology box provides quick and easy access to all ports.



Wireless charging: Wireless charging modules can be installed under the Premio tabletop – for example for charging smartphones wirelessly.





Natural materials: Real-wood veneer and leather inserts complement one another both functionally and visually and give the desk a distinctive appeal at the same time.




Concealed cable duct: The Premio frame profile creates room for cables and then conceals them behind the panel.



For additional furnishing examples, please see the Premio product series brochure or go to www.cp.de/premio

W 5000 SONICWALL



For eyes and ears.

SonicWall is the unique series that combines excellent acoustics with an appealing appearance. It was designed to elegantly integrate acoustically effective surfaces into all areas of a room.






SonicWall Steel:This acoustically highly effective, micro-perforated steel material combines optimal acoustic efficiency with an appealing homogeneous appearance. The perforation is so small that it is barely visible from several feet away. SonicWall Steel can be integrated into the Monotop partition system as well the Asisto cabinet system.



SonicWall Clear: The translucent plastic honeycomb material with micro-perforation combines sound absorption qualities with a transparent and light appearance.









Choice of motifs, sound absorption data, and audio samples

Experience SonicWall visually and acoustically at

www.cp.de/sonicwall



Acoustic filling made of PET recycling material:

This lightweight filling made of 100% polyester is recyclable and offers very good sound absorption performance. A large proportion of recycled materials (e.g. PET bottles) is used in its production as well as in the textile cover of the walls.





Sound absorption is achieved by means of sound absorbers. In the past, sound absorbers have tended to diminish the appearance of a room. Regardless of whether they were used to reduce sound and reverberation time or for the purpose of blocking sound out (to prevent interferences): It seemed that good acoustics and an appealing design were difficult to combine.


SonicWall puts an end to this problem – it offers attractive solutions for any task.





SonicWall Soft (stand-alone wall): Fabric-covered, acoustically effective stand-alone wall with individual motifs or fabrics provided by customers. As a solo wall or workstation divider.







W 5000 SONICWALL Soft Acoustic partitions

Acoustically effective partition with individual motifs

SonicWall Soft offers:

- Cover made from acoustically effective textile
- Acoustic effects (shielding and absorption) promote focused work and create privacy in open-concept workplaces





- Covers can be switched out easily
- Free choice of motifs, customizable, motifs on both sides
- Only 50 mm thick
- Ultra-lightweight construction, simple assembly
- High-quality aluminum profile with integrated clamping slots to receive the pre-assembled textile cover
- Custom formats possible
- Additional sound-absorbing filler for better acoustic effects available upon request
- Acoustic foam and textiles certified according to ÖkoTex100 standard
- Textile covers with pressure always include B1 fire protection coating

Stand-alone acoustic wall SonicWall Soft 50

Textile cover made from acoustically effective textile, printed. Aluminum frame anodized, incl. spacers

ariodized, irici. space	13
Dimensions and acoustic filling	










Height 1291 mm,
matches Asisto
cabinets with
3 binder heights



1600 50 1291

1800 50 1291

2000 50 1291



Order no. Price

56806-0807

56806-0907

56806-1007



Alternatively:

Order no. Price

56806-08072

56806-09072

56806-10072

Dimensions and acoustic filling



448







Height 1240 mm, matches Asisto pull-out cabinet in standing height. Width Depth Height 1600 50 1240 1800 50 1240 2000 50 1240

Without filling

Order no. Price

56806-0806 56806-0906 56806-1006

PET recycling material

Alternatively: Order no.

56806-08062

+ 56800-702

56806-09062

56806-10062

Frame varnished in C+P colors

> For color overview see end of catalog

Optional:

Price

+ Order no. + Addtl. charge + 56800-703

+ 56800-704

Feet

1 pair, for positioning anywhere in a room or for mobile use, incl. fastening material

Design Length + Order no. + Price

Chrome-plated, flat 500 + 56800-743

Varnished*, flat 500 + 56800-742



For color overview see end of catalog







Acoustic workstation divider SonicWall Soft 50

50 mm profile, covered on both sides with acoustically effective textile, printed with a motif of your choice. Anodized aluminum frame fastens to desk, complete with pair of clamps for single desk

Dimensions and acoustic filling









Width	1600	1800	2000
Depth	50	50	50
Height	400	400	400



Order no. Price

56806-0815

56806-0915

56806-1015

PET recycling material

Alternatively:

Order no. Price

56806-08152 56806-09152 56806-10152

Varnished frame

Optional:

For color overview

+ Order no. + Addtl. charge + 56800-7121 + 56800-7131 + 56800-7141

Clamp for double desk for fastening between

2 desks, 1 pair

see end of catalog

+ Order no. + Price

+ 56800-740



Clamp for single desk for reordering, 1 pair

+ Order no.

+ 56800-741 + Price



Combine perfectly.

Folding tables, bistro and meeting tables

Occasional table







The flexible space-saving ones......422

- Folding table frame made of chrome-plated round tube with folding mechanism, stackable
- Table height 750 mm (folded only 125 mm)
- Durable, melamine-coated top (25 mm thick) with edge band
- Classic tables for versatile use, can be set up quickly and stacked for space-saving storage

versatile ones 423

- Occasional table with square tube foot and gas spring height adjustment of 700 - 1135 mm
- Durable, melamine-coated top (25 mm thick) with edge band

	KING KING	Roundrube	Salate tibe	Colling toling	Colling square	Molik trants	Complete Hane	ptitative and color	\$
						2			
Folding tables	•	•					•		
Occasional table	-	-	-	-	•	-	-	•	
Conference tables T 4400 Cegano	-	•	-	•	•		-	•	
Mobile conference tables T 4400 Cegano	•	-	•	-	•	•	-	•	

Conference and meeting tables

Conference tables T 4400 CEGANO

Mobile conference tables T 4400 CEGANO






The universal ones with multimedia option

- Column frame on round base
- Fixed table height of 740 mm
- HPL (high-pressure laminate) tabletops
- Top shapes: Round, boat-shaped
- Electrification and multimedia add-ons available

The complete mobile series with multimedia connections 428

- T-foot frame with square tube 55 x 55 mm
- HPL (high-pressure laminate) tabletops, foldable due to central operating bar
- Mobile thanks to 2 integrated casters in the runner
- Nesting capabilities allow for space-saving storage
- Integrated top connectors
- Electrification and multimedia connections available






The folding tables offer:

- Folding table frame made of chrome-plated round tube with folding mechanism, stackable
- Table height 750 mm (folded only 125 mm)
- Durable, melamine-coated tabletop (25 mm thick) with edge band

Folding tables

Chrome-plated round-tube frame Ø 30 mm, quick set-up thanks to special folding mechanism, stackable for space-saving storage,

Height 750 mm (folded 125 mm)









1. Size and top material

Width Depth

700

1600 800

1600/800 800/693

MCPB, 25 mm (standard)

Order no. Price

51022-1.9

1400

51022-1.1


51022-2.10

7 Top decor



422

Ordering steps:



Top decor

3. Frame color

Options



Occasional table with square-tube base

height adjustable using gas lift from 700-1135 mm



1	Size and	399
	top material	

Width Depth **800** 800 **540330-1.3**

MCPB, 25 mm (standard)

Order no. Price

5 10550 11



Optional: + Order no. + Addtl. charge

+ 540708-1.3

Syncro decor, 25 mm

Please choose

3. Frame color

Top decor

Please select

Traffic white, white aluminum or metallic anthracite




T 4400 CEGANO Meeting

The meeting tables offer:

- Contemporary meeting table, fixed height of 740 mm
- Column 120 mm in diameter, floor disk 700 mm in diameter
- HPL tabletop
- Gloss chrome floor disk in distinctive Cegano design





Meeting tables

Individual tables on column base with round foot






1	Size and	
	top material	

......... 399

Width	Ø 1200
Depth	-
Height fixed	740



Phenolic HPL, 15 mm

Order no.	520461-4.19
Price	

520461-4.17



Please choose



Please select (floor disk always in gloss chrome) white aluminum RAL 9006, black gray RAL 7021,



Floor disk in gloss chrome: For all Cegano Meeting tables as standard



Meeting tables

The meeting tables offer:

- Modern meeting tables, height 740 mm fixed
- Double cable trough per column with 2 separate flaps and 3 power connections
- Tabletop from phenolic HPL
- Column 120 mm in diameter with round base 700 mm in diameter
- Gloss chrome floor disk in distinctive Cegano design
- Includes 5 meters of supply line, floor duct for addtl. charge
- Concealed cable duct through floor disk and column











Electrification

(solid core)


Cushioned cable flap

Different top shapes

Meeting tables

Individual tables on column bases with round foot, standard electrification with 2 cable flaps with 3 power connections each





Size and . top material

Width	Ø 1200
Depth	-
Height fixed	740
	· · · · · · · · · · · · · · · · · · ·



Phenolic HPL, 15 mm

Order no. Price

520471-4.19

520471-4.17



Please choose



Please select (floor disk always in gloss chrome) white aluminum RAL 9006, black gray RAL 7021,



Floor disk in gloss chrome: For all Cegano Meeting tables as standard





to connect to meeting table, length fully extended approx. 1 meter, linkable





Color	Black	Silver
+ Order no.	+ 54500-735	+ 54500-730
+ Addtl charge		



Sockets and cable troughs also suitable for Apple power packs

Wireless charging modules

e.g. to charge suitable smartphones



Installation position under the tabletop + 52470-750 + Order no. + Addtl. charge on request

T 4400 CEGANO Meeting

Mobile conference furniture

The mobile conference furniture offers:

- Attractive chrome designer runners (inner core always anthracite
- T-foot frame with square tube
- Mobile thanks to 2 integrated casters in the runners, thus eliminating the need to lock caster brakes
- Available frame colors:
 White aluminum RAL 9006, black gray RAL 7021, traffic white RAL 9016
- HPL tabletops
- Central operating bar for folding the tabletop
- Nesting capabilities allow for space-saving storage
- Can be used as individual tables or as a chain of tables
- Integrated top connectors for linking on front or long side
- Many more upgrade and electrification options at www.cp.de/meeting





Stackable for space-saving storage:

storage: Tables that are only used occasionally can be stacked and nested to save space.

Flexible and sturdy:

Thanks to the integrated casters, you can move the tables wherever they are needed in no time at all. Once you put the table down, it remains there - secure and sturdy.



Frame shape T-foot



Phenolic HPL (solid core)



Nestable



Occasional tables Standing/seat height





Cegano Meeting offers much more than we can show in our catalog!

Here you will find the brochure, the original video of the product series and much more information such as how we "make technology easy to use".

www.cp.de/meeting

Frame colors / functions



Frame colors:
The Cegano Meeting table frames are available in the colors white aluminum, white and black gray. The attractive Cegano designer runners are generally in chrome.



As fast as it gets: The locking mechanism that folds the tabletop up or down can be undone in a single motion.



LOCK table connector: These practical connector parts are fastened directly under the table, which ensures that they do not get lost.

T 4400 CEGANO Meeting



Mobile nestable tables

can be nested thanks to foldable tabletop, mobile due to 2 rear casters, **Height 720 mm**



Here you will find the brochure, the original video of the product series and much more information such as how we "make technology easy to use".

www.cp.de/meeting



Size and399_ top material

Width Depth

1400 700

1600 800

Solid-core (HPL), 15 mm

Order no. Price

520420-1.9

520420-1.1


Top decor

Please choose

Frame color

Please select (runners always in gloss chrome) white aluminum RAL 9006, black gray RAL 7021,







Mobile nestable Lift tables

Occasional tables, with folding tabletop and runners, nestable, mobile thanks to 2 casters, height adjustable using gas lift from 720 to 1135 mm For cable ducts see page 413





Size and top material

......399 Width

Depth

700

800 800

Solid-core (HPL), 15 mm

Order no. Price

520440-1.24

520440-1.3

Mobile individual Lift tables

Occasional tables with square-tube frame, mobile thanks to 2 casters, **height adjust-able using gas lift from 700 to 1115 mm** For cable ducts see page 413





Depth

700

800 800


Solid-core (HPL), 15 mm

Order no. Price

520430-1.24

520430-1.3







Please choose

Frame color



Please select (base plate/runners always in gloss chrome) white aluminum RAL 9006, black gray RAL 7021,

Mobile nestable lift tables - the all-rounder for dynamic meetings

The Lift tables are easy to move, adjust in height, fold and nest, and offer optional electrification. They are also space-saving when stored and are available in different top shapes. Integrated casters ensure mobility.





T 4400 CEGANO Meeting



Model example: Cegano Meeting "touch control"



Elegant glass control panel: Only available from C+P. This control panel makes it easy to switch between signal sources and has an "X" button for when you want to remove the signal.




One flap – three connections: Hybrid technology for connecting to analog and digital signal sources without an adapter.



Unmistakable plugs: Allow the system to always be connected without any errors.



Wireless charging:Modules for wireless smartphone charging are integrated in the international "Qi" standard.



Cegano makes meetings better

No matter whether there are just a few people attending your meeting today or you have to organize a large meeting tomorrow, Cegano furniture can be adapted to your requirements - flexibly, easily, and elegantly. And the best thing is: The integrated technology can be made available to anyone immediately without extensive planning and having to employ specialists. All you have to do is connect and use it. And you can always upgrade it flexibly if necessary.

We have the right solutions for making meetings better.















The media cart offers:

- Attractive mobile base, also available in chrome (inner core always black gray)
- Equipment column opens in the back (with module holding fixture for matching CANTON speaker module, as well as video and conference equipment)
- Door on back, easy to access, lockable with cylinder lock and 2 keys
- Mobile thanks to 4 casters, concealed in the base
- Frame colors available: White aluminum RAL 9006, black gray RAL 7021, traffic white RAL 9016
- Modular system for (VESA input):
 - 1 monitor (up to 100" for max. 100 kg)
 - 2 monitors (up to 65" for max. 2 x 50 kg)
- Holder (optional) for video conferencing systems
- Electrification with two triple socket modules, with 3 m supply line 230V
- Delivered without monitor/camera



Order no. 5592-00 + 5592-720 (base plate in gloss chrome), + 5592-730 (camera holder at top), Delivered without monitor/camera









Easily accessible




For 1 monitor For 2 monitors

Mobile media cart

Column base frame with base plate

Standard electrification*

with 2 integrated 3-socket modules, incl. 3 m 230V supply line





1.	Size and
	design

Design	SingleCart for 1 monitor	DuoCart for 2 monitors
Width	1100	1100
Height	1435	1435
Column depth	132	132
Base plate depth	570	570
Order no. Price	5592-00	5592-10



Frame color



Please select (base plate same as frame color)



Base plate in gloss chrome



Design	
+ Order no.	
+ Addtl. charge	



Conference media cart







Camera holders: Cameras for conferencing can be positioned with the holders above, below, and in front of the monitors.

Options



System compartment on back: Easy to access, with lockable door. Connections and cables can be stored away tidily thanks to the interior fittings.

+	Camera holders				
	with height adjustmen				
	of 170 mm				

Design	
Occription	

at top

at bottom

for installation of the camera above the monitor, camera set-up area: 200 x 160 mm

for installation of the camera in front of and below the monitor, camera set-up area: 200 x 130 mm

+	C)r	C	le	r	no.	

+ 5592-730

+ 5592-740

+ Addtl. charge

High pedestals



The mobile standing workstation......438

- Body, panels, and drawers made of steel
- Optionally available with wood decor panels
- Standing height 1157 mm, width 430 mm, depth 600 mm
- 12 height units + accessory drawer + binder compartment
- Tilt resistant thanks to anti-tilt mechanism and counterweight
- Can be moved very easily thanks to the maxi-casters (Ø 80 mm)
- Pleasant sound levels thanks to body sound absorption
- All drawers and accessory pull-out shelves fully extendable!
 Soft-stop (standard)

Fridge caddies



The perfect helpers for flexible catering service.... 440

- Body, panels and drawers made of steel
- Standing height 1157 mm, width 500 mm, depth 600 mm
- Drawers with variable interior fittings for cutlery, cups and glasses, plates and saucers
- With cable flap and power supply, e.g. for coffee makers
- Fridge lockable, with 62 liter volume and 3 adjustable intermediate shelves
- Can be moved very easily thanks to the maxi-casters (Ø 80 mm)
- Pleasant sound levels thanks to body sound absorption
- All drawers and accessory pullout shelf fully extendable!
 Soft-stop (standard)

	standing height	Width 330 run	Width 430 mm	width 50 rin	Depth 60 mm	Ospin 80 Lin	Height Units	ginder comparts	
		330	430	500	600	800			
High pedestal C 3000 Asisto	1157		•		•		12	1	
Fridge caddy C 3000 Asisto	1157	-		•	•				
Mobile pedestal C 3000 Asisto		•	•		•	•	9		
Pull-out cabinet C 3000 Asisto	1259		•			•		3	

Pedestals and occasional furniture

Mobile pedestal

Pull-out cabinets



The versatile complete range......442

- Body, panels, and drawers made of steel
- Optionally available with wood decor panels and top
- Mobile pedestal: Height 570 mm, width 430 mm, depth 600
- Mobile pedestal Small: Height 570 mm, width 330 mm, depth 800 mm
- 9 height units + accessory drawer
- Tilt resistant thanks to anti-tilt mechanism and counterweight
- Pleasant sound levels thanks to body sound absorption
- All drawers and accessory pull-out shelves fully extendable! Soft-stop (standard)



The "pharmacy cabinet" in standing and table height ... 448

- Professional storage space right near the workstation
- Body made from durable steel structure, standard fronts made of MCPB (melamine coated particle board), otherwise available in steel
- Top made of MCPB as standard
- Allows for quick access to personal files when pulled out; the cabinet in standing height provides a visual and acoustic shield, and acts as a central contact area for visitors
- Various interior fittings and features possible
- Pleasant sound levels thanks to body sound absorption



C 3000 ASISTO

The mobile high pedestals offer:

- Excellent mobility thanks to 4 maxi-casters (the front ones lockable)
- Steel body double-walled, with body sound absorption for pleasant sound levels
- Optional **electrification** including supply line for power (230V) and data (RJ 45)
- Open binder compartment
- Durable steel drawers with load-bearing precision telescopic rails, all drawers fully extendable, self-closing system, with Soft-stop for gentle closure
- Optimum tilt resistance thanks to counterweight and anti-tilt mechanism
- User-friendly, full-width handle bar on the side
- Drawers and interior fittings in black





height 1157 mm







Binder compartment

12 height

Order no. 54701-00 + 5413-041 (phenolic HPL top)



incl. MCPB top and intermediate shelf 25 mm thick, central locking system and 2 keys





Dimensions and ... 398

panel material

J	Width	
	Depth	
	Height	
	Binder compartment	
1	Drawore	

430	
600	
1157	
1	
M 3/3/6	

<i>b</i>	6
4	30
6	00
11	57
	1

Steel panels

Drawers	
CSC	
Order no.	
Prico	

IVI 3/3/6	M 6/6
5	5
54700-00	54701-00



with handles	
+ Order no.	
+ Addtl. charge	

+ 5220-411	
------------	--

+ 5220-411

Body color



Panel/top decor or panel color (for steel panels)



438

1 Dimensions and panel material



3 Panel decor/color

Options

High pedestals









Order no. 5413-041 + 5470-010 (HPL top and electrification))

Alternative top as solid-core/phenolic HPL

instead of MCPB top



Тор	
design	398

for width Depth 600



Optional: + Order no. + Addtl. charge

+ 5413-041

Definition of terms for pedestals:

ΗU = height units (1 HU = 50 mm)

= fully extendable accessory pull-outs

on telescopic rails

3/6 = height units per drawer

All drawers are fully extendable

drawer 6 HU incl. add-on hanging frame

+ Electrification*

only possible for solid-core top (HPL)! supply line for power and data, slot for RJ 45 and power

for top type	only HPL
+ Order no.	+ 5470-010
+ Addtl. charge	

* For socket strips to be used outside of Germany, please indicate the country of use (e.g. CH/Switzerland)

Μ



Accessories

C 3000 ASISTO

The fridge caddies offer:

- Excellent mobility thanks to 4 maxi-casters (the front ones lockable)
- Steel body double-walled, with body sound absorption for pleasant sound levels
- Drawers with load-bearing precision rails, all drawers fully extendable, with self-closing system and **Soft-stop** for gentle closure
- Drawers with variable interior fittings
- With upper cable flap, connectors 2 x power* (up to 230 V/50 Hz), for coffee makers, etc., incl. 3 m supply line
- Fridge with locks (2 keys), 16 gallon volume and 3 adjustable intermediate shelves

Models 54780-000 and 54780-150:

- Drawer with cutlery compartment and stainless steel small parts drawer
- Drawer(s) with fittings for mugs and glasses
- Drawer for storing plates and saucers









Standing height 1157 mm



Electrification

Fridge caddies and caddies with trash can

incl. phenolic HPL top and intermediate shelf 13 mm thick, fridge door with central locking system and 2 keys



Dimensions and ... |398 | Width panel material





with fridge and 3 drawers incl. interior fittings for cutlery and tableware



500 600 1157 63/4 HE

with fridge and waste

bins 1 x 20 l, 2 x 8 l

•	
500	
600	
1157	
2/3/4/4/6 ³ / ₄ HE	

empty top drawer as standard feature, with waste bins 1 x 20 l, 2 x 8 l and drawers for tableware (interior fittings optional)



CSC Order no.

5 54780-000

5 54780-010

For all caddies body color RAL 9016 traffic white

5 54780-150


Body color (see end of catalog for color overview)



Please choose

491





491

500

Phenolic HPL cover plate large

> for use of large coffee makers, also with integrated upper cable flap, connectors 2 x power (230 V)



for width Depth

+ Order no. + Addtl. charge



502/666 499/689

+ 5413-780




for no additional charge.


for caddy trash can, for hands free opening, easily via foot movement

for width

+ 5400-760 + Order no.

+ Addtl. charge











Fridge caddies





Drawer with cutlery compartment and stainless steel small parts drawer



Drawer(s) with fittings for mugs and glasses



Drawer for storing plates and saucers



Mobile pedestal Small

The mobile pedestals Small offer:

- More legroom under the table through width of only 330 mm
- 4 casters, the front ones lockable
- Durable steel drawers with load-bearing precision telescopic rails, all drawers fully extendable, with self-closing system and Soft-stop
- Central lock with 2 keys and exchangeable core cylinder
- Body and drawers made of steel
- User-friendly, full-width handle bar on the side for steel fronts
- Variable look through optional wood decor tops and fronts (with handles)

- Optimum tilt resistance thanks to counterweight and drawer with anti-tilt mechanism
- Drawers and interior fittings in black
- Pleasant sound levels thanks to body sound absorption



Order no. 54230-0030 + 5412-040 (MCPB top)



Width

Width only 330 mm

33Ó

Optional



Optional MCPB fronts with handles

Body depth 800 mm

Mobile pedestal Small 9 HU

incl. steel top 10 mm thick



330

800

570



Dimensions and ... 398 Width panel material

398.

Width
Depth
Height
Drawers

M **3/6**

330 800 570 M **3/3/3**

Steel panels

CSC Order no. Price

54230-0030

4 **54210-0030**

MCPB panels

with handles + Order no. + Addtl.charge

+ 5220-410

+ 5220-410

2. Body color

Please choose

Definition of terms for pedestals:

HU = height units (1 HU = 50 mm)M = fully extendable accessory


pull-outs on telescopic rails 3/6 = height units per drawer

Panel/top decor or panel color (for steel panels)

All drawers fully extendable

Drawer 6 HU incl. add-on hanging frame





instead of steel top

design 398

for width Depth

330 800

MCPB, 25 mm

Optional: + Order no.

+ 5412-040

+ Addtl. charge

Phenolic HPL, 13 mm

+ Order no. + Addtl. charge

Optional:

+ 5413-040

same direction as

pull-out





Adjustable

for 3, and 6 height units made of black plastic Drawer interior dimensions 85 x 230 x 687

opposite direc-

tion of pull-out



107 mm + 0101-035

HPL = high-pressure laminate



220 mm + 0101-030 Sloping shelf

only for 3 height units Drawer interior dimensions 135 x 230 x 687

+ Order no.

+ Price

with 8 compartments made of wire



+ 5500-754



+ Order no.

+ Price

230 mm + 0101-027

Single/spare key446

C 3000 ASISTO

The mobile pedestals offer:

- Mobile pedestal with 4 casters the frontones lockable
- Body and drawers made of steel
- Central locking system with 2 keys and exchangeable cylinder
- Drawers and interior fittings in black
- User-friendly, full-width handle bar on the side for steel fronts
- Pleasant sound levels thanks to body sound absorption
- Optimum tilt resistance thanks to counterweight and drawer with anti-tilt mechanism
- Durable steel drawers with load-bearing precision telescopic rails, all drawers fully extendable, with self-closing system and Soft-stop
- Variable look through optional wood decor tops and fronts (with handles)











Mobile

Width 430 mm

Optional MCPB fronts with handles

Body depths 600 or 800 mm

Mobile pedestal 9 HU

600 and 800 mm deep, incl. steel top 10 mm thick



430



Dimensions and ... | 398 | Width panel material

Steel panels

	Heigl
	Draw
-	CSC
	Orde
	Price

Depth Height

600 570 M 3/6 Drawers CSC 4

430 600 570

MCPB panels

Order no. 54530-000

4 54510-000

M 3/3/3

with handles + Order no.

+ 5220-410

+ 5220-410

Body color

Please choose

+ Addtl. charge

Panel/top decor or panel color (for steel panels)







430	
800	
570	
M 3/6	
4	

54230-000

430	
800	
570	
M 3/3/3	
4	
54210-000	

Ð + 5220-410

+ 5220-410

Definition of terms for pedestals:

= height units (1 HU = 50 mm)

= fully extendable accessory pull-outs on telescopic rails

= height units per drawer

All drawers fully extendable

Drawer 6 HU incl. add-on hanging frame

Alternative top as MCPB or solid-core/phenolic HPL top

instead of steel top

Тор design 398

for width



Depth	600	
+ Order no.	+ 5412-040	
+ Addtl. charge		



MCPB, 25 mm
430
800
+ 5412-040



Phenolic HPL, 13 mm
430
600

+ 5413-040



Phenolic HPL, 13 mm
430
800
+ 5413-040

430

For 600 mm depth (for drawers for the 430 mm width mobile pedestals)

Sloping shelves

with 5 compartments

with 14 compartments

(also available for 800 mm depth)



>
>

Single/spare key

per piece Please indicate key number!



for height units
Drawer inside dimensions
Order no.
Price

3 HU	
135/185 x 330 x 475	
5500-703	

6 HU	
285 x 330 x 475	
5500-719	


Order no. Price

0005-10

Adjustable dividers

made of black plastic





A5 format, same direction as pull-out, 1 piece







3, 6 HU	3, 6 HU	3, 6 HU
85 x 330 x 475	85 x 330 x 475	85 x 330 x 475
0101-021	0101-026	0101-030
	85 x 330 x 475	85 x 330 x 475 85 x 330 x 475

Stamp holder



for height units	3, 6 HU
Order no.	0101-025
Price	





Add-on accessory tray

for height units Order no.

with 8 small compartments

Add-on hanging frame

with one row for suspension files DIN A4



3, 6 HU	
0101-023	



for height units	6 HU
Order no.	5500-720
Price	

Price

For 800 mm depth (for drawers for the 430 mm width mobile pedestals)

Sloping shelves

with 5 compartments

with 8 compartments with 19 compartments







	for height units
Drawer inside dimensions	Drawer inside dimensions
	Order no.
	Prico

3, 6 HU 85 x 330 x 687 **5500-703** **3 HU** 135 x 330 x 687 **5500-704** 6 HU 285 x 330 x 687 **5500-706**

Adjustable dividers

made of black plastic opposite direction of pull-out, 1 piece

A6 format, same direction as pull-out, 2 pieces

A5 format, same direction as pull-out, 1 piece







for height units	
Drawer inside dimensions	
Order no.	
Price	

3, 6 HU 85 x 330 x 687 **0101-021** **3, 6 HU** 85 x 330 x 687 **0101-026** **3, 6 HU** 85 x 330 x 687 **0101-030**

Stamp holder



for height units 3, 6 HU
Order no. 0101-025
Price





Add-on accessory tray

with 8 small compartments

Add-on hanging frame 2 pieces for 1 drawer with 2 rows (oblong or landscape format) for landscape format suspension files



for height units	3, 6 HU
Order no.	0101-023
Price	




for height units	6 HU
Order no.	5500-7132
Price	

The pull-out cabinets offer:

- Body in sturdy steel construction with high-quality enamel coating, standard fronts made of MCPB (melamine coated particle board), otherwise available in steel (double-walled and insulated)
- Standard top made of MCPB (melamine coated particle board)
- 3 slotted, black gray shelves (3 binder heights) on the inside; each shelf has 1 black gray plug-in binder support
- 1 open storage compartment with felt mat at the top
- High load capacity of each shelf 110 lbs, adjustable shelves
- Allows for quick access to personal files when pulled out; the cabinet in standing height provides a visual and acoustic shield, and acts as a central contact area for visitors
- Metal cabinet handle, matt nickel-plated
- Safety lock (lever bolt lock) with exchangeable cylinder and 2 keys

- Appealing design and narrow edges
- Level adjustment as standard, incl. wide supporting roller at the front for optimum floor protection
- Pleasant sound levels thanks to body sound absorption
- High-quality drawer guide with soft-close
- Lots of additional features possible, such as an extra hanging frame, security compartment, storage tray or drawer unit
- Optional perforation on side incl. acoustic non-woven cladding in black







Pull-out cabinet in standing height

incl. MCPB top 25 mm thick, to use on the left or right of the desk






on the left

430

800

1259



Height Interior fittings

Design

Width

Depth

Basic version with open storage compartment lined with felt mat at the top, 2 adjustable shelves for 3 binder heights, each with 1 plug-in binder support



CSC Order no. Price

6 **148436-00L** 6 **148436-00R**



Alternative top as solid-core/phenolic HPL top

398

instead of MCPB top **Top**

design





Optional:	
+ Order no.	
+ Addtl. charge	

for width

Depth

+ 148436-130

800

Pull-out cabinets



Pull-out cabinet in desk height

incl. MCPB top 25 mm thick, to use on the left or right of the desk











.........|398_

Design	
Width	
Depth	
Height	
Interior fittings	

	~	·
	on the left	on the right
	430	430
	800	800
	740	740
_		

Basic version with open storage compartment lined with felt mat at the top, 1 adjustable shelf for 1 binder height + extra compartment, each with 1 plug-in binder support



CSC	
Order no.	
Price	

6 148466-00L

148466-00R



2.	Body color		

Panel/top decor or panel color (for steel panels)



Security compartment

with two foldable keys,

separately closing, with Soft-Close flap. Next to is a small storage area with a felt mat

Interior dimensions (H x W x D)

Order no.

Price



57 x 385 x 307/292 148436-704



Small parts drawer

made of plastic, for placing on

the felt mat

Design

Order no. Price

Mini version

fits in the smaller area next to the security compartment



148436-708

Maxi version

also fits inside the security compartment



large 148436-709



Hanging frame

1.5-track or for continuous depth hanging. Standard installation position: Standing height: Middle compartment Sitting height: Bottom compartment

For suspension files

Order no.

Price

Panel made of black high-pressure laminate, max. 1 hanging frame possible per cabinet



DIN A4

148436-8110



Drawer unit

with 2 drawers

Standard installation position: Standing height: Middle compartment Sitting height: Bottom compartment



Interior dimensions (H x W x D)

Order no.

Price

Telescopic slide, panels made of black high-pressure laminate, with recessed grip



145/75 x 330 x 330 148436-702



Additional binder support

for insertion into the slots in the cabinet base and the shelves




Height x dept

Order no.

Price

185 x 340 148436-701

Accessories for pull-out cabinets



Hole pattern

Perforation at the side, with black acoustic non-woven backing



at standing height 148436-790



at sitting height 148466-790




For pull-out cabinet Order no.

Price

Chairs for the office. Ergonomics at work.

Comfort Line



Swivel and conference chairs

Avantgarde Plus



The comfortable chair with mesh backrest..... 455

- Avantgarde Plus swivel chair with high mesh backrest, adjustable angle
- Optional T-armrests, height adjustable (can also be fitted later)
- Conference chair with skid frame, alternatively with or without armrests

Net Line



Above-standard in terms of design and function... 456

- Swivel chair with individual weight adjustment
- Backrest height-adjustable with ergonomically stretched mesh for the best spinal support
- Optionally without armrests, with 2D armrests or with 4D armrests
- Seat depth and seat angle adjustment
- Meeting chairs as cantilever chairs or with 4-foot frame, with and without armrests, stackable
- Polished aluminum five-star base, meeting chair frames chrome-plated

çet deg ^{ill} inen ⁱ	seat and theat	reightadiusabe	Office uned train	Contelerce draine	Conference chair	Cartileage trait
					R	
•/-	-	-	•			
•	•	-	•	•		-
 •	•	•	•		•	•



Sit better with Comfort Line



Synchronous mechanism

The synchronous mechanism combines backward movement of the backrest with a synchronized yet more limited inclination of the seat so that the selected support point for the pelvis is maintained in any position. Synchronous technology ideally supports the body in any position and makes switching between different positions easier. This mechanism features a large opening angle and a soft rear suspension point.



Weight adjustment

For backrests with synchronous mechanisms, it allows the restoring force of the backrest to be adjusted to the individual's body weight and sitting habits. It goes without saying that the settings can be adjusted easily and quickly while




Adjustable lumbar support:

The lumbar support can be adjusted vertically. This allows the spinal support to be adjusted individually to each user's height, thus preventing back pain.

Office swivel chair Comfort Line

with mesh backrest and upholstered seat in black, black five-star plastic base, height adjustable lumbar support and regulation of back contact pressure. Soft-pad armrests adjustable in height and depth,







with soft-pad armrests

Seat depth	450
Base	Black plastic
Order no.	55580-02

Office swivel armchair Comfort Line

with mesh backrest and upholstered seat in black. Neck support adjustable in height and angle, polished aluminum five-star base, height adjustable lumbar support and regulation of back contact pressure, seat depth adjustment, soft-pad armrests adjustable in height and depth, swivel-mounted, Chair height 1160-1260 mm,

Back height incl. neck support 750 mm



Design

with neck support and soft-pad armrests

	w w
Seat depth	440
Base	polished aluminum
Order no.	55580-22
Price	



Comfort swivel chair **Avantgarde Plus**

with synchronous mechanism and fine-tuned weight adjustment, adjustable lumbar support, padded mesh backrest 700 mm tall and upholstered comfort seat, including seat depth and seat inclination adjustment, base in polished aluminum, Chair height 1125-1235 mm





Seat depth	455
	without
Design	armrests

Order no. Price

55575-20



3D, soft,



Color + Order no. + Addtl. charge

Black + 55575-701





Conference chair Avantgarde

upholstered seat and backrest, stackable, backrest 390 mm tall, Chair height 800 mm





(Armrests: in black plastic)



460 without armrests



460 with fixed armrests

Order no. Price

55576-20

55576-21

Floor gliders/protectors 4 pieces, in black, cannot be retrofitted

Design + Order no.


+ Addtl. charge

Design

with felt + 55576-700


without felt + 55576-701





Order no. 55575-20 + 55575-701 (armrests)





Please select



Black Fabric 20



Red Fabric 21



Blue Fabric 22



Order no. 55576-21









Net Line

The Net Line swivel and meeting chairs offer:

- Dynamic synchronous mechanism with weight adjustment, can be locked at 4 levels
- Ergonomically stretched mesh back for the best spinal support, back height 525 mm
- Backrest height can be adjusted by 70 mm
- Optionally without armrests, with 2D armrests (height and width-adjustable) or with 4D armrests (pivot and swivelmounted and height, width and depth-adjustable)
- 50 mm seat depth adjustment, 3° seat angle adjustment
- Polished aluminum five-star base
- Cantilever chair and 4-foot task chairs also with mesh backrest, with and without armrests, all versions stackable
- Meeting chair frames chrome-plated



Order no. 55515-04 (with 4D armrests) + 55515-701 (headrest)

Office swivel chairs

seat height 405-525 mm, width 620 mm, chair height 1160-1230 mm



(Armrests: multi-functional T armrest, 2D or 4D, soft, 1 pair)



Seat depth Design

Order no. Price



390-450 without armrests

55515-00



390-450 with armrests 2D

55515-02



390-450 with armrests 4D

55515-04



Headrest height-adjustable and swivel-mounted, additional charge

55515-701

Conference chairs

seat height 445 mm, width 470/557 mm, chair height 830 mm



1 Design

all stackable (Armrests: in black plastic)



Design Order no. Price



470 Cantilever chair without armrests

55505-20



470 Cantilever chair with armrests

55505-21

1. Basic version



4-foot chair without armrests

55505-10



4-foot chair with armrests

55505-11



Dynamic synchronous mechanism



Optional 4D multi-functional armrests



Various standard adjustment options, e.g. back height, seat depth and eat angle



2.

Fabric colors for Net Line chairs, "Camira Xtreme" fabric quality



Black Fabric YS009

We would be delighted to offer lots of other colors to meet your specific project details on request

Technical data for "Camira Xtreme" fabrics: 100% recycled polyester according to EU Ecolabel, flame retardant according to DIN 4102 B1, cigarette / match test according to BS EN 1021 – 1/2:2006, weight 310 g/m², 100,000 abrasion cycles, 10-year warranty on abrasion resistance!





Order no. 55505-21 (with armrests)


Order no. 55505-10 (without armrests)



Notes







Order no.	Weight	t/kg Page
	000 - 999	9
5		210, 216, 219,
5		307, 311, 313
73		205, 225, 303, 319
801		11, 223, 224, 251,
		259, 311, 313, 328
802		11, 223, 224, 251,
		259, 311, 313, 328
871		329
88		319, 329
89		319, 328
2		115, 117, 119,
		121, 122, 125
2		128
99		50, 84, 106, 134,
	1	47, 159, 182, 221,
		225, 319, 329
0002-00	0,1	50, 51
0002-10	0,2	51, 83, 147,
		159, 182
0002-11	0,1	51, 83, 147,
		159, 182
0002-12	0,1	51, 83, 147,
		159, 182
0003-00	0,1	147, 159, 182
0004-11	· ·	221, 225, 319
0005-00		393
0005-10		221, 225, 319,
	3	329, 332, 374, 446
0006-00		50, 51, 84, 85,
		107, 135, 267
0006-21		50, 51, 84, 85,
		107, 135, 147
0006-50		221, 319
0008-70	0,1	50, 51
0008-700	0,1	50, 51
0008-72		50, 51
0010-010	0,1	50, 51
0010-012	0,1	50, 51
0010-10		50, 51
0010-11		51, 85, 107, 135,
		159, 182
0010-12	0,1	50, 51
0011-00		50, 51, 84, 85,
50		147, 159, 182
0012-00		50, 51, 84, 85,
10.2 00		147, 159, 182
0019-00	0,1	147, 133, 182
0080-00	2,8	48, 82
0090-00	2,0	40, 62
0090-00		82
0101-021	0.1	446, 447
	0,1	
0101-023	0,3	446, 447
0101-025	0,3	446, 447
0101-026	0.4	446, 447
0101-027	0,1	443
0101-030		443, 446, 447
0101-035		443

- 1		1.0	
Order no.	Weig	ht/kg P	age
0102-00			392
0104-00	0,1		392
0108-00	0,2		392
0202-00	0,1		392
0204-00	0,1		392
0208-00	0,3		392
0216-00	0,4		392
	1000 - 1	1999	
1000-53	0,3	.555	323
1000-33	0,1		318
1000-842	0,2		318
1034-280	3,8	206	, 308
			, 308
1034-80	1,9 4,8		, 308
1035-280			, 308
1036-280	2,3		
1036-280	5,2 2,5		308
1035-80	6,7		, 308
1037-80	3,1		308
1040-280	6,9		, 309
	1,5	310	318 , 318
1040-39	2,2		
1040-48	3,5		318
1040-49	3,1	207 200 240	318
1040-80	2,9	307, 309, 310	
1040-811	9,6		318
1040-82	2,4		318
1040-83	2,3		318
1040-8901	1,0	2	319
1050-280	9,5		, 309
1050-38	1,9	310	318
1050-7010	1,7		380
1050-7011	13,6	244 207	380
1050-80	4,1	211, 307,	309, 315 ,
1050-811	10,5	510	318
1050-812	9,7		318
1050-82	2,6		318
1050-83	2,5		318
1050-8901	1,3		319
1051-80	4,8	307	, 309
1051-8901	1,6	237	319
1060-80	5,2	307, 309	
1060-811	11,3	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	318
1060-812	10,4		318
1060-82	3,0		318
1060-83	3,0		318
1061-80	6,2	307	, 309
1108-00	1,2	537	381
1118-00	1,2	318	, 329
1124-0000		510	213
1124-0000		213, 227	
1124-1000		213, 221	316
1125-110			316
1128-3399			381
1128-3399	0,7		381
1128-5502	5,7	306, 311, 313	
1128-55021		300, 311, 313	319
1120-33021			213

Order no.	Weig	ht/kg Page
1128-5503		319
1131-02	0,7	381
1160-000	65,5	378
1160-80	2,6	378, 379
1161-000	92,0	379
1170-00	115,9	379
1170-100	121,1	379
1170-200	123,4	379
1170-504	129,5	380
1170-701	0,3	381
1170-80	3,7	378, 379, 380
1170-8110	6,1	381
1170-812	9,3	381
1170-82	2,6	381
1170-83	2,6	381
1170-871	9,4	381
1171-00	85,7	378
1180-00	136,7	379
1180-80	4,8	379
1180-8110	6,9	381
1180-812	10,2	381
1180-82	2,9	381
1180-83	2,8	381
1180-871	10,5	381
1181-00	101,3	379
12412-311	26,9	330
12423-311	36,0	330
12423-321	41,7	331
12434-311	44,9	330
12434-321	52,5	331
12736-322	80,1	331
12912-312	41,0	330
12923-312	55,7	330
12923-322	66,3	331
12934-312	69,8	330
12934-322	84,0	331
12936-323	106,0	331
130013-81	1,6	241, 243
130044-81	3,5	241, 243
130076-5713	2,8	247
130276-61	182,2	246
130276-613	109,0	247
130276-62	180,0	246
130276-63	217,1	246
130276-64	221,5	246
130276-65	159,3	246
130276-66	166,0	246
130276-67	182,2	246
130276-68	189,4	246
133113-00	37,2	244
133113-01	55,4	244
133113-02	61,6	244
133113-03	65,4	244
133113-20	51,0	244
133113-21	69,0	244
133113-22	75,0	244
133113-23	78,7	244
133144-00	44,9	245
133144-02	74,2	244
133144-03	82,8	245

0.1	107.1	Lutter Breeze
Order no.	Weig	ht/kg Page
133144-04	86,3	245
133144-05	81,1	245
133144-07	83,8	245
133144-08	98,1	245
133144-09	95,5	245
133144-20	62,1	245
133144-22	91,2	244
133144-23	99,8	245
133144-24	103,2	245
133144-25	98,1	245
133144-27	100,8	245
133144-28	115,0	245
133144-29	112,4	245
133413-00	29,7	243
133413-010	88,1	243
133413-02	46,8	242
133413-03	49,3	242
133413-04	93,3	242
133413-05	53,0	243
133413-07	70,3	243
133413-08	46,8	242
133413-09	31,8	243
133413-20	42,6	241
133413-210	101,0	241
133413-22	59,7	240
133413-23	62,2	240
133413-24	106,2	240
133413-25	66,0	241
133413-27	83,2	240
133413-28	59,7	240
133413-29	68,2	241
133944-01	27,3	242
133944-02	43,6	242
133944-03	45,2	242
133944-04	48,9	242
133944-05	50,5	242
133944-21	36,0	240
133944-22	52,3	240
133944-23	53,8	240
133944-24	57,6	240
133944-25	59,2	240
133944-701	1,5	241
134013-00	22,0	239
134013-01	27,0	239
134013-02	17,3	212, 239
134013-03	22,4	239
134013-04	25,8	239
134013-20	27,7	239
134013-21	32,8	239
134013-22	23,0	212, 239
134013-23	28,2	239
134013-24	31,5	239
134013-701	1,8	241
140000-701	0,9	343, 351, 362
140000-707	6,3	342
140000-708	5,8	342
140000-709	5,3	342
140001-000	60,3	341
140001-110		342, 351, 362
140001-130		342, 351, 362, 374

Order no.	Weight	t/kg Page
140001-580	6,7	342
140001-360	6,7	343
140001-740	4,2	342, 350
140001-80		342, 330
140001-811	5,8	343
	2,8	
140001-83	2,8	343
140002-000	51,8	341
140002-110		342, 351, 362
140002-130		342, 351, 362
140002-580	5,6	342
140002-740	5,9	343
140002-80	3,1	342, 350
140002-811	4,9	343
140002-82	2,4	343
140002-83	2,5	343
140003-000	45,2	341
140003-110		342, 362
140003-130		342, 362, 374
140003-580	4,5	342
140003-740	5,0	343
140003-80	2,5	342
140003-811	4,2	343
140003-82	2,2	343
140003-83	2,1	343
140003-88	2,8	343
140011-000	58,3	341
140012-000	50,0	341
140013-000	43,2	341
140031-000	49,0	340
140032-000	42,2	340
140033-000	36,3	340
140052-000	33,6	340
140053-000	28,8	340
140061-80	4,0	345, 347, 355
140062-000	27,9	346
140062-80	3,4	345, 346, 347,
140002-00	5,4	353, 355
140062 000	22.0	· · · · · · · · · · · · · · · · · · ·
140063-000	23,8	346
140063-80	2,7	345, 346, 353
140081-000	25,5	347
140082-000	21,4	347
141000-701	8,5	339, 351
141001-000	99,0	339
141001-710		339
141001-750	0	339
141002-000	84,9	339
141002-710		339
141002-750		339
141003-000	72,7	339
141003-710		339
141003-750		339
141010-701	6,8	339, 351
141011-000	88,6	339
141011-710		339
141011-750		339
141012-000	53,7	339
141012-710		339
141012-750		339
141013-000	49,5	339
141013-710		339

Order no.	Weight/kg	Page
141013-750		339
141030-701	5,3	339, 351
141031-000	52,3	338
141031-710		338
141031-750		338
141032-000	45,4	338
141032-710		338
141032-750		338
141033-000	39,6	338
141033-710		338
141033-750		338
141050-701	3,6	339, 351
141052-000	36,6	338
141052-710		338
141052-750		338
141053-000	31,8	338
141053-710		338
141053-750		338
141060-701	2,6	346, 353
141081-000	40,6	344
141081-710		344
141082-000	34,4	344
141082-710		344
141083-000	29,5	344
141083-710		344
142001-000	99,5	349
142001-710		349
142002-000	84,5	349
142002-710		349
142011-000	62,9	349
142011-710		349
142012-000	54,5	349
142012-710	,,,	349
142031-000	53,1	348
142031-710		348
142032-000	63,3	348
142032-710		348
142051-000	56,3	348
142051-710	,-	348
142052-000	37,1	348
142052-000	5.,.	348
142062-000	38,0	352
142062-000	50,0	352
142063-000	34,2	352
142063-000	J-1,E	352
142081-000	39,3	352
142081-000	د,دد	354
142081-710	37.8	
	32,8	354
142082-710	01.5	354
143001-000	91,5	357
143001-716		357
143001-740	4.2	362
143001-80	4,2	362
143001-811	6,0	362
143002-000	82,6	357
143002-740		362
143002-80	3,5	362
143002-811	5,0	362
143003-000	73,7	357
143003-740		362

Order no.	Weight/kg	Page
143003-80	2,8	362
143003-811	4,3	362
143003-88	3,1	362
143011-000	85,6	359
143011-716		359
143012-000	76,9	359
143013-000	68,2	359
143031-000	66,8	359
143031-716		359
143032-000	60,5	359
143033-000	53,3	359
143051-000	54,0	358
143051-716		358
143052-000	48,2	358
143053-000	42,5	358
143061-000	46,7	360
143061-716		360
143061-80	4,0	361
143062-000	40,6	360
143062-80	3,3	361
143063-000	35,8	360
143063-80	2,6	361
143081-000 143081-716	38,9	361 361
	24.1	
143082-000 143083-000	34,1 28,0	361 361
146000-703	20,0	375
146000-704		375
146000-705		375
146000-706		374
146000-707	0,1	374
146000-740	0,5	374
146000-750	0,5	374
146000-751	0,2	374
146021-413	109,2	364
146023-412	80,0	364
146023-422	97,6	365
146023-424	106,8	365
146023-623	134,8	365
146041-313	87,8	364
146043-312	64,1	364
146043-322	77,3	365
146043-324	84,2	365
146200-700	3,2	375
146200-701	3,6	375
146200-702	4,3	375
146200-710	0,1	375
146200-720	8,5	375
146223-412	100,5	367
146223-422	116,4	369
146223-424 146223-623	127,6	371 370
146223-624	145,2 154,8	370
146223-624	197,2	372
146223-800	179,2	372
146224-301	75,2	366
146224-301	95,9	369
146224-322	95,5	369
146224-331	76,0	367
146224-622	115,6	370

Order no.	Weight/kg	Page
146225-411	76,3	366
146225-421	82,0	368
146225-822	123,8	370
146243-312	79,7	367
146243-322	91,6	369
146243-324	100,0	371
146243-600	152,3	372
146243-624	138,7	371
146245-311	60,3	366
146245-321	64,5	368
146245-622	95,9	370
146273-212	58,9	367
146273-222	66,6	369
146273-224	72,2	371
146273-323	81,0	370
146273-324	85,8	372
146273-424	98,0	370
146274-322	64,5	370
146275-211	44,0	366
146275-221	46,8	368
146275-422	67,8	370
148436-00L	94,9	448
148436-00R	94,9	448
148436-130		448
148436-701		450
148436-702		450
148436-704		450
148436-708		450
148436-709		450
148436-710		448
148436-790		451
148436-8110		450
148466-00L		449
148466-00R		449
148466-710		449
148466-790		451
	2000 - 2999	

2000 - 2999			
2016-000		213, 252, 255,	
		261, 322, 327	
2016-110		316	
2017-000		213, 227, 231, 252,	
		253, 255, 257, 322,	
		323, 327	
2017-110		316	
2018-000		253, 255, 261,	
		323, 327	
2019-000		253, 255, 257,	
		261, 323, 327	
2020-000	16,2	255, 261	
2021-000	98,4	255, 261	
2025-02		319, 332, 374	
2025-021		329	
2025-026		319, 329	
2025-03		329	
2025-031		319, 329	
2026-00	3,9	325	
2027-00	4,9	317, 325, 329	
2028-00	5,1	317, 329	

0.1	387	tabarta .	
Order no.			Page
2029-00	6,1	325	, 329
2030-00	6,4		329
2031-00	5,1		325
2040-00	75,3		320
2040-07	105,8		326
2040-073	115,8		326
2040-200	83,9		320
2040-380	6,5		326
2040-80	4,0	326	5, 328
2040-8901	0,9		328
2044-00	22,7	252	2, 322
2045-00	32,1		322
2045-07	61,1		326
2045-073	63,5		326
2045-09	31,8		252
2046-055	41,2		260
2046-09	39,0		254
2046-1200	42,0		324
2047-055	49,5		261
2047-09	47,8		255
2047-1200	47,4		324
2048-1200	72,9		324
2049-00	73,3		250
2049-055	78,9		258
2049-80	3,5	250, 254, 258	
2050-00	84,5		320
2050-07	114,9		326
2050-073	95,0		326
2050-200	93,2		320
2050-380	8,5		326
2050-60	81,8	222	321
2050-80	5,0	326	5, 328
2050-82	2,9		328
2050-83	2,9		328
2050-8901	1,5	250	328
2054-00	26,2	252	2, 322
2055-00	35,9		323
2055-07	64,8		326
2055-073	68,3		326
2055-09	35,9		253
2056-055	46,3		260
2056-09	44,1		254
2056-092	46,4		257
2056-1200	47,1		324
2057-055	56,3		261
2057-09	54,6		255
2057-092	59,1		257
2057-1200	65,2		324
2058-1200	82,1		324
2059-00	84,5		250
2059-002	93,5		256
2059-055	90,1	250 254 255	258
2059-80	5,0	250, 254, 258	
2059-802	7,2		256
2066-055	51,3		260
2066-09	49,1		254
2067-055	62,5		261
2067-09	60,8		255
2069-00	98,4		250
2069-055	104,0		258

Order no.	Weigl	ht/kg	Page
2069-80	6,0	250, 254,	258, 260
2140-00	97,3		321
2140-07	125,6		327
2140-073	138,8		327
2140-100	106,5		321
2140-380	4,4		327
2140-39			329
2140-80	2,7		327, 328
2144-00	30,3		253, 323
2145-00	45,2		323
2145-07	83,1		327
2145-073	86,4		327
2145-09	44,6		253
2146-055	58,9		260
2146-09	54,7		254
2146-1200	58,8		324
2147-055	70,7		261
2147-09	66,5		255
2147-1200	65,9		324
2148-1200	96,9		324
2149-00	94,6		251
2149-055	104,5	254 254	259
2149-80	2,4	251, 254,	
2150-00	109,5		321
2150-07	137,8		327
2150-073	110,9		327
2150-100	118,6		321
2150-380 2150-60	5,7		327
2150-80	110,7 3,4		321 327, 328
2150-80	2,4		327, 328
2150-82	2,3		328
2154-00	34,6		253, 323
2155-00	50,3		323
2155-07	88,2		327
2155-073	92,8		327
2155-09	49,5		253
2156-055	65,0		260
2156-09	60,8		254
2156-092	64,1		257
2156-1200	65,7		324
2157-055	78,9		261
2157-09	74,7		255
2157-092	81,2		257
2157-1200	73,8		324
2158-1200	109,5		324
2159-00	106,4		251
2159-002	119,4		256
2159-055	116,2		259
2159-80	3,0	251, 254,	259, 260
2159-802	4,6		256
2166-055	71,0		260
2166-09	66,8		254
2167-055	86,5		261
2167-09	82,3		255
2169-00	122,8		251
2169-055	132,7		259

3,6 251, 254, 259, 260

Order no.	Weight/kg	Page
	3000 - 3999	
3200-00L	56,4	383
3200-00R	55,6	383
3200-701	1,1	387
3200-7021		387
3200-7027		387
3200-80	2,0	387
3200-82	1,6	387
3200-83	1,6	387
3200-88	2,3	387
3201-00	66,3	383
3201-80	2,6	387
3201-811	7,3	387
3201-82	1,8	387
3201-83	1,9	387
3201-88	3,0	387
3202-00	75,0	383
3202-80	3,2	387
3202-811	8,1	387
3202-82	2,1	387
3202-83	2,2	387
3203-00	83,6	383
3203-80	3,9	387
3203-811	9,1	387
3203-82 3203-83	2,4	387
3211-00	55,1	385
3212-00	62,5	385
3212-0800	7,1	384
3212-1000	8,9	384
3212-1200	11,3	384
3213-00	69,0	385
3221-00	49,7	384
3222-00	55,6	384
3223-00	62,9	384
3231-00	44,4	385
3232-00	50,4	385
3233-00	56,2	385
3241-00	40,6	384
3242-00	45,5	384
3243-00	51,4	384
3251-00	37,0	386
3253-00	48,3	386
3260-00L	16,8	386
3260-00R	16,8	386
3261-00	20,8	386
3262-00	23,3	386
3263-00	26,0	386
	4000 - 4999	
4010-185050	33,6	130
4010-185100	59,4	130
4011-185100	60,2	130
4012-185100	66,6	130
4221-25	0,5	319, 328
4222-25	0,9	319, 328
4400-7002		103
4400-726		135
4400-727		135

oraci no.	weight	ig rage
4400-742		50, 84
4400-744		50, 84
4400-749		106
449365		133
449372		133
4493-00		133
4493-01		133
4493-02		133
4493-03		133
4493-04		133
4493-05		133
4493-08		133
4493-09		133
4493-10		133
4493-11		133
4493-12		133
4493-13		133
4493-15		133
4493-16		133
4493-17		133
4493-18		133
4493-19		133
4493-20		133
4493-22		133
4493-24		133
4493-25		133
4493-2765		133
4493-2772		133
4500-01		267
4500-10		104
4500-11		104
4500-700		93, 95, 97, 98,
4500 700		101, 102
4500-705	1,6	48, 82, 104
4500-706	0,3	48, 82, 104
4500-707		48, 83, 104, 129
4500-715	0,5	104
4500-718R		107
4500-721	0,1	107
4500-7212		107
4500-723		107
4500-724	0,1	107
4500-7242	0,1	107
4500-725	0,1	107
4500-7252	0,1	107
4500-7252	0,1	107
4500-720		107
4500-727		107, 135
4500-740		107, 135
4500-741		134
4500-749		134
4500-74972		132
4500-75065 4500-75072		132
4500-75072 4500-760	0.1	132
4500-760	0,1	104, 129
4500-761	0,1	82, 105
4500-762	0,4	82, 105, 129
4500-765 4500-7655	1,8	104
4500-765E	2.1	104
4500-766	2,1	104

Weight/kg

2169-80

Order no.	Weight/kg	Page	Order no.	Weight/kg	Page
4500-766E		104	45101-30	78,6	95
4500-7703R	0,1	105	45101-32	86,1	95
4500-770R	0,1	105	45101-40	97,7	95
4500-7713R	0,1	105	45101-90	7,8	102
4500-771R	0,1	105	45102-10	35,5	96
4500-7733	0,1	105	45102-12	41,4	96
4500-773R	0,1	105	45102-20	59,6	96
4500-775	0,1	105	45102-22	67,8	96
4500-776	0,1	105	45102-30	82,4	97
4500-777	0,1	105	45102-32	91,0	97
4500-778	5,1	105	45102-40	102,7	97
4501-01	31,6	264	45103-10	37,9	96
					96
4501-02	50,1	264	45103-12	44,3	
4501-06	72,3	265	45103-20	64,4	96
4501-0601	0,1	106, 134	45103-22	85,2	96
4501-0611		106, 134	45103-30	89,7	97
4501-07	68,7	265	45103-32	99,7	97
4501-10	54,2	265	45103-40	112,5	97
4501-11	44,9	264	45104-10	40,4	98
4501-14	42,9	264	45104-12	47,2	98
4502-01	41,6	264	45104-20	69,4	98
4502-02	60,1	264	45104-22	79,4	98
4502-03	73,4	264	45104-30	97,1	99
4502-04	92,6	265	45104-32	108,5	99
4502-05	93,6	264	45104-40	122,3	99
4502-06	82,3	265	45105-10	42,6	98
4502-0601	0,1	106, 134	45105-12	49,9	98
4502-0611		106, 134	45105-20	73,9	98
4502-07	78,7	265	45105-22	84,7	98
4502-09	123,0	265	45105-30	103,8	99
4502-10	64,2	265	45105-32	116,4	99
4502-11	54,9	264	45105-40	131,3	99
4502-12	78,7	265	45107-20	,_	103
4502-13	101,3	265	45107-22		103
4502-14	52,9	264	45110-710		92, 102
4503-01	51,6	264	45110-710		92, 102
4503-02		264			
	70,1		45112-710		92
4503-03	83,4	264	45112-730		92
4503-04	102,6	265	45120-710		92
4503-05	103,6	264	45120-730		92
4503-06	92,3	265	45122-710		92
4503-07	88,7	265	45122-730		92
4503-09	133,0	265	45130-710		93
4503-10	74,2	265	45130-730		93
4503-11	64,9	264	45132-710		93
4503-12	88,7	265	45132-730		93
4503-13	111,3	265	45140-710		93
4503-14	62,9	264	45140-730		93
45100-10	32,6	92	45180-122	59,6	100
45100-12	38,0	92	45180-132	51,1	100
45100-20	53,7	92, 103	45180-224	104,3	100
45100-22	67,8	92, 103	45180-234	91,0	100
45100-30	73,6	93	45180-326	145,8	101
45100-32	80,8	93	45180-336	129,5	101
45100-40	91,0	93	45180-438	165,6	101
45100-90	6,7	102	45181-326	134,8	100
45101-10	34,2	94	45181-336	118,4	100
		94		110,4	
45101-12 45101-20	39,7		45210-710		94, 102
	57,1	94	45210-730		94, 102

Order no.	Weight/kg	Page
45212-730		94
45220-710		94
45220-710		94
45222-710		94
45222-710		94
45230-710		95
45230-710		95
45230-730		95
45232-710		95
45240-710		95
45240-710		
		95
4531-70	2,8	103
4532-70	3,9	103
4533-70	5,2	103
4534-70	6,4	103
45410-710		96
45410-730		96
45412-710		96
45412-730		96
4541-70	3,1	103
45420-710		96
45420-730		96
45422-710		96
45422-730		96
4542-70	4,8	103
45430-710		97
45430-730		97
45432-710		97
45432-730		97
4543-70	6,4	103
45440-710		97
45440-730		97
45610-710		98
45610-730		98
45612-710		98
45612-730		98
45620-710		98
45620-730		98
45622-710		98
45622-730		98
45630-710		99
45630-730		99
45632-710		99
45632-730		99
45640-710 45640-730		99
	5.7	99
4570-081	5,7	267
4570-082	10,5	267
4570-083	11,6	267
4570-084	2,9	267
4570-085	7,4	267
4570-086	3,1	267
4570-087	10,6	267
4570-088	9,3	267
4570-091	1,0	267
4570-092	2,0	267
4570-111		267
4570-112		267
4570-113		267
4570-12	4,0	267

Order no.	Weight/kg	Page
4570-13		267
4570-14	0,7	267
4571-01		282
4571-02		282
4571-03		282
4571-04		282
4572-001		282
4572-002		282
4572-003		282
4572-004	0,1	282
4572-005	0,1	282
4572-006	0,1	282
4572-007	0,1	282
4572-008	0,1	282
4572-009		282
4572-010		282
4572-011		282
4572-012		282
4572-013		282
4572-014		282
4572-015		282
4572-016		282
4572-017		282
4572-018		282
4572-019		282
4572-020		282
4572-021		282
4572-022	0,5	283
4572-023	0,1	282
4572-024	0,1	282
4572-025		282
4572-026		282
4572-027	0,1	282
4572-028		282
4572-029	0,1	282
4572-030	0,1	282
4572-031	0,1	282
4572-032	0,2	282
4572-033	0,2	282
4572-034	0,4	282
4572-035	0,2	282
4572-036	0,2	282
4572-037	0,7	283
4572-037	0,1	283
4572-039		283
4572-039	0,1	283
4572-040		283
4572-041	0,1	
4572-042 4572-044	0,4	283
		283
4572-045		283
4572-047		282
4572-048		282
4572-049	0.3	282
4572-050	0,2	282
4572-052	0,3	283
4572-053	0,1	283
4572-054	0,3	283
4572-055	0,4	283
4572-056	0,7	283
4573-003		283

Order no.	Weight/kg	g Page
4573-004		283
4573-005		283
4573-006		283
4590-70		103
4591-70		103
4600-580	4,3	129
4600-582	5,3	129
4600-716	7,7	114, 116, 119,
	·	121, 122, 124
4600-718	1,0	135
4600-721	0,3	135
4600-7212	-,-	135
4600-724	0,3	135
4600-7242	0,1	135
4600-730	0,3	135
4600-731R	0,3	135
4600-732R	0.4	135
4600-733	0,4	135
4600-734	0,1	135
4600-7342	0,1	135
4600-744		135
4600-760	1,2	128
4600-761	1,6	128
4600-762	2,4	128
4600-763	3,1	128
4600-764	3,5	128
4600-765	4,8	128
4600-7703R	0,1	129
4600-770R	0,1	129
4600-7713R	0,1	129
4600-771R	0,1	129
4600-773	0,1	129
4600-7733	0,1	129
4600-89	1,7	129
4602-89	2,1	129
4604-10	2,8	128
4604-12	3,5	128
4604-20	5,1	128
4604-200		128
4604-22	6,7	128
4604-220		128
4604-30	7,5	128
4604-300	. ,5	128
4604-32	9,9	128
4604-320	5,5	128
4604-320 4604-710L	0.7	128
	0,7	
4604-710R	0,7	128
46110-10	37,5	114
46110-12	42,3	114
46110-20	67,5	114
46110-22	77,1	114
46110-30	97,9	115
46110-32	112,9	115
46110-40	128,9	115
46110-730		114, 116, 118,
		120, 122, 124
46110-750		114
46112-730		114, 116, 118,
		120, 122, 124
46112-750		114

Order no.	Weight	/kg	Page
46120-730		114,	116, 118,
		120,	123, 124
46120-750			114
46122-730		114,	117, 118,
		120,	123, 125
46122-750			114
46130-730			117, 119,
		121,	123, 125
46130-750			115
46132-730			117, 119,
46422.750		121,	123, 125
46132-750		115	115
46140-730			117, 119,
46140.750		121,	123, 125
46140-750 46210-10	30.7		115
46210-10	39,2 44,3		116
46210-12	95,5		116
46210-22	81,3		117
46210-30	76,3		117
46210-32	119,2		117
46210-40	100,3		117
46210-750			116
46212-750			116
46220-750			116
46222-750			117
46226-20	94,2		126
46230-750			117
46232-750			117
46240-750			117
46310-10	41,5		118
46310-12	46,6		118
46310-20	75,7		118
46310-22	85,9		118
46310-30	110,1		119
46310-32	126,1		119
46310-40	145,1		119
46310-750			118
46312-750			118
4631-70	2,8		128
46320-750			118
46322-750			118
4632-70	3,9		128
46330-750			119
46332-750	F.2		119
4633-70	5,2		128
46340-750	44.2		119
46410-10	44,3		120
46410-12	49,7		120
46410-20 46410-22	81,3		120
46410-22	92,1 118,5		120
46410-30	135,3		121
46410-40	156,3		121
46410-750	130,3		121
46412-750			120
4641-70	3,1		128
46420-750	-1.		120
46422-750			120

Order no.	Weight/kg	j Page
46430-750		121
46432-750		121
4643-70	6,4	128
46440-750		121
46510-10	47,1	122
46510-12	52,7	122
46510-20	86,7	123
46510-22	97,9	123
46510-30	126,7	123
46510-32	144,1	123
46510-40	167,3	123
46510-750		122
46512-750		122
46520-750		123
46522-750		123
46530-750		123
46532-750		123
46540-750		123
46610-10	49,8	124
46610-12	55,6	124
46610-20	92,1	124
46610-22	103,7	125
46610-30	134,8	125
46610-32	152,8	125
46610-40	178,1	125
46610-750		124
46612-750		124
46620-750		124
46622-750		125
46630-750		125
46632-750		125
46640-750		125
4800-1210		197
4800-2210		197
4800-70251	1,1	191, 192, 195
4800-707	0,5	193
48010-1210	48,3	197
48010-2210	87,5	197
480103-20	28,2	148
480103-30	39,1	148
480103-40	52,1	148
480106-20	39,1	150
480106-30	54,7	150
480106-40	71,1	150
48015-12	28,8	192
48015-121	26,4	192
48015-22	47,7	192
48015-221	43,0	192
48015-32	66,9	192
48015-321	59,9	192
48015-42	86,1	192
48015-421	76,7	192
48015-711L	0,1	193
48015-711R	0,1	193
48015-713		193
48015-770		193, 194
48020-1210	49,0	197
48020-2210	89,1	197
480203-20	29,6	148
480203-30	41,0	148

0	10/-:	D
Order no.	Weight/kg	Page
480203-40	54,9	148
480206-20	40,4	150
480206-30	56,6	150
480206-40	73,6	150
48060-105	39,2	80, 196
48060-110	47,2	80, 196
48060-205	66,8	80, 196
48060-210	83,9	80, 196
48070-210	43,2	80, 196
48115-12	27,3	192
48115-22	44,8	192
48115-32	62,6	192
48115-42	80,5	192
48160-105	39,9	80, 196
48160-110	48,0	80, 196
48160-205	68,5	80, 196
48160-210	85,5	80, 196
48170-210	44,4	80, 196
48215-12	30,4	191
48215-121	29,5	191
48215-22	50,9	191
48215-221	49,1	191
48215-32	71,7	191
48215-321	68,9	191
48215-42	92,5	191
48215-421	88,8	191
48270-7015	0,5	80, 196
483103-20	28,3	149
483103-30	38,2	149
483103-40	50,4	149
483106-20	40,4	151
483106-30	55,2	151
483106-40	71,9	151
48315-13	33,9	190
48315-131	31,9	190
48315-23	57,2	190
48315-231	53,1	190
48315-33	80,7	190
48315-331	74,6	190
483203-20	30,0	149
483203-30	41,2	149
483203-40	54,2	149
483206-20	41,6	151
483206-30	58,2	151
483206-40	75,5	151
48415-012		195
48415-024		195
48615-000		194
4900-700	0,2	77, 82
4900-701		85
4900-702	0,1	82
4900-707		81
4900-718		84, 85
4900-721	0,1	84, 85
4900-7212		84, 85
4900-723		84, 85
4900-724	0,1	84, 85
4900-7242	0,1	84, 85
4900-725	0,1	84, 85
4900-7252	0,1	84, 85

4642-70

Order no.	Weig	ht/kg Page
4900-749		85
4900-765	3,1	82
4900-766	3,7	82
4900-770	0,1	82
4900-7703		82
4900-772	0,1	82
4900-7723		82
4900-773	0,1	82
4900-7732	0,1	82
4900-7733		82
49010-10	28,8	56
49010-103	31,2	72
49010-104	32,6	72
49010-105	34,0	74
49010-12	32,2	56
49010-123	34,8	72
49010-124	36,6	72
49010-125	38,0	74
49010-20	47,9	56
49010-203	54,9	72
49010-204	57,7	72
49010-205	60,3	74
49010-20B	54,8	67
49010-22	52,3	56
49010-223	60,4	72
49010-224	63,9	72
49010-225	67,4	74
49010-22B	61,3	67
49010-30	59,5	57
49010-303	73,9	73
49010-304	78,1	73
49010-305		
	86,8	75
49010-32	75,1	57
49010-323	87,3	73
49010-324	92,5	73
49010-325	97,8	75
49010-40	83,0	57
49010-403	97,1	73
49010-404	102,6	73
49010-405	108,0	75
4901-0601	0,1	85, 147, 159, 182
4901-0611		85, 147, 159, 182
49012-20	48,8	60
49012-20B	57,5	67
49012-22	52,7	60
49012-22B	67,2	67
49012-40	83,1	60
49020-10	29,3	56
49020-10		72
	31,8	
49020-104	33,2	72
49020-105	34,5	74
49020-12	33,8	56
49020-123	36,4	72
49020-124	38,2	72
49020-125	39,9	74
49020-20	49,1	56
49020-203	56,1	72
49020-204	58,9	72
49020-205	61,8	74
49020-20B	56,0	67

Oudou no	Waim	h#/len	Dogo
Order no.	Weig	nt/kg	Page
49020-22	53,9		56
49020-223	62,0		72
49020-224	65,5		72
49020-225	69,0		74
49020-22B	62,9		67
49020-30	65,2		57
49020-303	76,7		73
49020-304	79,9		73
49020-305	84,0		75
49020-32	77,6		57
49020-323	89,8		73
49020-324	95,0		73
49020-325	100,3		75
49020-40	85,5		57
49020-403	100,9		73
49020-404	105,1		73
49020-405	110,5		75
4902-0601	, 5	85, 147,	
4902-0611			
	E0.0	85, 147,	
49022-20	50,0		60
49022-20B	57,8		67
49022-22	54,4		60
49022-22B	64,7		67
49022-40	85,7		60
49030-10	32,8		58
49030-12	37,4		58
49030-20	52,8		58
49030-22	59,4		58
49030-30	69,1		59
49030-32	84,2		59
49030-40	89,5		59
49032-20	54,0		61
49032-22	56,5		61
49032-40	90,3		61
49040-10	32,6		58
49040-12	37,4		58
49040-20	53,3		58
49040-22	60,6		58
49040-30	68,9		59
49040-32	87,8		59
49040-40	93,1		59
49042-20	54,6		61
49042-22	57,6		61
49042-40	93,8		61
49050-10	33,8		58
49050-12	37,8		58
49050-20	54,8		58
49050-22	60,4		58
49050-30	72,4		59
49050-32	87,2		59
49050-40	95,1		59
49052-20	55,7		62
49052-22	60,9		62
49052-22	95,2		62
49056-20	67,3		63
49056-22	76,2		63
49056-40			63
49060-20	54,4		66
49060-22	58,0		66
49090-10	10,8		76

Order no.	Wei	ght/kg	Page
49090-12	11,1		76
49090-20	19,0		76
49090-22	19,3		76
49090-30	25,1		77
49090-32	30,4		77
49090-40	34,0		77
490910-730			76
490910-750			76
490912-730			76
490912-750			76
490920-730			76
490920-750			76
49092-20	19,2		76
49092-22	20,1		76
490922-730			76
490922-750			76
49092-40	37,3		76
490930-730			77
490930-750			77
490932-730			77
490932-750			77
490940-730			77
490940-750			77
49110-00	53,2		66
49110-02	58,5		66
49110-730			56, 58
49110-750			56, 58
49112-730			56, 58
49112-750 49120-00	E4.2		56, 58 66
49120-00	54,3 60,1		66
49120-730	00,1	56 58	, 60, 61,
13120730		30, 30	63, 67
49120-750		56, 58, 60, 61	1, 63, 67
49122-730		56, 58, 60, 61	, 63, 67
49122-750		56, 58, 60, 61	, 63, 67
49130-730			57, 59
49130-750			57, 59
49132-730			57, 59
49132-750			57, 59
49140-730		57, 59, 60), 61, 63
49140-750		57, 59, 60), 61, 63
49160-20	57,3		66
49160-22	62,3		66
49210-20	50,1		64
49210-40	85,6		64
49212-20B	45,9		67
49220-20	51,3		65
49220-40 49220-730	88,2	69	65 3, 69, 70
49220-750			3, 69, 70
49222-20B	49,4	00	67
49222-208	→ 5,4	65	3, 69, 70
49222-750			3, 69, 70
49230-730			3, 69, 70
49230-750			3, 69, 70
49232-730			3, 69, 70
49232-750			3, 69, 70
49240-730			3, 69, 70
49240-750			3, 69, 70

Order no.	Weight/kg	Page
49250-20	56,9	65
49250-40	97,8	65
49310-20	49,1	68
49310-22	53,6	68
49310-30	65,2	68
49310-32	77,1	68
49310-40	85,4	68
49310-730		72
49310-750		72
49312-730		72
49312-750		72
4931-70	3,0	81
49320-20	50,3	69
49320-22	74,8	69
49320-30	67,0	69
49320-32	108,9	69
49320-40	87,9	69
49320-730		72
49320-750		72
49322-730		72
49322-750		72
4932-70	3,9	81
49330-730	5,5	73
49330-750		73
49332-730		73
49332-750		73
49332-730	E 2	81
	5,2	
49340-730		73
49340-750 4934-70	C 4	73
	6,4	81
49350-20	56,0	70
49350-22	61,8	70
49350-30	74,3	70
49350-32	89,2	70
49350-40	97,5	70
4940-20		79
4940-21		79
49406-00	69,1	78
49406-02	76,3	79
494060-730		78
494060-750		78
494062-730		79
494062-750		79
49408-00	71,9	78
49408-02	79,8	79
494080-730		78
494080-750		78
494082-730		79
494082-750		79
49410-00	74,6	78
49410-02	83,3	79
494100-730		78
494100-750		78
494102-730		79
494102-750		79
454102-750		72
49410-730		
		72
49410-730		
49410-730 49410-750		72 72 72

Order no.	Weight/kg	Page
49420-730		72
49420-750		72
49422-730		72
49422-750		72
4942-70	4,8	81
49430-730		73
49430-750		73
49432-730		73
49432-750		73
4943-70	6,4	81
49440-730		73
49440-750		73
49510-730		74
49510-750		74
49512-730		74
49512-750		74
49520-730		74
49520-750		74
49522-730		74
49522-750		74
49530-730		75
49530-750		75
49532-730		75
49532-750		75
49540-730		75
49540-750		75
495620-730		63
495622-730		63
495640-730		63
49610-22	53,2	71
49610-32	76,0	71
49620-22	54,8	71
49620-32	78,7	71
49622-730		71
49622-750		71
49632-730		71
49632-750		71
49650-22	61,4	71
49650-32	88,2	71
	5000 - 5999	
5005-60		325
5005-61		325
51022-1.1	35,8	422
51022-1.9	29,1	422
51022-2.10	8,6	422
520410-1.1		408
520410-1.10		408
520410-1.20		409
520410-1.22		409
520410-1.4		409
520410-1.7		409
520410-1.8		408
520420-1.1	48,1	430
520420-1.9	42,6	430
520430-1.24	23,7	431
520430-1.3	23,7	431
520440-1.24	19,1	431
520440-1.3	19,1	431

Order no.	Weig	ht/kg Page
520461-4.19		424
520471-4.17	164,0	426
520471-4.19	80,0	426
520490-1.1		410
520490-1.10		410
520490-1.20		411
520490-1.22		411
520490-1.4		411
520490-1.7		411
520490-1.8		410
520700-705		411
520700-707L	0,5	412
520700-707M	0,5	412
520700-707R	0,5	412
520700-7084	2,0	412
520700-7085 520700-7086	2,0	412
520700-7086	3,0	412
520700-7121	3,0	413
520700-7122	3,0	413
520700-7124	3,0	413
520700-7124	0,3	413
520700-714	0,3	412
520700-715	0,4	412
520700-717	0,3	412
520700-719	0,5	412
520700-721L	0,3	412
520700-721M	0,3	412
520700-721R	0,3	412
520700-722L	0,3	412
520700-722M	0,3	412
520700-722R	0,3	412
520700-723		413
520700-7241	0,6	413
520700-7242	0,6	413
520700-7251	1,2	413
520700-7252	1,2	413
520708-1.1		408, 410
520708-1.10		408, 410
520708-1.20		409, 411
520708-1.22		409, 411
520708-1.4		409, 411
520708-1.7		409, 411
520708-1.8 520710-1.1	C 4	408, 410
520710-1.1	6,4 8,0	413
520710-1.4	7,2	413
520712-1.1	9,5	413
520712-1.4	11,9	413
520712-1.7	10,7	413
520718-1.1	9,5	413
520718-1.4	11,9	413
520718-1.7	10,7	413
5220-410		442, 444, 445
5220-411		438
52470-750		427
5400-760		440
540330-1.3		423
540490-1.1		400
540490-1.10		400

Order no.	Weight/kg	Page
540490-1.20		401
540490-1.22		401
540490-1.7		401
540490-1.8		400
540700-707L	0,5	402
540700-707M	0,5	402
540700-707R	0,5	402
540700-7084	2,0	402
540700-7085	2,0	402
540700-7086	3,0	402
540700-7121	3,7	403
540700-7122	3,7	403
540700-7123	3,7	403
540700-713	0,3	402
540700-714	0,3	402
540700-715	0,4	402
540700-717	0,3	402
540700-719	0,5	402
540700-721L	0,3	402
540700-721M	0,3	402
540700-721R	0,3	402
540700-722L	0,3	402
540700-722M	0,3	402
540700-722R	0,3	402
540700-723		403
540700-7261		403
540700-7262		403
540700-7263		403
540700-735		401
540708-1.1		400
540708-1.10		400
540708-1.20		401
540708-1.22		401
540708-1.3		423
540708-1.7		401
540708-1.8		400
5412-040		443, 445
5413-040		443, 445
5413-041		439
5413-780		440
54210-000	45,1	445
54210-0030	24,5	442
54230-000	43,7	445
54230-0030	23,6	442
54500-730		427
54500-735		427
54510-000	42,1	444
54530-000	40,1	444
54700-00	55,1	438
5470-010	1,3	439
54701-00	53,3	438
54780-000	79,2	440
54780-010	68,5	440
54780-150	82,5	440
5500-703	1,2	446, 447
5500-704	1,9	447
5500-706	4,3	447
5500-7132	1,4	447
5500-719	3,2	446
5500-720	0,8	446

5500-754	0,8	443	3
55505-10		456	5
55505-11		456	
55505-20		456	
55505-21		456	
55515-00		456	
55515-02		456	
55515-04			
		456	
55515-701	16.5	456	
55575-20	16,5	455	
55575-701	7.0	455	
55576-20	7,0	455	
55576-21	7,5	455	
55576-700		455	
55576-701		455	5
55580-02		454	ļ
55580-22		454	ļ
5592-00	100,2	434	ļ
5592-10	102,7	434	ļ
5592-720		434	ļ
5592-730	1,9	435	i i
5592-740	2,2	435	5
56800-702		418	3
56800-703		418	3
56800-704		418	3
56800-7121		419	9
56800-7131		419	9
56800-7141		419	
56800-740	1,0	419	
56800-740	1,8	419	
56800-741	1,1	418	
56800-742		418	
	1,1		
56806-0806	6,3	418	
56806-08062	6,3	418	
56806-0807	6,4	418	
56806-08072		418	
56806-0815		419	
56806-08152		419	
56806-0906	6,4	418	3
56806-09062	6,4	418	3
56806-0907	6,9	418	3
56806-09072		418	3
56806-0915		419)
56806-09152		419)
56806-1006	7,2	418	3
56806-10062	7,2	418	3
56806-1007	7,3	418	3
56806-10072		418	3
56806-1015		419	9
56806-10152		419	
5722-00	30,0	325	
5722-80	2,6	325	
5723-00	44,4	325	
5723-80			
	2,0	325	
5724-00	59,8	325	
5724-80	2,6	325	
5725-00	40,5	325	
5725-80	6,8	325	5

Order no.

Weight/kg

6103-10 6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 6492-00 6493-10 6494-10 6495-20 6495-20 6495-10 6700-01 6700-410 6700-412 67011-000 67020-00	332 332 332 366 366 366 366 367 3,3 1,0 2,0 0,7 0,7 0,7 0,3 0,4 0,2	393 , 374, 393 , 374, 393 , 374, 393 , 374, 393 , 364 , 368, 370 , 368, 370 , 368, 370 , 368, 375 , 375	7201-200 7203-000 7204-000 7205-000 7206-000 780120-40 780120-60 780125-40 780125-60 780130-40 780130-60 780140-80 780160-80 780220-40 780220-60 780225-60	193,4 10,3 22,2 0,1 7,0 57,7 87,6 105,5 72,6 90,6 108,5 75,6 75,7 14,3 18,8 23,3 66,6 104,8 119,2	391 392 392 392 392 297 297 297 297 297 297 297 297 297 2	781230-60 781240-80 781240-80 781260-80 781280-80 781320-40 781320-60 781325-40 781325-60 781325-80 781330-40 781330-80 781340-80 781380-80 781380-80 7820-40	117,7 143,3 18,4 24,8 31,2 102,6 133,6 164,5 105,6 136,6 167,5 108,6 139,6 170,6 22,5 30,3 38,0 29,8	296 296 296 296 296 296 296 296 296 296	78300-707 78300-800 78300-8002 7830-40 7830-41 7830-42 7830-43 7830-50 7830-51 7830-52 7830-60 7830-61 7830-62 7830-63 7830-704 7830-705 7830-706	2,8 5,1 38,3 26,2 37,5 25,6 41,8 29,1 40,9 28,4 45,2 32,0 44,2 31,2 0,1 0,1	289 289 295 295 295 295 295 295 295 295 295 29
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 6492-00 6493-10 6494-10 6495-20 6495-20 6496-10 6700-410 6700-412 6700-412 67011-000	332 332 332 366 366 366 366 366 366 366	, 374, 393 , 374, 393 , 374, 393 331, 367 364 364 , 368, 370 , 368, 370 , 368, 375 332 375 375 332, 375 375 332, 375 375 375, 375	7204-000 7205-000 7206-000 780120-40 780120-60 780120-80 780125-40 780125-60 780130-40 780130-80 780140-80 780180-80 780220-40 780220-80 780225-40	22,2 0,1 7,0 57,7 87,6 105,5 72,6 90,6 108,5 75,6 75,7 14,3 18,8 23,3 66,6 104,8 119,2	392 392 392 297 297 297 297 297 297 297 297 297 2	781240-80 781260-80 781280-80 781320-40 781320-60 781325-40 781325-60 781325-80 781330-40 781330-80 781340-80 781360-80 781380-80	18,4 24,8 31,2 102,6 133,6 164,5 105,6 136,6 167,5 108,6 139,6 170,6 22,5 30,3 38,0	296 296 296 296 296 296 296 296 296 296	7830-8002 7830-40 7830-41 7830-42 7830-43 7830-50 7830-51 7830-52 7830-60 7830-61 7830-62 7830-63 7830-704	5,1 38,3 26,2 37,5 25,6 41,8 29,1 40,9 28,4 45,2 32,0 44,2 31,2 0,1 0,1	289 295 295 295 295 295 295 295 295 295 29
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 6492-00 6493-10 6494-10 6495-20 6495-20 6496-10 6700-410 6700-412 6700-412 67011-000	332 332 332 366 366 366 366 366 366 366	, 374, 393 , 374, 393 , 374, 393 331, 367 364 364 , 368, 370 , 368, 370 , 368, 375 332 375 375 332, 375 375 332, 375 375 375, 375	7205-000 7206-000 780120-40 780120-60 780120-80 780125-40 780125-80 780130-40 780130-80 780140-80 780180-80 78020-40 780220-60 780220-80 780225-40	0,1 7,0 57,7 87,6 105,5 72,6 90,6 108,5 75,6 75,7 14,3 18,8 23,3 66,6 104,8 119,2	392 392 297 297 297 297 297 297 297 2	781260-80 781280-80 781320-40 781320-60 781320-80 781325-40 781325-60 781325-80 781330-40 781330-80 781340-80 781360-80 781380-80	24,8 31,2 102,6 133,6 164,5 105,6 136,6 167,5 108,6 139,6 170,6 22,5 30,3 38,0	296 296 296 296 296 296 296 296 296 296	7830-40 7830-41 7830-42 7830-43 7830-50 7830-51 7830-52 7830-60 7830-61 7830-62 7830-63 7830-704	38,3 26,2 37,5 25,6 41,8 29,1 40,9 28,4 45,2 32,0 44,2 31,2 0,1 0,1	295 295 295 295 295 295 295 295 295 295
6103-12 6103-13 6400-01 6400-401 6400-410 6400-410 6400-411 6400-412 64011-000 6492-00 6493-10 6494-10 6495-20 6495-20 6496-10 6700-410 6700-412 67011-000	332 332 332 366 366 366 366 366 366 366	, 374, 393 , 374, 393 , 374, 393 , 364 , 364 , 368, 370 , 368, 370 , 368, 370 , 375 , 375 , 375 , 375 , 375 , 375 , 375 , 375 , 375 , 375 , 375 , 375 , 375	7206-000 780120-40 780120-60 780120-80 780125-40 780125-60 780125-80 780130-40 780130-60 780140-80 780180-80 78020-40 780220-60 780220-80 780225-40	7,0 57,7 87,6 105,5 72,6 90,6 108,5 75,6 75,7 14,3 18,8 23,3 66,6 104,8 119,2	392 297 297 297 297 297 297 297 297 297 2	781280-80 781320-40 781320-60 781320-80 781325-40 781325-60 781325-80 781330-40 781330-80 781340-80 781360-80 781380-80	31,2 102,6 133,6 164,5 105,6 136,6 167,5 108,6 139,6 170,6 22,5 30,3 38,0	296 296 296 296 296 296 296 296 296 296	7830-41 7830-42 7830-43 7830-50 7830-51 7830-52 7830-53 7830-60 7830-61 7830-62 7830-63 7830-704	26,2 37,5 25,6 41,8 29,1 40,9 28,4 45,2 32,0 44,2 31,2 0,1	295 295 295 295 295 295 295 295 295 295
6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 6492-00 6493-10 6494-10 6495-20 6495-20 6496-10 6700-410 6700-412 67011-000	332 366 366 366 366 37 37 38 38 38 38 38 38 38 38 38 38	, 374, 393 331, 367 364 364 , 368, 370 , 368, 370 , 368, 370 375 332 375 375 332, 375 375 375 375 375 375 375 375	780120-40 780120-60 780120-80 780125-40 780125-60 780125-80 780130-40 780130-80 780140-80 780180-80 78020-40 780220-60 780225-40	57,7 87,6 105,5 72,6 90,6 108,5 75,6 75,7 14,3 18,8 23,3 66,6 104,8 119,2	297 297 297 297 297 297 297 297 297 297	781320-40 781320-60 781320-80 781325-40 781325-60 781325-80 781330-40 781330-80 781360-80 781380-80	102,6 133,6 164,5 105,6 136,6 167,5 108,6 139,6 170,6 22,5 30,3 38,0	296 296 296 296 296 296 296 296 296 296	7830-42 7830-43 7830-50 7830-51 7830-52 7830-53 7830-60 7830-61 7830-62 7830-63 7830-704	37,5 25,6 41,8 29,1 40,9 28,4 45,2 32,0 44,2 31,2 0,1	295 295 295 295 295 295 295 295 295 295
6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 6492-00 6493-10 6494-10 6494-20 6495-20 6496-10 6700-01 6700-410 6700-412 67011-000	366 366 366 3,3 1,0 2,0 0,7 0,7 0,3 0,4 0,2 331	331, 367 364 364 , 368, 370 , 368, 370 , 368, 370 375 332 375 375 332, 375 375 375 375 375 375 375 375	780120-60 780125-40 780125-60 780125-80 780125-80 780130-40 780130-80 780140-80 780180-80 780220-40 780220-80 780225-40	87,6 105,5 72,6 90,6 108,5 75,6 75,7 14,3 18,8 23,3 66,6 104,8 119,2	297 297 297 297 297 297 297 297 297 297	781320-60 781320-80 781325-40 781325-60 781325-80 781330-40 781330-80 781340-80 781360-80 781380-80	133,6 164,5 105,6 136,6 167,5 108,6 139,6 170,6 22,5 30,3 38,0	296 296 296 296 296 296 296 296 296 296	7830-43 7830-50 7830-51 7830-52 7830-53 7830-60 7830-61 7830-62 7830-63 7830-704	25,6 41,8 29,1 40,9 28,4 45,2 32,0 44,2 31,2 0,1	295 295 295 295 295 295 295 295 295 295
6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 6492-00 6493-10 6494-10 6495-20 6495-20 6496-10 6700-410 6700-412 67011-000	3,3 1,0 2,0 0,7 0,7 0,3 0,4 0,2 331	364 368, 370 , 368, 370 , 368, 370 375 332 375 375 332, 375 375 332, 375 375 375 375 375 375	780120-80 780125-40 780125-60 780125-80 780130-40 780130-60 780130-80 780140-80 780180-80 780220-40 780220-60 780220-80 780225-40	105,5 72,6 90,6 108,5 75,6 75,7 14,3 18,8 23,3 66,6 104,8 119,2	297 297 297 297 297 297 297 297 297 297	781320-80 781325-40 781325-60 781325-80 781330-40 781330-60 781340-80 781360-80 781380-80	164,5 105,6 136,6 167,5 108,6 139,6 170,6 22,5 30,3 38,0	296 296 296 296 296 296 296 296 296 296	7830-50 7830-51 7830-52 7830-53 7830-60 7830-61 7830-62 7830-63 7830-704 7830-705	41,8 29,1 40,9 28,4 45,2 32,0 44,2 31,2 0,1	295 295 295 295 295 295 295 295 295 291, 293, 295 291, 293, 295
6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6493-10 6494-10 6495-10 6495-20 6496-10 6700-410 6700-412 67011-000	3,3 1,0 2,0 0,7 0,7 0,3 0,4 0,2 331	364 , 368, 370 , 368, 370 , 368, 370 375 332 375 375 332, 375 335, 375 375 375 375 375 375 375 375	780125-40 780125-60 780125-80 780130-40 780130-60 780130-80 780140-80 780180-80 780120-40 780220-40 780220-80 780225-40	72,6 90,6 108,5 75,6 75,7 14,3 18,8 23,3 66,6 104,8 119,2	297 297 297 297 297 297 297 297 297 297	781325-40 781325-60 781325-80 781330-40 781330-60 781330-80 781340-80 781380-80	105,6 136,6 167,5 108,6 139,6 170,6 22,5 30,3 38,0	296 296 296 296 296 296 296 296 296	7830-51 7830-52 7830-53 7830-60 7830-61 7830-62 7830-63 7830-704 7830-705	29,1 40,9 28,4 45,2 32,0 44,2 31,2 0,1 0,1	295 295 295 295 295 295 295 291, 293, 295 291, 293, 295
6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-20 6495-10 6495-20 6496-10 6700-01 6700-412 67011-000	3,3 1,0 2,0 0,7 0,7 0,3 0,4 0,2 331	, 368, 370 , 368, 370 , 368, 370 375 332 375 375 332, 375 375 332, 375 375 375 375 375	780125-60 780125-80 780130-40 780130-60 780130-80 780140-80 780160-80 780180-80 780220-40 780220-60 780220-80 780225-40	90,6 108,5 75,6 75,7 14,3 18,8 23,3 66,6 104,8 119,2	297 297 297 297 297 297 297 297 297	781325-60 781325-80 781330-40 781330-60 781330-80 781340-80 781360-80 781380-80	136,6 167,5 108,6 139,6 170,6 22,5 30,3 38,0	296 296 296 296 296 296 296 296	7830-52 7830-53 7830-60 7830-61 7830-62 7830-63 7830-704 7830-705	40,9 28,4 45,2 32,0 44,2 31,2 0,1 0,1	295 295 295 295 295 295 295 291, 293, 295 291, 293, 295
6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-10 6494-20 6495-10 6495-20 6496-10 6700-01 6700-412 67011-000	3,3 1,0 2,0 0,7 0,7 0,3 0,4 0,2 331	, 368, 370 , 368, 370 375 332 375 375 332, 375 332, 375 332, 375 375 375 375 375	780125-80 780130-40 780130-60 780130-80 780140-80 780160-80 780180-80 780220-40 780220-60 780220-80 780225-40	108,5 75,6 75,7 14,3 18,8 23,3 66,6 104,8 119,2	297 297 297 297 297 297 297 297	781325-80 781330-40 781330-60 781330-80 781340-80 781360-80 781380-80	167,5 108,6 139,6 170,6 22,5 30,3 38,0	296 296 296 296 296 296 296	7830-53 7830-60 7830-61 7830-62 7830-63 7830-704 7830-705	28,4 45,2 32,0 44,2 31,2 0,1 0,1	295 295 295 295 295 291, 293, 295 291, 293, 295
6400-412 64011-000 64020-00 6492-00 6493-10 6494-10 6494-20 6495-10 6495-20 6496-10 6700-01 6700-412 67011-000	3,3 1,0 2,0 0,7 0,7 0,3 0,4 0,2 331	, 368, 370 375 332 375 375 332, 375 375 332, 375 375 375 375 375 375 375	780130-40 780130-60 780130-80 780140-80 780160-80 780180-80 780220-40 780220-60 780220-80 780225-40	75,6 75,7 14,3 18,8 23,3 66,6 104,8 119,2	297 297 297 297 297 297 297	781330-40 781330-60 781330-80 781340-80 781360-80 781380-80	108,6 139,6 170,6 22,5 30,3 38,0	296 296 296 296 296 296	7830-60 7830-61 7830-62 7830-63 7830-704 7830-705	45,2 32,0 44,2 31,2 0,1 0,1	295 295 295 295 291, 293, 295 291, 293, 295
64011-000 64020-00 6492-00 6493-10 6494-10 6494-20 6495-10 6495-20 6496-10 6700-01 6700-410 6700-412 67011-000	3,3 1,0 2,0 0,7 0,7 0,3 0,4 0,2 331	375 332 375 375 332, 375 375 332, 375 375 375 375 375 375	780130-60 780130-80 780140-80 780160-80 780180-80 780220-40 780220-60 780220-80 780225-40	75,7 14,3 18,8 23,3 66,6 104,8 119,2	297 297 297 297 297 297	781330-60 781330-80 781340-80 781360-80 781380-80	139,6 170,6 22,5 30,3 38,0	296 296 296 296 296	7830-61 7830-62 7830-63 7830-704 7830-705	32,0 44,2 31,2 0,1 0,1	295 295 295 291, 293, 295 291, 293, 295
64020-00 6492-00 6493-10 6494-10 6494-20 6495-10 6495-20 6496-10 6700-01 6700-410 6700-412 67011-000	1,0 2,0 0,7 0,7 0,3 0,4 0,2 331	332 375 375 332, 375 375 332, 375 375 375 , 365, 367 370	780130-80 780140-80 780160-80 780180-80 780220-40 780220-60 780220-80 780225-40	14,3 18,8 23,3 66,6 104,8 119,2	297 297 297 297 297	781330-80 781340-80 781360-80 781380-80	170,6 22,5 30,3 38,0	296 296 296 296	7830-62 7830-63 7830-704 7830-705	44,2 31,2 0,1 0,1	295 295 291, 293, 295 291, 293, 295
6492-00 6493-10 6494-10 6494-20 6495-10 6495-20 6496-10 6700-01 6700-410 6700-412 67011-000	1,0 2,0 0,7 0,7 0,3 0,4 0,2 331	375 375 332, 375 375 332, 375 375 375 , 365, 367 370	780140-80 780160-80 780180-80 780220-40 780220-60 780220-80 780225-40	18,8 23,3 66,6 104,8 119,2	297 297 297 297	781340-80 781360-80 781380-80	22,5 30,3 38,0	296 296 296	7830-63 7830-704 7830-705	31,2 0,1 0,1	295 291, 293, 295 291, 293, 295
6493-10 6494-10 6494-20 6495-10 6495-20 6496-10 6700-01 6700-410 6700-412 67011-000	2,0 0,7 0,7 0,3 0,4 0,2 331	375 332, 375 375 332, 375 375 375 , 365, 367 370	780160-80 780180-80 780220-40 780220-60 780220-80 780225-40	18,8 23,3 66,6 104,8 119,2	297 297 297	781360-80 781380-80	30,3 38,0	296 296	7830-704 7830-705	0,1 0,1	291, 293, 295 291, 293, 295
6494-10 6494-20 6495-10 6495-20 6496-10 6700-01 6700-410 6700-412 67011-000	0,7 0,7 0,3 0,4 0,2 331	332, 375 375 332, 375 375 375 , 365, 367 370	780180-80 780220-40 780220-60 780220-80 780225-40	23,3 66,6 104,8 119,2	297 297	781380-80	38,0	296	7830-705	0,1	291, 293, 295
6494-20 6495-10 6495-20 6496-10 6700-01 6700-410 6700-412 67011-000	0,7 0,3 0,4 0,2 331	375 332, 375 375 375 , 365, 367 370	780220-40 780220-60 780220-80 780225-40	66,6 104,8 119,2	297						
6495-10 6495-20 6496-10 6700-01 6700-410 6700-412 67011-000	0,3 0,4 0,2 331 366, 367	332, 375 375 375 , 365, 367 370	780220-60 780220-80 780225-40	104,8 119,2		7820-40	29,8	294	7830-706	0,1	291, 293, 295
6495-20 6496-10 6700-01 6700-410 6700-412 67011-000	0,4 0,2 331 366, 367	375 375 , 365, 367 370	780220-80 780225-40	119,2	297						
6496-10 6700-01 6700-410 6700-412 67011-000	0,2 331 366, 367	375 , 365, 367 370	780225-40			7820-41	21,8	294	7830-707	0,1	291, 293, 295
6700-01 6700-410 6700-412 67011-000	331 366, 367	, 365, 367 370			297	7820-42	29,4	294	7830-80	2,8	291
6700-410 6700-412 67011-000	366, 367	370	780225-60	81,5	297	7820-43	21,5	294	7830-8002	4,6	291
6700-412 67011-000				101,8	297	7820-50	32,8	294	78320-80	2,8	289
67011-000		, 369, 370	780225-80	107,3	297	7820-51	24,4	294	78320-8002	5,1	289
	3,6		780230-40	84,5	297	7820-52	32,5	294	7832-80	2,7	291
6/020-00	3,6	375	780230-60	101,8	297	7820-53	24,2	294	7832-8002	5,1	291
		332	780230-80	125,2	297	7820-60	35,9	294	7840-80	3,4	295
6900-01	331	, 365, 367	780240-80	16,5	297	7820-61	27,1	294	7842-80	3,4	294
6900-401		364, 365	780260-80	21,6	297	7820-62	35,5	294	7850-80	4,0	295
6900-402		364, 365	780280-80	26,7	297	7820-63	26,8	294	7852-80	4,0	294
6900-410	367,	369, 370,	780320-40	93,1	297	78220-30	26,0	288	7860-80	4,6	295
		371, 372	780320-60	117,5	297	78220-302	46,8	289	7862-80	4,6	294
6900-411		, 371, 372	780320-80	141,9	297	78220-31	22,4	288	788142-80		287
6900-412	367,	369, 370,	780325-40	96,2	297	78220-312	38,7	289	788152-80		287
		371, 372	780325-60	120,5	297	78220-32	25,6	288	788162-80		287
69011-000		375	780325-80	144,9	297	78220-322	46,2	289	78820-042		286
69020-00	4,3	332	780330-40	99,2	297	78220-33	21,9	288	78820-043		286
	7000 - 7999		780330-60	123,5	297	78220-332	38,2	289	78820-052		286
	7000 - 7933		780330-80	147,9	297	7822-30	31,4	290	78820-053		286
7000-10		392	780340-80	20,2	297	7822-302	56,7	290	78820-062		286
7000-20		392	780360-80	26,3	297	7822-31	25,1	290	78820-063		286
7000-80		392	780380-80	32,3	297	7822-312	48,2	290	78820-142		287
7100-000	97,8	391	781120-40	76,0	296	7822-32	30,9	290	78820-143		287
7100-100	75,9	391	781120-60	98,5	296	7822-322	55,9	290	78820-152		287
7100-5051	3,1	393	781120-80	98,2	296	7822-33	24,8	290	78820-153		287
7100-704	0,1	393	781125-40	79,0	296	7822-332	47,5	290	78820-162		287
7100-705	0,2	393	781125-60	101,5	296	7825-40	35,1	294	78820-163		287
7100-706	0,3	393	781125-80	101,2	296	7825-41	24,5	294	78820-40	27,6	292
7100-709	3,0	393	781130-40	82,1	296	7825-42	34,5	294	78820-41	21,3	292
7101-000	174,0	391	781130-60	104,5	296	7825-43	24,1	294	78820-42	26,8	292
7101-100	114,2	391	781130-80	104,5	296	7825-50	38,5	295	78820-43	20,5	292
7101-200	150,0	391	781140-80	15,9	296	7825-51	27,4	295	78820-50	31,2	292
7103-000	8,6	392	781160-80	21,5	296	7825-52	37,8	295	78820-51	24,5	292
7104-000	16,5	392	781180-80	16,5	296	7825-53	26,9	295	78820-52	30,3	292
7105-000	0,1	392	781220-40	86,0	296	7825-60	42,0	295	78820-53	23,7	292
7106-000	6,0	392	781220-60	111,7	296	7825-61	30,3	295	78820-60	34,9	292
7200-000	127,3	391	781220-80	137,3	296	7825-62	41,2	295	78820-61	27,8	292
7200-100	96,3	391	781225-40	89,0	296	7825-63	29,7	295	78820-62	33,8	292
7200-706	0,4	393	781225-60	114,7	296	78300-704		289	78820-63	26,8	292
7201-000	224,5	391	781225-80	140,3	296	78300-705		289	78825-40	34,8	292
7201-100	146,9	391	781230-40	92,0	296	78300-706		289	78825-41	26,4	292

Order-number and weight index

Order no.	Weig	ht/kg Page
78825-42	33,9	292
78825-43	25,5	292
78825-50	39,4	293
78825-51	30,4	293
78825-52	38,3	293
78825-53	29,4	293
78825-60	44,0	293
78825-61	34,5	293
78825-62	42,8	293
78825-63	33,3	293
78830-40	40,1	293
78830-41	30,5	293
78830-42	38,9	293
78830-43	29,5	293
78830-50	45,3	293
78830-51	35,1	293
78830-52	44,0	293
78830-53	33,9	293
78830-60	50,5	293
78830-61	39,8	293
78830-62	49,0	293
78830-63	38,4	293
78840-80	3,0	293
78842-80	2,8	286, 292
78850-80	3,4	293
78852-80	3,4	286, 292
78860-80	4,0	293
78862-80	3,9	286, 292
78862-80	3,9	286, 292
78862-80	3,9 8000 - 8	
78862-80 8000-001		
	8000 - 8	999
8000-001	8000 - 8	1999 147, 182
8000-001 8000-0012	0,1 0,1	147, 182 182
8000-001 8000-0012 8000-01	0,1 0,1 0,1	147, 182 182 147, 182
8000-001 8000-0012 8000-01 8000-012	0,1 0,1 0,1 0,1	147, 182 182 147, 182 147, 182
8000-001 8000-0012 8000-01 8000-012	8000 - 8 0,1 0,1 0,1 0,1 0,1	147, 182 182 147, 182 147, 182 182 49, 82, 181
8000-001 8000-0012 8000-01 8000-012 8000-061 8000-063	0,1 0,1 0,1 0,1 0,1 0,1 0,1	147, 182 182 147, 182 147, 182 182 49, 82, 181
8000-001 8000-0012 8000-01 8000-012 8000-061 8000-063 8000-064	0,1 0,1 0,1 0,1 0,1 0,1 0,1	147, 182 182 147, 182 147, 182 182 49, 82, 181 181
8000-001 8000-0012 8000-01 8000-012 8000-061 8000-063 8000-064 8000-20	0,1 0,1 0,1 0,1 0,1 0,1 0,1	147, 182 182 147, 182 147, 182 182 49, 82, 181 181 48, 81, 193
8000-001 8000-0012 8000-01 8000-012 8000-061 8000-063 8000-064 8000-20 8000-21	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4	147, 182 182 147, 182 182 49, 82, 181 181 181 48, 81, 193 48, 81
8000-001 8000-0012 8000-01 8000-012 8000-061 8000-063 8000-064 8000-20 8000-21	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4	147, 182 182 147, 182 182 49, 82, 181 181 48, 81, 193 48, 81
8000-001 8000-0012 8000-01 8000-012 8000-061 8000-063 8000-064 8000-20 8000-21 8000-23	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4	999 147, 182 182 147, 182 182 49, 82, 181 181 48, 81, 193 48, 81 50, 84
8000-001 8000-0012 8000-01 8000-012 8000-061 8000-063 8000-064 8000-20 8000-21 8000-23 8000-25 8000-26	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4	999 147, 182 182 147, 182 188 49, 82, 181 181 48, 81, 193 48, 81 50, 84 181 49
8000-001 8000-0012 8000-01 8000-012 8000-063 8000-064 8000-20 8000-21 8000-23 8000-25 8000-26 8000-34	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4	999 147, 182 182 147, 182 188 49, 82, 181 181 48, 81, 193 48, 81 50, 84 181 49 49, 83
8000-001 8000-0012 8000-012 8000-061 8000-063 8000-064 8000-20 8000-21 8000-23 8000-25 8000-26 8000-34	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4	147, 182 182 147, 182 182 49, 82, 181 181 48, 81, 193 48, 81 50, 84 181 49
8000-001 8000-0012 8000-01 8000-012 8000-061 8000-064 8000-20 8000-21 8000-23 8000-25 8000-26 8000-34 8000-38 8000-7021	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4	147, 182 182 147, 182 182 49, 82, 181 181 48, 81, 193 48, 81 50, 84 181 49, 83 49, 83
8000-001 8000-0012 8000-01 8000-012 8000-061 8000-064 8000-20 8000-21 8000-23 8000-25 8000-26 8000-34 8000-38 8000-7021	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4	147, 182 182 147, 182 182 49, 82, 181 181 48, 81, 193 48, 81 50, 84 181 49 49, 83 48 33, 35, 37, 41, 48
8000-001 8000-0012 8000-011 8000-012 8000-061 8000-063 8000-20 8000-21 8000-23 8000-25 8000-26 8000-34 8000-38 8000-7021 8000-7031 8000-7031	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4 0,7	147, 182 182 147, 182 182 49, 82, 181 181 181 48, 81, 193 48, 81 50, 84 181 49 49, 83 49, 83 33, 35, 37, 41, 48 33, 35, 37, 41, 48
8000-001 8000-0012 8000-011 8000-012 8000-061 8000-063 8000-20 8000-21 8000-23 8000-25 8000-26 8000-34 8000-38 8000-7021 8000-7031 8000-7031 8000-7035	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4 0,7	147, 182 182 147, 182 182 49, 82, 181 181 181 48, 81, 193 48, 81 50, 84 181 49 49, 83 48 33, 35, 37, 41, 48 33, 35, 37, 41, 48
8000-001 8000-0012 8000-012 8000-061 8000-063 8000-064 8000-20 8000-21 8000-23 8000-25 8000-26 8000-34 8000-7021 8000-7031 8000-7031 8000-7035 8000-718	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4 0,7	999 147, 182 182 147, 182 181 49, 82, 181 181 48, 81, 193 48, 81 50, 84 181 49 49, 83 48 33, 35, 37, 41, 48 33, 35, 37, 41, 48 147 49
8000-001 8000-0012 8000-012 8000-061 8000-063 8000-064 8000-20 8000-21 8000-23 8000-25 8000-26 8000-34 8000-38 8000-7021 8000-7031 8000-7035 8000-718 8000-80 8001-303	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4 0,7	999 147, 182 182 147, 182 181 49, 82, 181 181 48, 81, 193 48, 81 50, 84 181 49 49, 83 48 33, 35, 37, 41, 48 33, 35, 37, 41, 48 33, 35, 37, 41, 48 348, 49, 66, 81
8000-001 8000-0012 8000-012 8000-012 8000-061 8000-063 8000-064 8000-20 8000-21 8000-23 8000-25 8000-26 8000-34 8000-7021 8000-7031 8000-7031 8000-7035 8000-718 8000-80 8001-303	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4 0,7	999 147, 182 182 147, 182 181 49, 82, 181 181 48, 81, 193 48, 81 50, 84 181 49, 83 48, 83 33, 35, 37, 41, 48 33, 35, 37, 41, 48 33, 35, 37, 41, 48 349, 66, 81
8000-001 8000-0012 8000-012 8000-012 8000-061 8000-063 8000-064 8000-20 8000-21 8000-23 8000-25 8000-26 8000-34 8000-7021 8000-7031 8000-7035 8000-718 8000-7036 8001-303	8000 - 8 0,1 0,1 0,1 0,1 0,1 0,4 0,4 0,7	147, 182 182 147, 182 184, 82, 181 181 48, 81, 193 48, 81, 50, 84 181 49, 83 49, 83 33, 35, 37, 41, 48 33, 35, 37, 41, 48 33, 35, 37, 41, 48 49 49, 83 49 49, 81
8000-001 8000-0012 8000-012 8000-061 8000-063 8000-064 8000-20 8000-21 8000-23 8000-25 8000-26 8000-34 8000-7021 8000-7031 8000-7031 8000-7035 8000-718 8000-80 8001-303 8001-303	8000 - 8 0,1 0,1 0,1 0,1 0,4 0,4 0,7 0,1 0,1 0,1 24,8	999 147, 182 182 147, 182 182 49, 82, 181 181 48, 81, 193 48, 81 50, 84 181 49 49, 83 48 33, 35, 37, 41, 48 33, 35, 37, 41, 48 33, 35, 37, 41, 48 49 49, 83 49 49, 81
8000-001 8000-0012 8000-013 8000-013 8000-061 8000-064 8000-20 8000-21 8000-23 8000-25 8000-26 8000-34 8000-7021 8000-7031 8000-7031 8000-7035 8000-718 8000-80 8001-303 8001-303 8001-303 8001-303 8001-323 8002-80 8010-10	8000 - 8 0,1 0,1 0,1 0,1 0,4 0,4 0,7 0,1	999 147, 182 182 147, 182 182 49, 82, 181 181 48, 81, 193 48, 81 50, 84 181 49 49, 83 48 33, 35, 37, 41, 48 33, 35, 37, 41, 48 33, 35, 37, 41, 48 49 49, 83 48 48 49 49, 81 49 49, 81 49 49, 81 49

Order no.	Weight/kg	Page
8010-124	32,3	42
8010-125	33,9	42
8010-20	40,3	30
8010-203	44,5	42
8010-204	47,4	42
8010-205	49,8	42
8010-20B	47,3	39
8010-22	47,0	30
8010-223	52,5	42
8010-224	55,6	42
8010-225	58,7	42
8010-22B	56,2	39
8010-30	55,8	31
8010-303	63,6	43
8010-304	66,7	43
8010-305	70,2	43
8010-32	67,4	31
8010-323	75,9	43
8010-324	80,5	43
8010-325	85,1	43
8010-40	72,1	31
8010-403	81,9	43
8010-403	86,7	43
8010-405	91,4	43
8010-403		
8010-42	85,9 87.6	31
8010A103	87,6	44
	27,7	
8010A104	28,9	44
8010A105	30,2	44
8010A123	32,0	44
8010A124	33,6	44
8010A125	35,2	44
8010A203	46,5	44
8010A204	48,9	44
8010A205	51,3	44
8010A223	55,1	44
8010A224	58,2	44
8010A225	61,2	44
8010A303	65,4	45
8010A304	68,9	45
8010A305	72,4	45
8010A323	79,8	45
8010A324	84,3	45
8010A325	88,8	45
8010A403	85,0	45
8010A404	89,7	45
8010A405	94,3	45
8012-20	44,2	34
8012-20B	47,4	39
8012-22	47,4	34
8012-22B	55,8	39
8012-40	79,7	34
8012-42	86,4	34
8020-10	29,9	30
8020-103	29,7	42
8020-104	30,8	42
8020-105	32,2	42
8020-12	29,2	30
8020-123	31,7	42
8020-124	33,3	42

		_
Order no.	Weight/kg	Page
8020-125	35,1	42
8020-20	41,9	30
8020-203	46,6	42
8020-204	48,8	42
8020-205	51,4	42
8020-20B	48,4	39
8020-22	49,2	30
8020-223	54,6	42
8020-224	57,5	42
8020-225	60,8	42
8020-22B	93,7	39
8020-30	58,1	31
8020-303	65,4	43
8020-304	68,8	43
8020-305	72,5	43
8020-32	70,2	31
8020-323	78,9	43
8020-324	83,3	43
8020-325	87,8	43
8020-40	75,0	31
8020-403	84,9	43
8020-404	89,6	43
8020-405	94,1	43
8020-42	101,1	31
8020-50	91,2	31
8020A103	30,5	44
8020A104	31,5	44
8020A105	33,0	44
8020A123	33,0	44
8020A124	34,6	44
8020A125	36,3	44
8020A203	48,1	44
8020A204	50,3	44
8020A204	52,9	44
8020A223	57,2	44
8020A224	60,1	44
8020A224 8020A225		44
	63,3	
8020A303	67,6	45
8020A304	71,0	45
8020A305	74,7	45
8020A323	82,8	45
8020A324	87,1	45
8020A325	91,6	45
8020A403	87,9	45
8020A404	92,6	45
8020A405	97,1	45
8022-20	41,9	34
8022-20B	42,3	39
8022-22	49,3	34
8022-22B	58,8	39
8022-40	75,0	34
8022-42	90,4	34
8023-122	41,6	186
8023-224	74,7	186
8030-10	29,5	32
8030-12	34,2	32
8030-20	46,0	32
8030-22	55,1	32
8030-30	62,8	32
8030-32	78,0	32

Order no.	Weight/kg	Page
8030-40	80,3	33
8030-42	100,6	33
8030-50	98,5	33
8030-701		49, 82
8032-20	46,5	35
8032-22	56,2	35
8032-40	80,6	35
8032-42	100,9	35
8032-701		49, 82
8040-10	29,6	32
8040-12	34,5	32
8040-20	46,5	32
8040-22	57,5	32
8040-30	64,1	32
8040-32	82,0	32
8040-40	82,3	33
8040-42	103,4	33
8040-50	101,5	33
8042-20	47,3	35
8042-22	58,1	35
8042-40	82,5	35
8042-42	104,0	35
8050-000	10,4	168
8050-010	12,9	168
8050-10	35,0	32
8050-100	21,4	170
8050-110	24,0	170
8050-12	29,0	32
8050-20	46,0	32
8050-200	35,6	171
8050-210	40,7	171
8050-22	55,6	32
8050-30	65,1	32
80503-000	13,2	172
8050-32	79,7	32
8050-40	81,5	33
8050-42	100,8	33
8050-50	101,8	33
8050-7010		49, 82
8050-7100	2,6	168
8050-711	11,0	169
8050-712	14,8	169
8051-000	13,8	168
8051-010	17,6	168
8051-100	26,1	170
8051-110	29,9	170
8051-200	45,0	171
8051-210	52,6	171
80513-000	22,2	172
8051-703	0,2	168
8051-704	0,3	168
8051-7100	3,8	168
8051-711	12,3	169
8051-712	17,4	169
8052-000	19,1	168
8052-010	24,3	168
8052-100	37,4	170
8052-110	42,6	170
8052-20	46,0	35
8052-200	63,9	171

8010-105 8010-12

8010-123

28,3

30,7

30

42

Order no.	Weight/kg	Page
8052-210	74,3	171
8052-22	56,0	35
80523-000	22,2	172
8052-40	81,5	35
8052-42	101,2	35
8052-7010		49, 82
8052-7100	5,2	168
8052-711	18,2	169
8052-712	25,5	169
8053-00		49, 82
8053-122	45,5	186
8053-224	79,8	186
8055-00	, 5,0	49
80593-000	8,7	172
8060-20	44,1	38
8060-22	52,1	38
80700-00	44,2	178
8070-01	7,9	181
80700-10	27,8	180
8070-02	9,2	181
80700-20	46,5	180
80700-201	40,1	198
80700-203	34,6	198
80700-221	24,3	199
80700-223	21,0	199
80700-231	17,2	198
80700-233	15,0	198
80700-30	65,7	180
80700-40	84,8	180
8070-3720	92,8	156
8070-3721	96,0	156
8070-3722	92,8	156
8070-3723	96,0	156
8070-3730	101,1	156
8070-3731	108,6	156
8070-3732	100,8	156
8070-3733	104,5	156
8070-3740		156
	119,8	
8070-3741	124,6	156
8070-3742	119,4	156
8070-3743	123,5	156
80710-00	68,8	178
8071-01	13,3	181
8071-02	16,3	181
8071-03	46,5	179
80720-00	68,2	179
80730-00	92,8	179
8073-01	18,7	181
8073-01 8073-02	18,7 23,4	181 181
8073-02	23,4	181
8073-02 80730-20	23,4 128,5	181 179
8073-02 80730-20 8074-00	23,4 128,5 8,5	181 179 181
8073-02 80730-20 8074-00 8077-30	23,4 128,5 8,5 0,1	181 179 181 147, 182
8073-02 80730-20 8074-00 8077-30	23,4 128,5 8,5 0,1 0,1	181 179 181 147, 182 182
8073-02 80730-20 8074-00 8077-30 8077-300 8077-32	23,4 128,5 8,5 0,1 0,1 0,1	181 179 181 147, 182 182
8073-02 80730-20 8074-00 8077-30 8077-30 8077-32 8078-1101	23,4 128,5 8,5 0,1 0,1 0,1 2,0 1,5	181 179 181 147, 182 182 182 176
8073-02 80730-20 8074-00 8077-30 8077-30 8077-32 8078-1101 8078-1102	23,4 128,5 8,5 0,1 0,1 0,1 2,0 1,5 2,5	181 179 181 147, 182 182 182 176 176
8073-02 80730-20 8074-00 8077-30 8077-30 8077-32 8078-1101 8078-1102 8078-1103	23,4 128,5 8,5 0,1 0,1 0,1 2,0 1,5 2,5 5,0	181 179 181 147, 182 182 182 176 176 176
8073-02 80730-20 8074-00 8077-30 8077-30 8077-32 8078-1101 8078-1102 8078-1103	23,4 128,5 8,5 0,1 0,1 0,1 2,0 1,5 2,5	181 179 181 147, 182 182 182 176 176

Order no.	Weight/kg	Page
8078-1203	20,0	177
8078-1301	5,0	177
8078-1302	8,5	177
8078-2101	0,5	169
8078-2111	1,7	169
8078-702	0,8	176
8078-703	0,2	79, 176
8078-707		176
8078-713	0,4	193
8090-10	9,6	46
8090-12	10,6	46
8090-20	16,0	46
8090-22	18,6	46
8090-30	22,6	46
8090-32	28,0	46
8090-40	30,1	47
8090-42	36,2	47
8090-50	36,1	47
8092-20	16,3	46
8092-22	19,0	46
8092-40	30,7	46
8092-42	37,0	46
8110-00	42,5	38
8110-02	49,8	38
8120-00	37,5	38
8120-02	45,2	38
8123-122	40,4	187
8123-224	71,9	187
8151-900	25,6	173
8151-902	11,2	173
8151-920	79,2	173
8151-922	31,2	173
8152-004	31,2	173
8152-204		173
8152-900	27.0	173
8152-900	37,8	173
	22,0	
8152-920 8152-922	103,3	173
8152-922	47,6	173
8153-122	44,3	187
8153-224	76,9	187
8160-20	45,5	38
8160-22	60,3	38
8170-111	39,8	199
8170-201	50,2	140
8170-211	73,7	199
8170-301	72,2	140
8170-311	107,2	199
8170-401	95,7	140
8170-402	61,4	198
8170-602	89,1	198
8170-802	118,0	198
8210-20	39,4	36
8210-40	70,4	36
8212-20B	43,3	39
8220-20	41,1	37
8220-40	73,4	37
8222-20B	38,3	39
8250-20	45,2	37
8250-40	79,9	37
82700-00	54,5	178

Order no.	Weight/kg	Page
82700-10	38,2	180
82700-20	67,9	180
8270-172	36,7	156
8270-173	42,0	156
8270-174	50,6	156
8270-201	50,9	141
8270-202	58,8	142
8270-203	64,9	142
8270-272	63,6	156
8270-273	71,6	156
8270-274	86,0	156
8270-301	73,2	141
8270-302	86,8	142
8270-303	95,3	142
8270-372	90,3	157
8270-373	97,3	157
8270-374	115,7	157
8270-401	97,1	141
8270-700		143
8270-702		143
82710-00	89,4	178
8271-272	44,0	152
8271-273	51,8	152
8271-274	72,8	152
8271-372	62,4	152
8271-373	69,3	152
8271-374	93,3	152
8310-20	41,4	40
8310-22	49,2	40
8310-30	57,1	40
8310-32	70,3	40
8310-40	73,6	40
8310-42	89,5	40
8320-20	43,0	40
8320-22	51,1	40
8320-30	59,4	40
8320-32	73,1	40
8320-40	76,5	40
8320-42	93,1	40
8350-20	47,1	41
8350-22	57,8	41
8350-30	66,4	41
8350-32	82,6	41
8350-40	83,0	41
8350-42	104,4	41
8370-201	52,0	141
8370-202	60,4	143
8370-203	67,5	143
8370-301	74,8	141
8370-302	89,1	143
8370-303	99,2	143
8370-401	99,1	141
8370A202	46,4	144
8370A302	66,8	144
8470-172	39,7	154
8470-173	48,6	154
8470-174	58,2	154
8470-201	59,2	140
8470-202	61,1	142
8470-203	69,2	142

Order no.	Weig	ght/kg Page
8470-272	69,4	154
8470-273	84,6	154
8470-274	100,8	154
8470-301	85,7	140
8470-302	90,0	142
8470-303	101,8	142
8470-372	98,9	155
8470-373	117,0	155
8470-374	136,4	155
8470-401	113,6	140
8470A202	47,1	144
8470A302	67,7	144
8472-272	46,9	153
8472-273	58,3	153
8472-274		153
	80,2	153
8472-372	66,8	
8472-373	79,1	153
8472-374	104,3	153
8500-012		82
8500-15		49
8500-171		49
8500-173		49
8500-174		49
8500-44R	0,3	107
8500-718	0,1	159
8500-731R		107
8500-745	0,4	107
8501-011	0,5	193
8501-04		104, 129
8501-04251	0,4	104, 129
8501-05		50, 51, 84, 85, 106,
8501-05		50, 51, 84, 85, 106, 134, 147, 159, 182
8501-05 8501-06		
		134, 147, 159, 182
	0,1	134, 147, 159, 182 51, 85, 147,
8501-06	0,1	134, 147, 159, 182 51, 85, 147, 159, 182
8501-06 8501-0611		134, 147, 159, 182 51, 85, 147, 159, 182 51
8501-06 8501-0611 8501-07	0,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49
8501-06 8501-0611 8501-07 8501-40	0,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107
8501-06 8501-0611 8501-07 8501-40 8501-4101	0,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430	0,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46	0,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611	0,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851	0,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51 51, 85
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852	0,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107, 135 107, 135 107, 135 51, 85 51, 85
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852 8502-0862	0,1 0,4 0,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107, 135 107, 135 107, 135 51, 85 51, 85 51, 85
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852 8502-0862 8504-10	0,1 0,4 0,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852 8502-0862 8504-10 8504-12	0,1 0,4 0,1 2,9 3,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852 8502-0862 8504-10 8504-12 8504-12	0,1 0,4 0,1 2,9 3,1 4,3	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48 48
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852 8502-0862 8504-10 8504-12 8504-172	0,1 0,4 0,1 2,9 3,1 4,3 4,2	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48 158
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852 8502-0862 8504-10 8504-172 8504-173 8504-174	0,1 0,4 0,1 2,9 3,1 4,3 4,2 4,9	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48 158 158
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852 8502-0862 8504-10 8504-12 8504-172 8504-174 8504-174	2,9 3,1 4,3 4,9 3,9	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48 158 158 158
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852 8502-0862 8504-10 8504-12 8504-172 8504-173 8504-174 8504-20 8504-20	2,9 3,1 4,3 4,2 4,9 3,9 4,0	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48 158 158 48 48 158 158
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-46 8502-0611 8502-0852 8502-0862 8504-10 8504-12 8504-172 8504-173 8504-174 8504-20 8504-201 8504-203	2,9 3,1 4,3 4,2 4,9 3,9 4,0 4,8 7,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48 158 158 158 48 48 141 143
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-46 8502-0611 8502-0852 8502-0862 8504-10 8504-12 8504-172 8504-173 8504-174 8504-20 8504-201 8504-203 8504-203	2,9 3,1 4,3 4,2 4,9 3,9 4,0 4,8 7,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48 158 158 158 48 141 143 143
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-46 8502-0611 8502-0852 8502-0862 8504-10 8504-12 8504-172 8504-173 8504-174 8504-20 8504-201 8504-203 8504-22 8504-272	2,9 3,1 4,3 4,2 4,9 3,9 4,0 4,8 7,1 4,7 4,6	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48 158 158 48 141 143 48 158
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852 8502-0862 8504-10 8504-12 8504-172 8504-174 8504-174 8504-20 8504-201 8504-202 8504-203 8504-222 8504-272	2,9 3,1 4,3 4,2 4,9 3,9 4,0 4,8 7,1 4,7	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48 158 158 48 141 143 48 158 158
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852 8502-0862 8504-10 8504-172 8504-174 8504-174 8504-20 8504-201 8504-203 8504-22 8504-273 8504-274	2,9 3,1 4,3 4,2 4,9 3,9 4,0 4,8 7,1 4,7 4,6 7,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48 158 158 48 141 143 48 158 158 158 158
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852 8502-0862 8504-10 8504-12 8504-172 8504-174 8504-20 8504-201 8504-202 8504-203 8504-272 8504-273 8504-274 8504-30	2,9 3,1 4,3 4,2 4,9 3,9 4,0 4,8 7,1 4,7 9,5,0	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48 158 158 48 141 143 48 158 158 158 48 48 48 48 48 48 48 48 48 48 48 48 48
8501-06 8501-0611 8501-07 8501-40 8501-4101 8501-430 8501-46 8502-0611 8502-0851 8502-0852 8502-0862 8504-10 8504-174 8504-174 8504-174 8504-20 8504-201 8504-202 8504-203 8504-22 8504-273 8504-274	2,9 3,1 4,3 4,2 4,9 3,9 4,0 4,8 7,1 4,7 4,6 7,1	134, 147, 159, 182 51, 85, 147, 159, 182 51 49 107 107, 135 107, 135 51, 85 51, 85 51, 85 48 48 158 158 48 141 143 48 158 158 158 158

Order-number and weight index

Order no.	Weight	/kg Page	Order no.	Weight/kg	Page	Order no.	Weight/kg	Page	Order no.	Weight/k	g Page
8504-303	13,0	143	8573A202	49,1	144	8798-720	0,1	274	8831-052	49,9	227
8504-32	7,1	48	8573A302	72,7	144	8798-721	0,2	274	8831-055	47,3	231
8504-372	6,1	158	8573A720	8,3	145	8798-722	0,1	274	8831-5035	86,1	222
8504-373	6,6	158	8573A730	12,3	145	8798-723	0,1	275	8831-5235	102,3	228
8504-374	13,7	158	8670-201	63,9	141	8798-724	0,2	275	8831-5535	84,6	233
8504-40	7,1	48	8670-301	92,6	141	8798-725	0,1	275	8850-00	1,8	215
8504-401	6,4	141	8670-401	122,8	141	8798-726	0,4	274	8851-00	1,5	235
8504-42	9,0	48	8721-00	32,6	214	8798-727	0,5	275	8900-00	37,6	206
8504-50	8,4	48	8721-302	44,0	220	8798-7501	0,3	271	8900-02	30,1	208
8505-02	0,1	47, 49, 149, 151	8721-303	65,7	220	8798-7511	0,5	271	8900-052	41,8	226
8511-00		107, 135	8721-305	59,0	220	8798-7521	0,6	271	8900-055	40,0	230
8511-20		107, 135	8721-306	56,8	220	8798-7531	0,4	271	8900-7131		221, 225, 319
8511-22		107, 135	8721-315	29,4	235	8798-7541	0,9	271	8900-721	0,1	221, 225, 319
8520-000	43,1	213	8721-316	28,8	235	8798-7551	0,4	271	8900-7211	0,1	213, 221, 225,
8521-000	49,5	213	8721-701	2,8	215	8798-7561	0,6	271			314, 315, 319
8521-052	50,8	227	8721-71556	7,5	215	8798-7571	0,8	271	8900-723	0,1	221, 225, 319
8521-055	47,5	231	8721-71561	7,5	215	8798-7581	1,0	271	8900-80	1,6	206, 208, 230
8530-000	53,3	213	8721-71574	7,5	215	8798-7591	1,2	271	8900-802	2,9	226
8531-000	59,9	213	8721-80	2,3	215	8798-7601	1,8	271	8901-00	43,9	206
8531-052	61,9	227	8750-00	0,8	215	8798-7611	2,4	271	8901-02	36,3	208
8531-055	57,8	231	8751-00	1,0	235	8798-7621		271	8901-052	48,0	226
8570-172	40,7	154	8798-00	120,0	272	8798-7631	0,1	271	8901-055	46,3	230
8570-173	44,6	154	8798-01	130,0	272	8798-764	0,3	271	8901-315	47,4	234
8570-174	56,9	154	8798-02	150,0	272	8798-765	0,3	271	8901-316	48,4	234
8570-201	61,8	141	8798-03	180,0	272	8798-766		270	8901-3725	3,2	234
8570-202	64,1	143	8798-04	160,0	272	8798-770	0,1	271	8901-3726	4,0	234
8570-203	73,3	143	8798-06	150,0	276	8798-780	1,3	281	8901-80	2,3	206, 208, 230
8570-272	71,6	154	8798-07	120,0	276	8798-781	1,0	281	8901-802	3,5	226
8570-273	81,5	154	8798-40	120,0	268	8798-782	0,8	281	8910-00	49,5	206
8570-274	97,2	154	8798-41	120,0	269	8798-783	1,5	281	8910-02	37,0	208
8570-301	89,4	141	8798-42	120,0	269	8798-784	2,0	281	8910-055	53,2	230
8570-302	94,6	143	8798-43	140,0	268	8798-790	1,7	281	8910-80	2,5	206, 208, 230
8570-303	107,9	143	8798-44	140,0	269	8798-791	1,2	281	8911-00	57,3	206
8570-372	102,4	155	8798-45	140,0	269	8798-792	0,5	281	8911-02	44,8	208
8570-373	112,3	155	8798-46	140,0	269	8798-80	48,0	280	8911-055	61,0	230
8570-374	132,3	155	8798-51	100,0	278	8798-81	53,0	280	8911-80	3,1	206, 208, 230
8570-401	118,6	141	8798-52	100,0	278	8798-82	58,0	280	8920-00	54,7	206
8570-70	0,1	159	8798-701	1,5	274	8798-83	60,0	280	8920-02	43,4	208
8570-710	0,1	159	8798-702	2,0	274	8820-000	35,3	213	8920-052	63,0	226
8570-711		159	8798-703	1,9	275	8821-00	51,7	214	8920-055	62,3	230
8571-00	89,5	183	8798-704	2,4	275	8821-000	40,2	213	8920-312	59,4	211
8573-201	49,1	146	8798-705	1,5	274	8821-052	41,0	227	8920-313	63,7	210
8573-272	53,8	153	8798-706	2,0	274	8821-055	38,7	231	8920-314	68,1	210
8573-273	63,0	153	8798-707	2,5	274	8821-302	80,0	220	8920-3707	1,4	211
8573-274	68,7	153	8798-708	1,9	275	8821-303	81,2	220	8920-59101	0,2	238
8573-301	67,2	146	8798-709	2,5	275	8821-305	114,6	220	8920-59104	-,-	238
8573-372	65,1	153	8798-71	100,0	270	8821-306	105,7	220	8920-59105		238
8573-373	85,7	153	8798-710	3,1	275	8821-308	76,7	220	8920-59153	35,4	238
8573-374	92,3	153	8798-711	1,5	274	8821-315	45,9	235	8920-59155	35,4	238
8573-7201	32,3	146	8798-712	2,0	274	8821-316	45,5	235	8920-59201	0,5	238
8573-7272		158	8798-713	3,0	274	8821-5035	72,4	222	8920-59201	0,3	238
8573-7273		158	8798-714	4,0	274	8821-5235	85,9	228	8920-59204		238
8573-7274		158	8798-715	1,9	274	8821-5535	71,0	233	8920-59253	4,8	238
8573-7301		146	8798-716	2,5	275	8821-80	4,2	215	8920-59255	4,8	238
8573-7372		158	8798-717	3,8	275	8830-000	43,6	213	8920-59301	1,0	238
8573-7373		158	8798-718	5,0	275	8830-5035	79,9	222	8920-59304	0,1	238
8573-7374		158	8798-72	120,0	270	8831-000	48,9	213	8920-59305		238

Order no.	Weig	ht/kg Page
8920-59353	6,2	238
8920-59355	6,2	238
8920-59401	2,0	238
8920-59402	,-	238
8920-59404	0,1	238
8920-59405	3,1	238
8920-59453	5,9	238
8920-59455	5,9	238
8920-59455	2,0	238
8920-59501	2,0	238
8920-59504		238
8920-59505		238
	7.0	
8920-59553	7,9	238
8920-59555	7,9	238
8920-59601	4,4	238
8920-59604		238
8920-59605	0.0	238
8920-59606	0,6	238
8920-59653	9,2	238
8920-59655	9,2	238
8920-59701		238
8920-59702		238
8920-59704		238
8920-59705	0.0	238
8920-59706	0,6	238
8920-59753	8,9	238
8920-59755	8,9	238
8920-80	2,9	206, 208, 210, 230
8920-802	4,6	226
8921-00	67,4	207
8921-02	53,2	209
8921-052	72,5	226
8921-055	72,1	231
8921-301	139,0	218
8921-302	187,5	219
8921-303	184,0	219
8921-3041	100,1	216
8921-3042	95,6	216
8921-305	116,6	217
8921-306	121,1	218
8921-311	72,2	210
8921-312	67,4	211
8921-313	73,5	210
8921-314	82,0	211
8921-315	72,7	234
8921-316	76,0	234
8921-3706	1,8	221
		210, 211, 216,
8921-3707	1,9	
8921-3707		218, 221
8921-3707 8921-3713	1,1	218, 221 217, 218, 221
8921-3707 8921-3713 8921-3716	1,1	218, 221 217, 218, 221 217, 218, 221
8921-3707 8921-3713 8921-3716 8921-3722	1,1 2,0 18,0	218, 221 217, 218, 221 217, 218, 221 217, 218
8921-3707 8921-3713 8921-3716 8921-3722 8921-3723	1,1 2,0 18,0 13,5	218, 221 217, 218, 221 217, 218, 221 217, 218 217, 218
8921-3707 8921-3713 8921-3716 8921-3722 8921-3723 8921-3725	1,1 2,0 18,0 13,5 5,4	218, 221 217, 218, 221 217, 218, 221 217, 218 217, 218 234
8921-3707 8921-3713 8921-3716 8921-3722 8921-3723 8921-3725 8921-3726	1,1 2,0 18,0 13,5 5,4 7,3	218, 221 217, 218, 221 217, 218, 221 217, 218 217, 218 234 234
8921-3707 8921-3713 8921-3716 8921-3722 8921-3723 8921-3725	1,1 2,0 18,0 13,5 5,4	218, 221 217, 218, 221 217, 218, 221 217, 218 217, 218 234

Order no.	Weig	ht/kg Page
8921-523	115,1	228
8921-5230	109,4	229
8921-553	99,9	232
8921-5530	95,9	232
8921-5713	2,8	223, 225, 229
8921-5718	5,5	225, 229
8921-700	0,1	217, 219, 221
8921-701	1,0	225, 228
8921-80	4,1	207, 209, 210,
		211, 223, 224,
		231, 233
8921-802	5,7	226, 229
8922-00	75,2	207
8922-02	61,0	209
8922-052	80,4	226
8922-055	79,9	231
8922-503	104,4	222
8922-5030	99,5	224
8922-523	124,5	228
8922-5230	118,1	229
8922-553	109,1	232
8922-5530	104,3	232
8922-80	4,8	207, 209, 223,
		224, 231, 233
8922-802	6,5	226, 229
8924-00	94,1	207
8924-02	80,0	209
8924-052	98,7	227
8924-055	98,8	231
8924-802	8,0	207, 209, 227, 231
8930-00	71,8	207
8930-02	54,8	209
8930-052	80,8	227
8930-055	82,8	231
8930-314	83,6	211
8930-503	103,5	222
8930-5030	99,3	224
8930-5713	2,5	223, 225
8930-5718	6,4	225
8930-701	0,1	225
8930-80	4,2	207, 209, 211,
		223, 224, 231
8930-802	6,3	227
8931-00	81,6	207
8931-02	64,6	209
8931-052	90,3	227
8931-055	92,6	231
8931-301	164,0	219
8931-302	219,2	219
8931-303	212,6	219
8931-3041	117,9	217
8931-3042	112,3	216
8931-305	135,2	217
8931-306	141,5	218
8931-311	86,5	210
8931-314	97,3	211
8931-3707	2,4	210, 216, 218
	-,	, , 0

Order no.	Weig	ght/kg Page
8931-3713	1,6	217, 218
8931-3716	2,4	217, 218
8931-3722	20,9	217, 218
8931-3723	15,2	217, 218
8931-501	220,4	247
8931-502	194,0	247
8931-503	113,3	222
8931-5030	108,1	224
8931-523	139,1	228
8931-5230	131,9	229
8931-553	124,2	232
8931-5530	119,1	232
8931-5713	2,8	223, 225, 229, 247
8931-5718	7,4	225, 229
8931-700	0,1	217, 219
8931-701	1,0	225, 228
8931-80	5,2	207, 209, 211, 223,
		224, 231, 233
8931-802	7,2	227, 229
8932-00	89,3	207
8932-02	72,3	209
8932-052	98,1	227
8932-055	100,2	231
8932-503	122,3	222
8932-5030	116,2	224
8932-523	148,2	228
8932-5230	140,0	229
8932-553	133,3	232
8932-5530	127,2	232
8932-80	6,2	207, 209, 223,
		224, 231, 233
8932-802	8,2	227, 229
8934-00	110,7	207
8934-02	93,7	209
8934-052	118,9	227
8934-055	121,7	231
8934-802	10,2	207, 209, 227, 231
	9000 -	9999
9060-000	36,7	313
9060-600	36,7	312
9080-000	43,7	313
9080-600	41,9	312
9134-000	31,1	308
9135-000	36,4	308
9136-000	37,1	308
9137-000	44,9	308
9160-000	43,5	309, 313
9160-400	72,3	312
9160-410	65,6	312
9160-600	45,9	312
9164-000	13,5	314
9165-000	20,0	315
9180-000	53,3	309, 313
9180-600	52,3	312
9184-000	16,4	314
9185-000	24,5	315

Order no.	Weight	/kg Page
9190-000	61,1	309
9234-000	38,4	306
9235-000	43,8	306
9236-000	49,4	306
9237-000	57,2	306
9260-000	60,4	307, 313
9260-100	63,6	310
9260-30	59,5	310
9260-400	86,3	312
9260-410	73,4	312
9260-425	80,3	311
9260-430	69,8	311
9260-600	59,9	312
9264-000		212, 314
	17,4	
9265-000	26,4	315
9265-009	26,4	212
9266-1200	37,2	316
9267-1200	45,0	317
9280-000	67,3	307, 313
9280-088	56,5	211, 311
9280-100	73,4	310
9280-30	67,3	311
9280-600	66,3	312
9284-000	20,3	212, 314
9285-000	30,9	315
9285-009	30,9	212
9286-1200	43,4	316
9287-1200	52,6	317
9290-000	75,1	307
9360-000	54,9	309
9360-80	4,2	307, 309, 315
9360-811	10,4	318
9364-000	16,7	314
9365-000	25,0	315
9380-000	64,7	309
9384-000	20,1	314
9385-000	29,8	315
9390-000	72,4	309
9460-000	83,3	307
9464-000	22,1	212, 314
9465-000	33,7	315
9465-009	29,5	212
9466-1200	46,6	316
9467-1200	56,3	317
9480-000	94,1	307
9484-000	25,4	212, 314
9485-000	38,5	315
9485-009	33,3	212
9486-1200	53,1	316
9487-1200	64,0	317
9490-000	89,2	307
9964-00	4,1	317

Index

Α	С		Evolo laptop lockers	p. 197
Accessories for	Cabinets with tambour doors	p. 356-363, 382-387	Evolo lockers	p. 52-85
- Benches and benches with coat rack p. 168, 169	Cabinets with viewing windows	p. 236-247	Evolo top cabinets (changing room)	p. 76, 77
- Boltless shelving p. 286-297	Cabinets without hinged doors	see Shelving	Exhaust air ventilation system	p. 28, 54,
- Cabinets with tambour doors (Omnispace) p. 386, 387	Cambio lockers	p. 86-107	for lockers	88, 91
- Cabinets with/without hinged doors p. 318, 319	Card-index cabinets	p. 331, 365, 368-371	Extra-large box lockers	p. 142, 143
- Changing room systems p. 104, 105, 158,	Cegano desks	p. 404-413	Extra-large box lockers with acrylic glass doors	p. 144, 145
and box lockers 159, 181, 182	Cegano media cart	p. 434, 435	Extra-large cabinets	p. 144, 143 p. 246, 247
- Desks T 3300 Asisto p. 402, 403	Cegano Meeting		Extra-large tool cabinets	p. 222-225, 228, 229
- Desks T 4400 Cegano p. 412, 413	conference tables	p. 424-427	Extra range toor cabinets	p. 222 223, 220, 223
- Drawer cabinets 87 series p. 274, 275	Cegano Meeting	400 400	-	
- EDP cabinets p. 380, 381	nesting tables and Lift tables	p. 428-433	F	
- Filing cabinets p. 332	Cegano mobile conference tables	p. 428-433	Face plates for lockers	p. 130, 131
- Flame-resistant cabinets p. 380, 381	Cegano sit/stand workstations Certos hinged-door cabinets,	p. 410, 411	Filing cabinets	
- Hinged-door cabinets p. 318, 319	flame-resistant	p. 378-381	- Acurado	p. 330-333
- Horizontal storage p. 392, 393	Chairs	p. 452-457	- Asisto	p. 364, 366, 367
- Lockers p. 104, 105, 158, 159, 181, 182	Changing room systems	p. 178-183	Fire service lockers	p. 188-193
- Mobile pedestals C 3000 Asisto p. 443, 446, 447	Classic lockers	p. 28-51	Fire service wardrobes	p. 194, 195
- Multi-drawer cabinets p. 392, 393	Classic top cabinets (changing room)	p. 46, 47	Flame-resistant hinged-door cabinets	p. 378-381
- Pull-out cabinets C 3000 Asisto p. 450, 451	Cleaning equipment cabinets	p. 38, 66	Folding tables	p. 422
- Sit/stand workstations T 3300 Asisto p. 402, 403	Climate Office space solutions	p. 480, 481	Free-standing wardrobes	p. 176, 177
- Sit/stand workstations T 4400 Cegano p. 412, 413	Coat hangers for		_	
- Sliding-door cabinets p. 250, 251, 254,	changing room systems	p. 49, 82, 176, 181	G	
255, 328, 329	Color charts	p. 483-494	Gantner, electronic locking systems	p. 161
- Workbenches 45 series p. 267	Combination lock	p. 163	Glass sliding-door cabinets	p. 326, 327
- Workbenches 87 series p. 271	Combination wardrobe/ storage cabinets	p. 310-313		
Acurado cabinet systems p. 300-333	Comfort Line chairs	р. 516-515 р. 454	H	
Asisto acoustic tambour p. 356-361	Comfort workbenches	p. 268, 269	Hanging cabinet/hanging shelf	p. 212
Asisto desks p. 400-403	Computer cabinets	p. 276	Hanging frames	see Accessories
Asisto fridge caddy p. 440, 441	Conference chairs	p. 452-457	Hazardous substance cabinets	p. 234, 235
Asisto high pedestals p. 438, 439	Conference solutions	p. 399, 428-433	Hinged-door cabinets (office)	p. 300-313, 336-343
Asisto pull-out cabinets p. 448-451	Conference tables	p. 424-433	Hinged-door cabinets,	,
Asisto sit/stand workstations p. 400-403	Contents	p. 3-7	flame-resistant	p. 378-381
Asisto tambour cabinets p. 356-363			Hinged-door cabinets for	225 222
Assembled box lockers p. 42, 43, 72-75, 96, 97, 118, 119, 140-155	D		heavy-duty purposes Hinged-door cabinets with	p. 226-229
Assembled box lockers with viewing windows p. 44, 45, 144, 145	Data modules	p. 380	viewing windows	p. 230-233
viewing windows p. 44, 45, 144, 145 Avantgarde chairs p. 455	Daycare lockers	p. 146-153	Hook packs	p. 282, 283
Availtgarde Criaiis p. 455	Decor charts	p. 483-494	Horizontal storage cabinets	p. 388-393
_	Delivery conditions	p. 18, 19		
В	Desks	p. 394-413		
Base for multi-drawer cabinets p. 392	Dispensing lockers	p. 80	Interior fittings	
Basic benches p. 168-171	Double-tier lockers		for pedestal drawers	p. 443, 446, 447
Basic benches with coat rack p. 168-171	- S 2000 Classic	p. 40, 41	Intro box lockers	p. 140-147
Binder shelving p. 288-291	- S 3000 Evolo	p. 68-70		
Binder supports p. 319, 362	- S 6000 Cambio	p. 94, 95	L	
Bolted file shelving systems p. 288, 289	- S 7000 Prefino	p. 116, 117	Labels for lockers	p. 132, 133
Bolted shelving systems p. 288, 289	Drawer cabinets (office/archive)	p. 330-333,	Labels for multi-drawer cabinets	p. 393
Boltless file shelving systems p. 290, 291		364-375, 388-393	Laundry bags	p. 196
Boltless shelving p. 286-297	Drawing cabinets for horizontal storage	n 200 202	Laundry collection locker	p. 196
Boltless shelving (parcel shipment-ready) p. 286, 287	nonzoniai siolaye	p. 388-393	Laundry lockers	p. 38, 66
Box lockers	_		Laundry storage lockers	p. 39, 67
- S 2000 Classic p. 42-45	E		Lockers	
	EDP cabinets	p. 378-380	- S 2000 Classic	p. 28-51
- S 3000 Evolo p. 72-75	LDI CUDITICIS			
'	Ergo-Lock 4.0 grip lock	p. 12, 13, 204,	- S 3000 Evolo	p. 52-85
- S 3000 Evolo p. 72-75		p. 12, 13, 204, 205, 302, 303	- S 3000 Evolo - S 6000 Cambio	p. 52-85 p. 86-107

Lockers, double-tier	p. 40, 41, 68-70,	P		Tool cabinets for	
	94, 95, 116, 117	Perforated plate systems	p. 282, 283	heavy-duty purposes	p. 226-229, 256, 257
Lockers for schools and	- 146 153	Pharmacy cabinets	p. 448-451	Tool cabinets with drawers	
childcare facilities Lockers for street and	p. 146-153	Phenolic HPL benches	p. 172	and security compartments	p. 218, 219
work clothes	p. 34-37, 60-65	Phenolic HPL lockers	p. 172	Tool cabinets with hinged doors	p. 206, 207, 210, 211
Lockers in wet room design	p. 24, 25, 81	Prefino Business Z lockers	p. 126, 127	Tool cabinets with hinged doors and drawers	p. 214-225
Lockers on feet/on base	p. 28-41,	Prefino lockers	p. 108-135	Tool cabinets with	ρ. 214 223
	54-71, 92-101	Premio desks	p. 414, 415	hinged doors and viewing window	p. 230-233
Lockers with bench	p. 32-37, 41, 58-65			Tool cabinets with	
Locks for lockers	p. 50, 51, 84, 85, 106,	R		open-front containers	p. 236-247
and box lockers Logistics services	107, 134, 135, 159 p. 18, 19	Rectangular tops	p. 398, 399	Tool cabinets with sliding doors	p. 248-257
Long boltless shelving systems	p. 296, 297	Reference examples	p. 476-479	Tool cabinets with	, 2F0 2C1
Long shelving units	p. 296, 297	Resisto box lockers	p. 152-159	sliding doors and viewing window	p. 258-261
Long shelving units	ρ. 230, 231		p=	Tool top cabinets	p. 212
М		S		Top bookcases (office)	p. 314, 315, 347
IVI		3		Top cabinets (office)	p. 314, 315, 344, 354
Master key systems	see Accessories	S 3000 Evolo laptop lockers	p. 197	Top cabinets for tools Top cabinets with	p. 212, 252, 253 p. 322, 323,
Mechanical combination lock	p. 163	S 5000 Resisto open wardrobes	p. 183	sliding doors (office)	p. 322, 323, 326, 327
Meeting tables	p. 399, 424-427	S 5000 Resisto wardrobes	p. 183	Top cabinets with/without	,
Mobile high pedestals	p. 438, 439	Safe deposit box locker	p. 199	hinged doors (office)	p. 314, 315, 346, 347
Mobile pedestal C 3000 Asisto	p. 442-447	Safe-O-Mat locks	p. 106, 107, 134, 135, 165	Top decors	p. 483-494
Mobile workbenches	p. 270	Safe-O-Tronic PIN code lock	p. 164	Top locker bag unit for lockers	p. 81
Modesty panels for Cegano desks	p. 413	School and daycare lockers	p. 146-153	Top shapes	p. 398, 399
Modesty panels for Cegano sit/stand desks	p. 413	Shelving (parcel shipment-ready)	p. 286, 287	Tops	see Accessories
Mounting elements for	Į.	Shelving 7800 series		Trapezoidal tables	p. 422
perforated plate systems	p. 282, 283	(for heavy-duty purposes)	p. 294, 295		
Multi-drawer cabinets	p. 388-393	Shelving 788 series	p. 292, 293	U	
		Shelving for warehouse/ archive/workshop	p. 208, 209, 284-297	_	477
N		Single perforated plates	p. 282	Umbrella stands	p. 177
Net Line chairs	p. 456	Sit/stand workstations, Asisto	p. 400-403	Underframes	see Accessories
Net Line chairs	p. 456	· .		Universal cabinets (office)	p. 306, 307
	p. 456	Sit/stand workstations, Asisto	p. 400-403	Universal cabinets (office) Universal cabinets	p. 306, 307
0	p. 456	Sit/stand workstations, Asisto Sit/stand workstations, Cegano	p. 400-403 p. 410, 411	Universal cabinets (office)	
Occasional bookcases	p. 346	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof	p. 400-403 p. 410, 411 p. 128	Universal cabinets (office) Universal cabinets (warehouse/workshop)	p. 306, 307
Occasional bookcases Occasional cabinets for desks		Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355	Universal cabinets (office) Universal cabinets	p. 306, 307
Occasional bookcases Occasional cabinets for desks Occasional cabinets for	p. 346 p. 325, 386	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop)	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128	Universal cabinets (office) Universal cabinets (warehouse/workshop) Ventilation according to	p. 306, 307 p. 206, 207
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes	p. 346 p. 325, 386 p. 227, 257	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257	Universal cabinets (office) Universal cabinets (warehouse/workshop) Ventilation according to the SVL concept	p. 306, 307 p. 206, 207 p. 91
Occasional bookcases Occasional cabinets for desks Occasional cabinets for	p. 346 p. 325, 386	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355	Universal cabinets (office) Universal cabinets (warehouse/workshop) Ventilation according to	p. 306, 307 p. 206, 207
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches	p. 306, 307 p. 206, 207 p. 91
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199	Universal cabinets (office) Universal cabinets (warehouse/workshop) Ventilation according to the SVL concept	p. 306, 307 p. 206, 207 p. 91
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches	p. 306, 307 p. 206, 207 p. 91
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches	p. 306, 307 p. 206, 207 p. 91 p. 173
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables Occasional tambour door cabinets	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423 p. 360, 386	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers Stackable chairs	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199 p. 455, 456	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches W Wall-mounted wardrobes	p. 306, 307 p. 206, 207 p. 91 p. 173
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423 p. 360, 386 p. 213, 220-223,	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers Stackable chairs Standing tables	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199 p. 455, 456 p. 423, 431	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches W Wall-mounted wardrobes Wardrobe systems	p. 306, 307 p. 206, 207 p. 91 p. 173 p. 176 p. 176-179
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables Occasional tambour door cabinets	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423 p. 360, 386 p. 213, 220-223, 254-257	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers Stackable chairs Standing tables Storage shelves for workbenches Storage shelving Suspension bars	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199 p. 455, 456 p. 423, 431 p. 267 see Shelving	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches W Wall-mounted wardrobes Wardrobe systems Weight register	p. 306, 307 p. 206, 207 p. 91 p. 173 p. 176 p. 176-179 p. 462-473
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables Occasional tambour door cabinets Occasional workbench cabinets	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423 p. 360, 386 p. 213, 220-223,	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers Stackable chairs Standing tables Storage shelves for workbenches Storage shelving Suspension bars (Elba/Leitz or Zippel system)	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199 p. 455, 456 p. 423, 431 p. 267	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches W Wall-mounted wardrobes Wardrobe systems Weight register Workbenches	p. 306, 307 p. 206, 207 p. 91 p. 173 p. 176 p. 176-179 p. 462-473 p. 264-271
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables Occasional tambour door cabinets Occasional workbench cabinets Occasional Workbench cabinets	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423 p. 360, 386 p. 213, 220-223, 254-257 p. 480, 481	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers Stackable chairs Standing tables Storage shelves for workbenches Storage shelving Suspension bars	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199 p. 455, 456 p. 423, 431 p. 267 see Shelving	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches W Wall-mounted wardrobes Wardrobe systems Weight register Workbenches	p. 306, 307 p. 206, 207 p. 91 p. 173 p. 176 p. 176-179 p. 462-473 p. 264-271
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables Occasional tambour door cabinets Occasional workbench cabinets Office 4.0 / C+P office world Office bookcases Office coat stands	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423 p. 360, 386 p. 213, 220-223, 254-257 p. 480, 481 p. 208, 209, 308, 309, 312, 313, 340, 341 p. 174-177	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers Stackable chairs Standing tables Storage shelves for workbenches Storage shelving Suspension bars (Elba/Leitz or Zippel system) Suspension plates for	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199 p. 455, 456 p. 423, 431 p. 267 see Shelving	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches W Wall-mounted wardrobes Wardrobe systems Weight register Workbenches Workshop shelving units	p. 306, 307 p. 206, 207 p. 91 p. 173 p. 176 p. 176-179 p. 462-473 p. 264-271 p. 208, 209
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables Occasional tambour door cabinets Occasional workbench cabinets Office 4.0 / C+P office world Office bookcases Office coat stands Omnispace tambour cabinets	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423 p. 360, 386 p. 213, 220-223, 254-257 p. 480, 481 p. 208, 209, 308, 309, 312, 313, 340, 341 p. 174-177 p. 382-387	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers Stackable chairs Standing tables Storage shelves for workbenches Storage shelving Suspension bars (Elba/Leitz or Zippel system) Suspension plates for card-index cabinets	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199 p. 455, 456 p. 423, 431 p. 267 see Shelving see Accessories p. 332	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches W Wall-mounted wardrobes Wardrobe systems Weight register Workshop shelving units	p. 306, 307 p. 206, 207 p. 91 p. 173 p. 176 p. 176-179 p. 462-473 p. 264-271
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables Occasional tambour door cabinets Occasional workbench cabinets Office 4.0 / C+P office world Office bookcases Office coat stands Omnispace tambour cabinets Open changing room systems	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423 p. 360, 386 p. 213, 220-223, 254-257 p. 480, 481 p. 208, 209, 308, 309, 312, 313, 340, 341 p. 174-177 p. 382-387 p. 78, 79, 174-183	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers Stackable chairs Standing tables Storage shelves for workbenches Storage shelving Suspension bars (Elba/Leitz or Zippel system) Suspension plates for card-index cabinets Swivel chairs	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199 p. 455, 456 p. 423, 431 p. 267 see Shelving see Accessories p. 332	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches W Wall-mounted wardrobes Wardrobe systems Weight register Workbenches Workshop shelving units	p. 306, 307 p. 206, 207 p. 91 p. 173 p. 176 p. 176-179 p. 462-473 p. 264-271 p. 208, 209 p. 100, 101, 126,
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables Occasional tambour door cabinets Occasional workbench cabinets Office 4.0 / C+P office world Office bookcases Office coat stands Omnispace tambour cabinets Open changing room systems Open-front container cabinets	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423 p. 360, 386 p. 213, 220-223, 254-257 p. 480, 481 p. 208, 209, 308, 309, 312, 313, 340, 341 p. 174-177 p. 382-387 p. 78, 79, 174-183 p. 230-233, 258-261	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers Stackable chairs Standing tables Storage shelves for workbenches Storage shelving Suspension bars (Elba/Leitz or Zippel system) Suspension plates for card-index cabinets Swivel chairs	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199 p. 455, 456 p. 423, 431 p. 267 see Shelving see Accessories p. 332 p. 452-457	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches W Wall-mounted wardrobes Wardrobe systems Weight register Workbenches Workshop shelving units	p. 306, 307 p. 206, 207 p. 91 p. 173 p. 176 p. 176-179 p. 462-473 p. 264-271 p. 208, 209 p. 100, 101, 126,
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables Occasional tambour door cabinets Occasional workbench cabinets Occasional workbench cabinets Office 4.0 / C+P office world Office bookcases Office coat stands Omnispace tambour cabinets Open changing room systems Open-front containers, in bulk	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423 p. 360, 386 p. 213, 220-223, 254-257 p. 480, 481 p. 208, 209, 308, 309, 312, 313, 340, 341 p. 174-177 p. 382-387 p. 78, 79, 174-183 p. 230-233, 258-261 p. 238	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers Stackable chairs Standing tables Storage shelves for workbenches Storage shelving Suspension bars (Elba/Leitz or Zippel system) Suspension plates for card-index cabinets Swivel chairs	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199 p. 455, 456 p. 423, 431 p. 267 see Shelving see Accessories p. 332 p. 452-457	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches W Wall-mounted wardrobes Wardrobe systems Weight register Workbenches Workshop shelving units	p. 306, 307 p. 206, 207 p. 91 p. 173 p. 176 p. 176-179 p. 462-473 p. 264-271 p. 208, 209 p. 100, 101, 126,
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables Occasional tables Occasional tambour door cabinets Occasional workbench cabinets Office 4.0 / C+P office world Office bookcases Office coat stands Omnispace tambour cabinets Open changing room systems Open-front container cabinets Open-front containers, in bulk Order number index	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423 p. 360, 386 p. 213, 220-223, 254-257 p. 480, 481 p. 208, 209, 308, 309, 312, 313, 340, 341 p. 174-177 p. 382-387 p. 78, 79, 174-183 p. 230-233, 258-261 p. 238 p. 462-473	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers Stackable chairs Standing tables Storage shelves for workbenches Storage shelving Suspension bars (Elba/Leitz or Zippel system) Suspension plates for card-index cabinets Swivel chairs T T 3300 Asisto desks T 4400 Cegano desks	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199 p. 455, 456 p. 423, 431 p. 267 see Shelving see Accessories p. 332 p. 452-457 p. 400-403 p. 400-403 p. 404-413	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches W Wall-mounted wardrobes Wardrobe systems Weight register Workbenches Workshop shelving units	p. 306, 307 p. 206, 207 p. 91 p. 173 p. 176 p. 176-179 p. 462-473 p. 264-271 p. 208, 209 p. 100, 101, 126,
Occasional bookcases Occasional cabinets for desks Occasional cabinets for heavy-duty purposes Occasional cabinets for workbenches Occasional cabinets with viewing windows Occasional sliding-door cabinets Occasional tables Occasional tambour door cabinets Occasional workbench cabinets Occasional workbench cabinets Office 4.0 / C+P office world Office bookcases Office coat stands Omnispace tambour cabinets Open changing room systems Open-front containers, in bulk	p. 346 p. 325, 386 p. 227, 257 p. 213-215, 220-222, 227, 228 p. 231, 233 p. 324, 325, 352 p. 399, 423 p. 360, 386 p. 213, 220-223, 254-257 p. 480, 481 p. 208, 209, 308, 309, 312, 313, 340, 341 p. 174-177 p. 382-387 p. 78, 79, 174-183 p. 230-233, 258-261 p. 238	Sit/stand workstations, Asisto Sit/stand workstations, Cegano Slanted roof Slanted roof design lockers Sliding-door cabinets (office) Sliding-door cabinets (warehouse/workshop) Sliding-door cabinets with viewing windows Small-compartment lockers SonicWall acoustic solutions Space-saving lockers Stackable chairs Standing tables Storage shelves for workbenches Storage shelving Suspension bars (Elba/Leitz or Zippel system) Suspension plates for card-index cabinets Swivel chairs	p. 400-403 p. 410, 411 p. 128 p. 48, 81, 103, 128 p. 320-327, 348-355 p. 248-257 p. 258-261 p. 198, 199 p. 416-419 p. 198, 199 p. 455, 456 p. 423, 431 p. 267 see Shelving see Accessories p. 332 p. 452-457	Universal cabinets (office) Universal cabinets (warehouse/workshop) V Ventilation according to the SVL concept Vitas benches W Wall-mounted wardrobes Wardrobe systems Weight register Workbenches Workshop shelving units	p. 306, 307 p. 206, 207 p. 91 p. 173 p. 176 p. 176-179 p. 462-473 p. 264-271 p. 208, 209 p. 100, 101, 126,



Fascination with Innovation

People form the heart of a company; their commitment is the pulse. To encourage enthusiasm for innovation, emphasis was placed on a working environment which meets the various needs. The result is a unique building that promotes wellbeing and creates space for new ideas.

The team offices are generously laid out and spacious with a view of the outside grounds, but still allow for privacy thanks to the layout of the double workstations. The furnishings – kept in white with black accents – underline the friendly effect of the space. The intelligent integration of technology

allows an easy reach of connections which can be stored neatly in the cable trough.

Many offices, including those of the divisional management, can be used for spontaneous meetings in addition to their function as workstation. Brief meetings can be held at the mobile occasional tables. They are also ideal for quickly extending the work surfaces with flexible sit/stand solutions.







Schneider GmbH & Co. KG







The brochure with in-depth property report on our equipment for the company Schneider GmbH & Co. KG and other interesting reference examples can be found at

www.cp.de/infocenter



SCHNEIDER is one of the world's leading suppliers of processing solutions to the ophthalmic and precision-optical industry. The company is headquartered in Fronhausen (Marburg) with additional branches in the USA, Brazil, Hong Kong and Thailand.


The company's success and that of their customers is ensured by highquality machines, innovative technological concepts and networked production solutions. The fascination with innovation becomes tangible the minute you enter the headquarters.

The company's headquarters, on a floor space of over 9500 m², are characterized by state of the art climate and heating technology as well as communication and media technology, modern demonstration and training rooms and ergonomically optimized workstations.





Reference examples



One of a kind in Europe

The Bucharest thermal bath is setting new standards nationally and internationally. The investor's requirements were correspondingly high for the top-quality changing cubicles, which were designed to reflect the uniqueness of the entire complex in their materials and function.

The Prefino series with its highly flexible steel body was used, which allows the entire cable routing to be cleverly integrated into the slanted roofs of the lockers.

A decision was made for glass doors that require no visible fittings, creating a completely smooth and elegant external front.

The changing cubicles with floating appearance blend in perfectly with room's stylish design.

Prefino assembled box lockers make optimum use of the interior space available in the changing room system, enabling user capacity to be utilized to the full. The combination with the existing natural marble base creates harmonious interplay among the various components and materials.

The base highlights the fine design of the interior fittings while serving as a practical bench.








Inspired by the Erding thermal bath in Germany, the Bucharest thermal bath is one of Europe's largest thermal springs. A spa complex with a tropical twist was built on an area totaling 25,000 m².

It is a popular destination both nationally and internationally thanks to its central location. The thermal bath has three themed areas to meet the varied needs of its visitors. They can find relaxation in the jacuzzis and aromatherapy pools at The Palm. Six saunas, sunbathing areas, and massage areas invite visitors to relax in the Elysium.





The brochure with in-depth property report on our equipment for the Bucharest thermal bath and other interesting reference examples can be found at www.cp.de/infocenter





CLIMATE OFFICE









Climate Office is an integrated and sustainable solution for climate control, air purification, acoustics, and greening. Based on the **biophilic design** principle, we bring a piece of nature into the work environment by using natural elements such as water and plants to create a healthy indoor climate and to increase human wellbeing.



For additional furnishing examples, please see the Climate Office product series brochure or go to www.cp.de/climateoffice

Experience the C+P office world!

We look forward to showing you all the new products for a modern and healthy work environment live at our premises in Breidenbach, Germany. For in the C+P office world, the optimal open plan office was implemented in an exemplary manner based on a scientific study conducted by the Fraunhofer Institute for Building Physics IBP. We promise you: you have never seen such an office!

To arrange your personal appointment, send your request to sales@cp.de



Pleasant room temperature



Even more options online...



With the 3D product configurator you can quickly and easily configure your customized dream product and request it instantly! We bet we've got just what you're looking for!

www.cp.de/konfigurator

3D product configurator www.cp.de/konfigurator





C+P social media presence

Are you on the Facebook, Instagram, Pinterest, LinkedIn or Xing network?

Then come and take a look at C+P (links at www.cp.de) for the latest information and news, photo impressions and contact details. We always look forward to positive feedback, ideas, and constructive criticism.















These furnishing examples show the possibilities for creating color moods with the color design of the furniture. Please also note that the colors and surfaces on the ceiling, walls and floor allow you even more freedom for your mood planning.

Elegance

Possible associations:

Noble, worthy, valuable, graceful, extraordinary, formal, classical.

Clear lines, noble colors and surfaces create a sense of exclusivity for rooms where representative impressions are important.












Clean

Possible associations:

Hygienic, clean, fresh, clear, transparent, spacious, timeless, cool.

Gentle, light pastel shades radiate purity and clarity. Perfect for cooling down stress factors.












Harmony

Possible associations:

Pleasant, balanced, relaxing, natural, familiar, safe.

Pleasant relaxation in the colors of Nature itself.








Possible associations:

Dynamic, vital, signal, functional, creative, stirring, striking, individual.

A lust for life and joy can be encouraged, either by cheerful, bright colors or striking individual motifs.







These fold-out pages show examples of color moods that you can create with the C+P colors. Depending on the desired effect, you can "play" with color and space to create an elegant, clean, harmonious or "lifestyle" impression in your room.

Even just these few examples show that C+P gives you steel in its most beautiful form.

Elegance

Possible associations:

Noble, worthy, valuable, graceful, extraordinary, formal, classical.

Clear lines and noble colors and surfaces create a sense of exclusivity for rooms where representative impressions are important.







Clean

Possible associations:

Hygienic, clean, fresh, clear, transparent, spacious, timeless, cool.

Gentle, light pastel shades radiate purity and clarity. Perfect for cooling down stress factors.







Harmony

Possible associations:

Pleasant, balanced, relaxing, natural, familiar, safe. Pleasant relaxation in the colors of Nature itself.







Lifestyle

Possible associations:

Dynamic, vital, signal, functional, creative, stirring, striking, individual. A lust for life and joy can be encouraged, either by cheerful, bright colors or striking individual motifs.







Attention: Sub-frames are always supplied in black gray. Adjustable shelves, hanging frames, etc. are always coated in light gray. Zinc-plated shelves are uncoated.

Colors are subject to deviation and do not constitute grounds for complaint. We cannot accept any liability for printing errors or flaws.

These color charts are intended solely as a guide to the approximate impression of the colors. For more exact color representations, please consult the RAL color chart or the original samples.

Notes:

All depicted decors, colors and surfaces are available as standard. Other versions (e.g. for contract furniture) are available on request.

For other shades according to RAL or RDS and for "Natural steel", please also consult us for specific volumes.


RDS = RAL Design System

Decors and glass tops*



Decor tops (MCPB)

for half-height cabinets, with edge band 25 mm



DBS 001

* Important notes:

All of the indicated decors can be selected for one and the same type of top at no additional charge.

The decors and glass tops on this page can only be ordered for the products in the "locker and cloakroom furniture" section of this catalog.




Decor fronts (HPL), solid core

for "Evolo", "Cambio" and "Prefino" doors, with soft edge, black, 13 mm




Decor fronts (MDF)

for "Evolo" doors, black edge, 18 mm



Glass fronts

for "Prefino" doors, made of color-enamelled safety glass, 8 mm



Colors

Color group 0

(no additional charge)



Color group I

(no additional charge for fronts if the body is color group 0)



Color group II

(no additional charge for fronts if the body is color group 0)



C + P makes it easy for you!

- Color group 0 is available at no additional charge
- The additional charges for color groups I and II are listed in the table below
- You will find the color surcharge code number (CSC) for the product in the ordering table at the front of the catalog

If you opt for <u>two color coatings</u> (different colors for body and fronts):

The color surcharge is based on the <u>body</u> coating

That means:

- You can easily calculate the color surcharge based simply on the body color
- More than 150 colors and color combinations are available at no additional charge!

Color surcharges

Color surcharge code (CSC)	Additional charge/unit Color group I	Additional charge/unit Color group II
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		

Steel, glass, wood - ingenious combinations.

These fold-out pages show the color concept that applies to catalog sections

- Locker and cloakroom furniture
- Cabinets, workbenches, and shelving (Workshop equipment)




Color coatings for steel

C+P offers you lots of attractive steel color coatings as standard in a high-quality enamel coating for a high resistance to UV and corrosion. Depending on specific volumes, we would also be delighted to turn all your individual color requests into a reality.



Decors

Different wood-look fronts and tops are available. Above and beyond the C+P range, depending on specific volumes, we supply you with any decor surface you may desire.



Glass colors

Color-enameled glass doors for Prefino lockers are available in various standard colors.



Attention: Sub-frames are always supplied in black gray. Adjustable shelves, hanging frames, etc. are always coated in light gray. Zinc-plated shelves are uncoated.

Colors are subject to deviation and do not constitute grounds for complaint. We cannot accept any liability for printing errors or flaws.

These color charts are intended solely as a guide to the approximate impression of the colors. For more exact color representations, please consult the RAL color chart or the original samples.

Important notes:

All depicted decors, colors and surfaces are available as standard. Other versions (e.g. for contract furniture) are available on request.

For other shades according to RAL or RDS and for "Natural steel", please also consult us for specific volumes.

RDS = RAL Design System

The color surcharge system on page 488 applies only to furniture where the body and fronts are each coated in a <u>single</u> color.

For other variants (e.g. different door colors on the same cabinet), please let us know your specific project details. The RAL Institute has no standardized templates and definitions for the colors

- RAL 9006
- RAL 9007
- DB 703 gloss

So there may be **color differences** compared to other materials, previous production batches, different coating procedures or other manufacturers despite the colors having the same name.

Decors*



Decor tops (MCPB)

With edge band 25 mm






Walnut DBS 020

Solid-core panels (HPL)

With black solid-core edge 13 and 15 mm



Silver gray VK 002

Syncro decor tops (MCPB)

with 25 mm edge band, for tabletops only



Syncro oak SYN 034

* Important note:

All of the indicated decors can be selected for one and the same type of top at no additional charge.



Colors

Color group 0

(no additional charge)



Color group I

(no additional charge for fronts if the body is color group 0)



Color group II

(no additional charge for fronts if the body is color group 0)



C + P makes it easy for you!

- Color group 0 is available at no additional charge
- The additional charges for color groups I and II are listed in the table below
- You will find the color surcharge code number (CSC) for the product in the ordering table at the front of the catalog

If you opt for two color coatings (different colors for body and fronts):

The color surcharge is based on the <u>body</u> coating

That means:

- You can easily calculate the color surcharge based simply on the body color
- More than 150 colors and color combinations are available at no additional charge!

Color surcharges

Color surcharge code (CSC)	Additional charge/unit Color group I	Additional charge/unit Color group II
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		

Steel, glass, wood – ingenious combinations.

These fold-out pages show the color concept that applies to catalog sections

- Cabinets and filing systems
- Table systems and pedestals



Color coatings for steel

C+P offers you lots of attractive steel color coatings as standard in a high-quality enamel coating for a high resistance to UV and corrosion. Depending on specific volumes, we would also be delighted to turn all your individual color requests into a reality.



Decors:

Different wood look fronts, tabletops and covers are available. Above and beyond the C+P range, depending on specific volumes, we supply you with any decor surface you may desire.



Attention: Sub-frames are always supplied in black gray. Adjustable shelves, hanging frames, etc. are always coated in light gray. Zinc-plated shelves are uncoated.

Colors are subject to deviation and do not constitute grounds for complaint. We cannot accept any liability for printing errors or flaws.

These color charts are intended solely as a guide to the approximate impression of the colors. For more exact color representations, please consult the RAL color chart or the original samples.

Important notes:

All depicted decors, colors and surfaces are available as standard. Other versions (e.g. for contract furniture) are available on request.

For other shades according to RAL or RDS and for "Natural steel", please also consult us for specific volumes.

RDS = RAL Design System

The color surcharge system on page 492 applies only to furniture where the body and fronts are each coated in a <u>single</u> color.

For other variants (e.g. different door colors on the same cabinet), please let us know your specific project details. The RAL Institute has no standardized templates and definitions for the colors

- RAL 9006
- RAL 9007
- DB 703 gloss

So there may be **color differences** compared to other materials, previous production batches, different coating procedures or other manufacturers despite the colors having the same name.

Template for	your order/req	uest	1	Customer no. (if know	vn)		
				Billing address			
Simply copy and send	to your authorized C+P	dealer		Company			
				Department			
			_	Name of recipient			
			_	House number and street			
				Town/city, zip code			
				Telephone	Fax		
				E-mail			
				Date	Signa	ture	
				Delivery address (if	different)		
			_	Company			
				Department			
				Name of recipient			
				House number and street			
				Town/city, zip code			
Order	Request	(please cross as appl	licable)	Telephone	Fax		
				E-mail			
Order no	Designation	Color (pleas	se enter no)	Other specifications	ltem	Unit price	Total price
Order no.	Designation	Color (pleas Body/frame	se enter no.) Doors/panels	Other specifications e.g. top decor, material, etc	Item	Unit price	Total price
Order no.	Designation					Unit price	Total price
Order no.	Designation					Unit price	Total price
Order no.	Designation					Unit price	Total price
Order no.	Designation					Unit price	Total price
Order no.	Designation					Unit price	Total price
Order no.	Designation					Unit price	Total price
Order no.	Designation					Unit price	Total price
Order no.	Designation					Unit price	Total price
Order no.	Designation					Unit price	Total price
Order no.	Designation					Unit price	Total price
Order no.	Designation					Unit price	Total price
Order no.	Designation					Unit price	Total price
Order no.	Designation			e.g. top decor, material, etc			Total price
Order no.	Designation			e.g. top decor, material, etc		Unit price	Total price
	Designation			e.g. top decor, material, etc		(pages 18/19)	Total price

General information about this catalog:

The specified dimensions are only approximate and may vary up or down. We reserve the right to modify the designs, ranges and delivery capacity, and to make changes to color, material and decor ranges. All previous catalogs become invalid upon the publication of this catalog. All articles may vary in appearance form those shown in the illustrations. The trademark and product rights of branded products possibly displayed in the decorations are reserved by the respective manufacturer. All listed prices are the manufacturer's non-binding recommended retail prices exclusive of the rate of VAT valid on the day of delivery and are intended for commercial customers. We reserve the right to make price alterations, e.g. due to rising costs of equipment and raw materials. By placing an order, you acknowledge your acceptance of our sales, delivery and payment conditions (see also page 18/19 and www.cp.de/en/gtc).





Locker and cloakroom furniture



Workshop cabinets, workbenches and shelving



Cabinets and filing systems



Desks, pedestals and chairs